QUEENSLAND.

# VITAL STATISTICS, 1919.

## No. 60.

Also Embodying a Paper read by the Government Statistician and Registrar-General (Mr. N. J. Macleod) before the Australasian Medical Congress, which met at Brisbane, 23rd to 28th August, 1920.

Compiled in the office of the Government Statistician and Registrar-General.

PRESENTED TO BOTH HOUSES OF PARLIAMENT BY COMMAND.

#### BRISBANE:

BY AUTHORITY: ANTHONY JAMES CUMMING, GOVERNMENT PRINTER.

NO. 60.

UNABAGO YE THREALINAS TO EZABOLE BYOR OF BELLEVILLE

## INDEX TO TABLES OF VITAL STATISTICS, 1919.

Line of the second							Table.	Page.
ages and Conjugal Condition of Persons who Di	ed						Gb.	X.
iges of Husbands and Wives							G.	IX.
S. T.							Q.	XV.
Arrivals and Departures							В.	VII.
2								
Birth Rate of State for Ten Years						sings'	77	777
Birth Rate of each State for Five Years							К. Ка.	XI. XI.
Fecundity of Married Persons in each Censu	g						K b.	XII.
Females Born to each 100 Males							Jb.	XI.
Illegitimate Births, Number of Illegitimacy, Percentage of							L.	XII.
Illegitimacy of each State							La. Lb.	XII. XII.
Increase or Decrease, Numerical and Centes.	imal						Ja.	XI.
Illegitimacy of each State Increase or Decrease, Numerical and Centes Legitimated since 1899, Number of Multiple Births, Number of							Le.	XII.
Multiple Births, Number of Number in each Geographical Division of th							L d. J.	XII. XI.
or of the state of	.e state	101 1	WO 168	us	• •		U.	$\Delta 1.$
ancer, and Part of Body Affected							Tb.	XVIII.
hildren under Two and Five Years. Deaths of			101.00				P.	XV.
lassification of Causes of Deaths, General Schen	ne of							XXXII
Peaths— Ages and Ratio to Population								****
Cancer and Part of Body Affected							Q. T b.	XV. XVIII
Cancer and Part of Body Affected Causes of, in Tropical Queensland							1 0.	XXIII
Children under Two and under Five Years in	a Princ	ipal T	owns				P.	XV.
Diseases Treated and Deaths in Hospitals Infantile Mortality for Ten Years							M.	XIII.
Infantile Mortality at Five Year Periods							O. O a.	XIV. XIV.
Infantile Mortality at Five Year Periods Infantile Mortality of each State	nontaire						0 b.	XIV.
Metropolitan Area and Ratio of							Re.	XVI.
Metropolitan Area, Public Institutions Mortality Index of Queensland as compared	with S	wodon					R d. M c.	XVI. XIV.
Nationality and Proportion to Population	w1011 D						R.	XV.
Number of each Quarter in Ages							N.	XIV.
Number and Ratio of for Ten Years in Quee	nsland						Ma.	XIII.
Occupations for Five Years Occupations as Compared with that at Censular Compared with the compare	170						R a. R b.	XVI. XVI.
Order of Degree of Fatality for Five Years							Ta.	XVII.
1 bicomago of cach class to 10tal Deaths							T.	XVII.
Persons 75 Years and Upwards, Ages of Ratio of each State for Five Years							T d.	XX.
Tuberculosis, Birth Places and Duration of I	Residen	ce for	Five Y	ears			М b. Тс.	XIII. XIX.
egree of Fatality, each Cause of Death							Ta.	XVII.
enomination of Persons who Married							F.	IX.
iseases Treated and Deaths in Hospitals istricts which Registered over 100 Marriages							M.	XIII.
istaict Desistance To Desistance					• • •		E. U.	VIII. XXI.
vivorcees Remarried							Gc.	X.
							Da.	V.
stimated Population of each State							Ab.	VI.
ecundity of Married Persons at each Census							Kb.	XII.
Paid to District Registrars Outside the Publi	c Servi	ce					Ua.	XXI.
Received by District Registrars							U.	XXI.
emales Born to each 100 Males						• •	Jb.	XI.
eneral Scheme of Classification of Causes of Dea	the							VVVIII
meral scheme of Classification of Causes of Dea	UIIS		• •			• •	• •	XXXIII
ospitals—							S.	XVII.
ospitals— Number of In-patients and Cost Per Day		• •						
Number of In-patients and Cost Per Day		• •	••					
Number of In-patients and Cost Per Day		• •					B	VII
Number of In-patients and Cost Per Day  migration— Arrivals and Departures Excess of Immigration and Emigration						- 6	В. А d.	VII. VI.
Number of In-patients and Cost Per Day  migration— Arrivals and Departures						26	A d. L a.	VI. XII.
Arrivals and Departures							A d. L a. L b.	VI. XII. XII.
Number of In-patients and Cost Per Day  mmigration— Arrivals and Departures							A d. L a.	VI. XII.

								Table.	Page.
egitimated, Number of Persons, since 18	99							L c.	XII.
arriages— Ages and Conjugal Condition								0.1	V
					• .•			Gb.	IX.
By Denomination for Ten Years								F.	IX.
Districts in which over 100 were Regi	atorod							E.	VIII.
Divorcees Remarried								Gc.	X.
Mean Age of Husbands and Wives								Ga.	X.
Percentage of Marriageable Population		h Sto	to.					Ec.	VIII.
Persons who Signed Marriage Register	by Me	ark						I.	X.
Proportion each Denomination to Po	pulatio	n and	I Mar	riages (	Celebrat	ed by	each	Fa.	IX.
Denomination	I direction	TI COLL	TIACUL.			ou by	00011	2. 000	121.
Rate per 1,000 Mean Population since	1857							Ea.	VIII.
Rate per 1,000 Mean Population in ea	ch Stat	te for	Five '	Years				Eb.	VIII.
arriageable Population each State, Ratio	of							Ec.	VIII.
asculinity of Population								Ac.	VI.
ean Age of Persons who Married								Ga.	X.
etropolitan Area, Population of								D.	VII.
etropolitan Area, Deaths of								Rc.	XVI.
etropolitan Area, Deaths in Public Instit	utions							Rd.	XVI.
ortality Index of Queensland as Compare	ed with	Swed	len					Mc.	XIV.
Iultiple Births, Number of								Ld.	XII.
ationality of Persons who Died								R.	XV.
				• •				10,	227.
ccupations of Persons who Died								Ra.	VVI
ccupations of Persons who Died and at C	ensils	1911						R b.	XVI. XVI.
coupations of Loisons who Diod and at C	CHSus,	1011		in and		agovid un		ND.	AVI.
opulation—									
Each Division of the State								C.	VII.
Effective, of each State								Da.	VII.
Estimated, each State								Ab.	VI.
Increase in each State, Percentage of								Aa.	V.
Masculinity of Population								Ac.	VI.
Metropolitan Area					slo pre			D.	VII.
atistical Survey of the Causes of Death	in Tro	nical	Oneen	gland					VVIII
and the causes of Double	111 110	broar .	& accit	siana		10.0			XXIII
berculosis, Deaths from, and Birthplace	and Le	ength	of Re	sidence				Тс.	XIX.
,,,	waste sall	2011	J- 100	- wallo				1 0.	AIA.

#### A.

#### POPULATION OF THE STATE.

RETURN OF THE ESTIMATED POPULATION OF THE STATE OF QUEENSLAND ON THE 31ST DECEMBER, 1919. (Not including full-blooded aborigines.)

-01-2 Lines and at	75-1		P		Excess.				
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females	Persons
Estimated Population on 1st January, 1919 Births registered during March Quarter Deaths registered during March Quarter	2,500 1191	2,361 745	4,861 1,936				353,091	341,349	694,440
Natural Increase to Population during March Quarter Arrivals by sea and by rail during March Quarter Departures by sea and by rail during March Quarter +	8,706 6,824	4,396 3,551	13,102 10,375	1,309	1,616	2,925			
Increase by Excess of Arrivals over Departures during Quarter Special Allowance based on last intercensal experience				1,882 250	845	2,727 250			
Total Increase to Population during March Quarter							3,441	2,461	5,902
Estimated Population on 31st March, 1919 Births registered during June Quarter Deaths registered during June Quarter	2,493 1,568	2,294 1,099	4,787 2,667				356,532	343,810	700,342
Natural Increase to Population during June Quarter Arrivals by sea and by rail during June Quarter Departures by sea and by rail during June Quarter +	11,846 3,500	3,711 1,942	15,557 5,442	925	1,195	2,120			
Increase by Excess of Arrivals over Departures during Quarter				8,346 250	1,769	10,115 250			
Total Increase to Population during June Quarter							9,521	2,964	12,485
Estimated Population on 30th June, 1919 Births registered during September Quarter Deaths registered during September Quarter	2,335 1,335	2,140 863	4,475 2,198				366,053	346,774	712,827
Natural Increase to Population during September Quarter Arrivals by sea and by rail during September Quarter Departures by sea and by rail during September Quarter	21,783 10,243	6,840 6,624	28,623 16,867	1,000	1,277	2,277			
Increase by Excess of Arrivals over Departures during Quarter Special Allowance based on last intercensal experience				11,540 250	216	11,756 250			
Total Increase to Population during September Quarter							12,790	1,493	14,283
Estimated Population on 30th September, 1919 Births registered during December Quarter Deaths registered during December Quarter	2,417 1,243	2,157 812	4,574 2,055				378,843	348,267	727,110
Natural Increase to Population during December Quarter Arrivals by sea and by rail during December Quarter Departures by sea and by rail during December Quarter+	14,451 15,814	7,272 10,568	21,723 26,382	1,174	1,345	2,519			
Decrease by Excess of Departures over Arrivals during December Quarter Special Allowance based on last intercensal experience				-1,363 250	-3,296	-4,659 250			
Total Increase or Decrease to Population during December Quarter						**************************************	61	-1,951	-1,890
Estimated Population on 31st December, 1919							378,904	346,316	725,220
Mean Population for the Year 1919							367,131	345,794	712,928

<sup>†</sup> Including allowance for unrecorded oversea departures. — Excess of Departures.

#### Aa.

RETURN SHOWING THE RATIO OF INCREASE OR - DECREASE OF POPULATION OF EACH STATE OF THE COMMON. WEALTH AND NEW ZEALAND FOR 1919.

			TATAL ENTIRE	TITLE TOTAL TOTAL		
Queensland		4.43		Western Australia	 	5.81
New South Wales	***	 3.75		Tasmania	 	3.77
Victoria		 4.56		New Zealand	 	5.06
South Australia		×.00				

Ab.

RETURN SHOWING THE ESTIMATED POPULATION OF EACH STATE OF THE COMMONWEALTH AND NEW ZEALAND FOR 1919.

State.	Estimated Po	pulation, 31st De	ecember, 1919.		of each sex in the Population.	Proportion per cent of the Population of each Federal State to the total Popu-	
	Males.	Females.	Persons.	Males.	Females.	lation of the Commonwealth.	
Queensland	 378,904	346,316	725,220	52.25	47.75	13.82	
New South Wales	 1,011,481	991,150	2,002,631	50.51	49.49	38.17	
Victoria	 740,884	755,054	1,495,938	49.53	50.47	28.51	
South Australia	 224,631	243,563	468,194	47.98	52.02	8.92	
Western Australia	 176,902	154,758	331,660	53.34	46.66	6.32	
Tasmania Territories—	 112,448	104,303	216,751	51.88	48.12	4:13	
Northern	 3,578	1,128	4,706	76.03	23.97	0.09	
Federal Capital	 1,008	911	1,919	52.53	47.47	0.04	
Total Commonwealth	 2,649,836	2,597,183	5,247,019	50.50	49.50	100.00	
New Zealand	 588,888	575,517	1,164,405	50.57	49.43	the factor of the same	
Total Australasia	 3,238,724	3,172,700	6,411,424	50.51	49.49		

Ac.

RETURN SHOWING PROPORTION OF SEXES IN POPULATION OF QUEENSLAND SINCE 1880

			Males to each 100 Persons.	Females to each 100 Persons.		Females to each 100 Males.
1880	 	 	 58.71	 41.29	,	70.32
1885	 	 	 58.91	 41.09		69.75
1890	 	 	 56 93	 43.07		75.65
1895	 	 	 56.27	 43.73		77.71
1900	 	 	 55.63	 44:37		79.77
1905	 	 	 54.96	 45.04		81.96
1910	 	 	 54.38	 45.62		83.89
1915	 	 	 53.10	 46 90		88.33
1919	 	 	 52.25	 47.75		91.40

Ad.

Showing Excess of Births over Deaths and of Immigration over Emigration by Sea and Overland by Railway.—Return from 1862 to 1919.

	Period.	EXCESS	OF BIRTI	IS OVER I		on which rths over the total se.	AND O	MIGRATIO	GRATION N BY SEA BY RAI		ortion which Immigration on bears to pulation in-	Population ser of last	total ion of period.	Females to les in total
Period.	Mean Population for	Males.	Females.	Total.	Centesimal ratio to Population of last year of previous period.	Centesimal proportion which the excess of Births over Deaths bears to the total Population increase.	Males.	Females.	Total.	Centesimal ratio to Population of last year of previous period.	Centesimal proportion which the excess of Immigration over Emigration bears to the rotal Population in- crease.	Total increase to Pop to 31st December of year of period.	Centesimal ratio of total increase to Population of last year of previous period	Propertion of Femaleach 100 Males in increase.
1862-1865 1866-1870 1871-1875 1876-1880 1881-1885 1886-1890 1891-1895 1896-1900 1901-1905 1906-1910 1911-1915	69,460	2,062	3,025	5,087	14·80	9·88	28,880	17,542	46,422	135·08	90·12	*53,437	155·49	64·40
	103,012	5,739	7,571	13,310	15·16	49·05	9,804	4,019	13,823	15·74	50·95	*27,763	31·62	70·19
	143,467	6,704	9,706	16,410	14·20	26·06	33,661	12,850	46,511	40·25	73·94	*65,721	56·87	57·82
	204,445	7,960	12,291	20,251	11·17	37·12	23,394	10,914	34,298	18·92	62·88	*44,789	24·71	95·21
	268,719	7,986	15,262	23,248	10·28	20·78	57,200	31,414	88,614	39·20	79·22	*100,839	44·60	76·19
	375,253	17,872	24,238	42,110	12·88	41·96	36,111	22,138	58,249	17·82	58·04	*95,860	29·32	82·67
	427,792	20,525	25,757	46,282	10·95	75·46	11,361	3,692	15,053	3·56	24·54	*37,774	8·93	147·96
	487,319	17,724	24,037	41,761	9·07	67·33	14,968	5,294	20,262	4·40	32·67	*33,616	7·30	113·72
	515,381	16,628	22,910	39,538	8·00	116·69	\$-1,311	§—4,345	\$-5,656	—1·14	—16·69	33,882	6·86	121·21
	558,481	21,420	26,047	47,467	8·5)	66·78	\$ 14,180	§ 9,436	§23,616	4·23	33·22	71,083	12·73	99·67
	655,173	27,513	33,492	61,005	9·31	75·02	\$ 7,993	12,317	20,310	3·10	24·98	81,315	12·41	129·02
1916	677,630	5,023	6,379	11,402	1.68	††	-20,007	$ \begin{array}{c c} -603 \\ 4,738 \\ 3,521 \\ -462 \end{array} $	-20,610	-1.61	††	-9,208	-1:36	††
1917	680,313	6,023	7,191	13,214	1.97	69.31	1,113		5,851	0.87	30·69	19,065	2:85	167·17
1918	688,547	5,721	6,664	12,385	1.83	64.23	3,376		6,897	1.02	35·77	19,282	2:86	111·98
1919	712,928	4,410	5,429	9,839	1.42	31.97	21,403		20,941	3.02	68·03	30,780	4:43	19·24

<sup>\*</sup> Figures adjusted after actual population ascertained by census. § Including allowances for unrecorded arrivals and departures. †† Owing to the exceptional number of departures of males for service abroad, calculations on these figures are of no statistical value. — Excess of departures.

**B.**RETURN SHOWING THE MIGRATION BY LAND AND SEA FOR QUEENSLAND FOR 1919.

				. 191				ARRIVALS				
	Qua	rter.	,		By Sea.			By Land.		Т	otal Arriva	ls.
				Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons
First			 	2,843	748	3,591	5,863	3,648	9,511	8,706	4,396	13,102
Second			 	4,641	470	5,111	7,205	3,241	10,446	11.846	3,711	15,557
Third		,	 	1,141	611	1,752	20,642	6,229	26,871	21,783	6,840	28,623
Fourth			 	1,851	1,076	2,927	12,600	6,196	18,796	14,451	7,272	21,723
To	otals		 	10,476	2,905	13,381	46,310	19,314	65,624	56,786	22,219	79,005

				HOROR	o kridish		arell a		EPARTURI	45.			
(Stages		Qua	rter.	1898		By Sea.			By Land.	The state	То	tal Departu	res.
					Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
				 008	1,181	461	1,642	5,595	3,087	8,682	6,776	3,548	10,324
Second .				 	545	170	715	2,934	1,770	4,704	3,479	1,940	5,419
Third .				 	1,163	634	1,797	9,030	5,980	15,010	10,193	6,614	16,807
Fourth				 200	2,828	1,941	4,769	12,926	8,617	21,543	15,754	10,558	26,312
	Tot	als		 100.L.	5,717	3,206	8,923	30,485	19,454	49,939	36,202	22,600	58,862

N.B.—This table does not include the allowances made in framing population estimates.

#### C.

12 2 Lathers 1 Tree	87	Northern Division.	Central Division.	Southern Division.	Total State.
1914	. 0.0		2.134 E		
Population, Census 1911—	7.3		7081	8.0	
Number—	2.3		2018 T		
Males		67,945	43,538	218,023	329,506
Females		46,709	32,446	197,152	276,307
Persons		114,654	75,984	415,175	605,813
Proportion, per cent.—				, , , , ,	,,,,,,
Males to total Males		20.62	13.21	66.17	100.00
Females to total Females		. 16.91	11.74	71.35	100.00
Estimated Population, 31st December, 19	19 -			.100	100 00
Males		78,131	50,065	250,708	378,904
Females	• • •	58,544	40,667	247,105	346,316
Total Persons		136,675	90,732	497,813	725,220

#### D.

#### ESTIMATED POPULATION—METROPOLITAN AREA—FOR 1919.

City of Brisbane						Males. 20,074	Females. 20,503	Persons. 40.577
City of South Brisbane		•••	000			18,971	20,607	39,578
Suburbs				•••		53,637	55,784	109,421
				1 70 1			-	-
Brisbane Metrop	politan	Area (	Ten-mi	le Rad	ius)	92,682	96,894	189,576

#### Da.

RETURN SHOWING THE EFFECTIVE POPULATION OF EACH STATE, i.e., THE ELIGIBLE POPULATION UNDER CONSTITUTION ACT TO COUNT IN REPRESENTATION IN COMMONWEALTH PARLIAMENT.

			Effective		Quotient ar	nd Remainder.	Number of Rep	resentatives.
State	ð.		Population 3rd April, 1911.	Quota.	Quotient.	Remainder.	Number as per Quota.	Statutory Number.
Queensland  New South Wales  Victoria  South Australia  Western Australia  I'asmania			594,514 1,646,734 1,315,551 408,558 274,841 191,211	$\Bigg\} 61,547 \Bigg\{$	9 26 21 6 4 3	40,591 46,512 23,064 39,276 28,653 6,570	10 27 21 7 4 3	10 27 21 7 5
Commonwealth		 	4,431,409		1 0 1			75

E.

RETURN SH	OWING	THE !	DISTRICT	S IN QUEE	INSLAND W	HICH RETURNED	OVER	100 MAI	RRIAGES	3.
District.				Number.		District.				Number.
Brisbane				1,780		Cairns				147
Enoggera				316		Bundaberg				132
Toowoomba				296		Kennedy				127
Rockhampton				293		Warwick				124
Ipswich				292		Mackay				112
Townsville				239		Gympie				106
Maryborough				176						

**E** a.

RETURN SHOWING THE MARRIAGE RATE OF QUEENSLAND SINCE 1857.

Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population
1000	2.2				
1857	8.2	1878	7.0	1899	6.8
1858	9.4	1879	7:5	1900	6.9
1859	9.3	1880	7.0	1901	6.6
1860	10.8	1881	7.7	1902	6.3
1861	102	1882	8.6	1903	5.7
1862	14:4	1883	8.9	1904	5.9
1863	14.5	1884	8.9	1905	6.04
1864	14.0	1885	8.9	<b>1906</b>	6.73
1865	13.3	1886	8:3	1907	7:58
1866	11.6	1887	8.2	1908	7.22
1867	9.5	1888	8.7	1909	7.95
1868	8.3	1889	7.9	1910	8.05
1869	8.3	1890	7.8	1911	8.41
1870	7.8	1891	7:1	1912	8.91
1871	8.1	1892	6.7	1913	8.68
1872	8.7	1893	5.9	1914	8.73
1873	9.6	1894	5.7	1915	8.94
1874	8.6	1895	6.2	1916	7.69
1875	8.6	1896	6.1	1917	7.15
1876	7.6	1897	6.0	1918	7.00
1877	7.6	1898	6.0	1919	7.62

Eb.

Return showing the Marriage Rate of each State of the Commonwealth and New Zealand for Five Years.

						1	verage of the Rates for the
	1915.	1916.	1917.	1918.	1919.	(	luinquennial Period.
Queensland	8.94	7.69	 7.15	 7.00	 7.62		7:68
New South Wales	9.70	8.74	 7.09	 6 90	 8 04		8.09
Victoria	9.00	8.05	 6.76	 6.46	 7.98		7.65
South Australia	9.01	8.32	 7.52	 7.25	 8.46		8.11
Western Australia	8.00	7.51	 5.25	 5.18	 6.78		C·54
Tasmania	8.03	7.23	 5.72	 5.55	 7.16		6.74
Territories—							
Northern	2.73	3.92	 6 86	 7.81	 5.20		5.30
Federal Capital	0.81	1.23	 0 80	 1.65	 3.89		1.74
New Zealand	9.12	7.47	 5.84	 5.65	 8 38		7.29

Ec.

RETURN SHOWING THE PROPORTIONS OF MARRIAGEABLE PERSONS IN EACH STATE AT CENSUS 1911.

				 CTHROOP	1671!
		Males.	Females.	Persons.	
Queensland	 	 18.57	 13.86	 32.43	
New South Wales	 	 16.22	 15.35	 31.57	
Victoria	 	 15.30	 18.75	 34.05	
Scuth Australia	 	 15.02	 16.92	 31.94	
Western Australia	 	 21.20	 11.18	 32.38	
Tasmania			15.40	 29.10	

RETURN SHOWING THE MARRIAGES BY EACH DENOMINATION IN STATE OF QUEENSLAND FOR TEN YEARS.

Denomina	cion.			1910.	1911.	1912.	1913.	1914,	1915.	1916.	1917.	1918.	1919.	Total Ten Years.
Church of England Roman Catholic Church		Y++		1,212 941	1,448 1,042	1,541 1,090	1,524 1,166	1,620 1,173	1,684 1,208	1,558 1,117	1,311 1,170	1,428 1,108	1,802 1,197	15,128 11,212
Presbyterian				683	712	802	875	886	870	713	708	685	698	7,632
Methodist				874	947	958	987	1,020	1,019	853	776	760	792	8,986
Baptist				256	227	289	294	292	344	210	183	141	167	2,403
Lutheran				191	160	169	151	141	178	137	131	94	111	1,463
Congregational				126	138	158	179	162	184	108	98	108	131	1,392
Salvation Army				32	34	42	43	45	42	41	24	31	42	376
Other Christian Sects				245	235	311	185	297	372	313	292	275	286	2,811
Hebrew				4	6	5	3	5	8	3	9	2	6	51
By Registrars and Mar	rying	Justices		205	220	263	255	254	232	155	160	189	199	2,132
Totals		88-4	9.1	4,769	5,169	5,628	5,662	5,895	6,141	5,208	4,862	4,821	5,431	53,586

#### Fa.

Return showing the Population Proportion at Census 1911 and the Proportion as to Marriages celebrated by each Denomination for 1919.

		Proport	ion per cent. ea	ch Denomination	n to total—
	-		Population. Census 1911.		Marriages. 1919.
Church of England	 	 	35.11		33.18
Roman Catholic Church	 	 	22.63		22.04
Presbyterian Church	 	 	12.47		12.85
Methodist Church	 	 	9.89		14.58
Lutheran Church	 	 	4.00	• • •	2.04
Baptist Church	 	 	2.26		3.07
Congregational Church	 	 	1.72		2.41

G.

RETURN SHOWING THE AGES IN GROUPS OF HUSBANDS AND WIVES FOR QUEENSLAND FOR 1919.
HUSBANDS.

						MARR	IED TO V	VIVES -	_			
		YO	UNGER '	THAN TE	IEMSELV	ES.		0	LDER TH	HAN THE	MSELVE	S.
Ages of Husbands.	No. of Husbands at each Age Group.	By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.	Same Age as them- selves.	By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years.
Under 21 years	220	-	3	18	25	30	44	29	26	12	10	23
01 to 95 moons	 1,386	144	116	180	206	197	202	110	83	45	33	70
2 1 - 90	 1,902	705	207	201	198	181	124	96	67	49	24	50
10 1 9 "	 995	615	55	62	66	60	48	18	17	18	7	29
E 1. 10	 442	321	16	19	13	17	12	10	9	4	6	15
10 to 45	204	158	3	8	5	4	8	3	2		1	12
15 to 50 .,	 107	86	2	1	3	2	2	1	2	4		4
Jpwards of 50 years	 175	137	6	7	5	4	3	1	3	1	1	7
Totals	 5,431	2,166	408	496	521	495	443	268	209	133	82	210

#### WIVES.

					, , , ,								1	
							M	[ARRIED	TO HUS	BANDS-	V. (2.16.)			
				YO	UNGER T	THAN TH	EMSELV	ES.		0	LDER TH	AN THE	MSELVES	S.
Ages of Wive	es.		No. of Wives at each Age Group.	By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.	Same Age as them- selves.	By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years
Under 21 years 21 to 25 years		 	1,122 2,048 1,351 491	7 58 51	10 38 20	1 25 48 42	3 67 85 36	16 104 103 26	44 202 124 48	64 212 151 48	113 213 143 32	138 193 118 23	119 174 85 18	624 841 398 147
35 to 40 ,, 40 to 45 ,, 45 to 50 ,, Upwards of 50 years		 	193 98 53 75	34 23 18 19	8 4 1 1	9 3 1 4	9 3 1 5	11 5 2 1	12 6 2 5	11 6 2 1	10 3 2 5	12  2 10	4 6 2	73 39 20 24
Totals		 	5,431	210	82	133	209	268	443	495	521	496	408	2,166

Ga.

Return showing the Mean Age at Marriage of all Husbands, Bachelors, all Wives, and Spinsters for Queensland for 1919.

				All Husbands.	Bachelors.	All Wives.	Spinsters.
1881-1885,	Average	of	Means	 28.22		23.29	
1886-1890,	,,	"	"	 27.52		23.23	
1891-1895,	"	"	77	 28.38		23.69	
1896-1900,	,,	"	"	 28.91	27.79	24.22	23.22
1901-1905,	27	99	"	 29.15	28.07	24.43	23.39
1906-1910,	,,	"	"	 28.87	27.83	24:51	23.58
1911-1915,	"	,,	,,	 28.45	27.52	24.69	23.88
1916	Mean a	ge		 28.50	27.54	24.81	23.96
1917	,,			 28.86	27.48	24.88	23.66
1918	,,			 29.09	27.59	24.82	23.63
1919	,,			 29.13	27.79	25.08	23.98

#### Gb.

RETURN SHOWING THE CONJUGAL CONDITION OF HUSBANDS AND WIVES FOR QUEENSLAND FOR 1919.

						1919.	
Amongst Marriages of—				Numbers Married.	Proportion Per Cent. to Total	THE MEAN AGES WEB	
				Married.	Marriages.	Husbands.	Wives.
Bachelors to Spinsters				4,905	90:31	27.79	23.98
Bachelors to Widows				193	3.55	36.63	35.97
Bachelors to Divorced Women				15	0.28	36.50	34.40
Widowers to Spinsters				201	3.70	42.10	30.84
Widowers to Widows				92	1.69	51.85	46.03
Widowers to Divorced Women				7	0.13	50.11	38.29
Divorced Men to Spinsters	4	e a grand		15	0.28	36.40	25.47
Divorced Men to Widows				2	0.04	52.50	41.50
Divorced Men to Divorced Women				1	0.02	26.00	27.00
					Persons Married.		
Of all Males Married—Bachelors				5,113	94.15	28.15	
Widowers				300	5.2	46:30	***
Divorced Men				18	0.33	37.61	
Of all Females Married-Spinsters				5,121	94.29		24.27
Widows				287	5.29		38.91
Divorced Women				23	0.42		35.26
11011916						• • •	
TOTAL PERSONS MARRIED			,	10,862	200:00	29.13	25.08

#### Gc.

RETURN SHOWING THE DISSOLUTIONS AND DIVORCEES REMARRIED FOR QUEENSLAND FOR TEN YEARS.
1910. 1911. 1912. 1913. 1914. 1915. 1916. 1917. 1918. 1919.

Dissolutions ... ... 20 27 15 31 29 26 25 16 24 29 Divorcees Remarried ... ... 26 22 24 26 41 43 37 27 34 41

#### I.

RETURN SHOWING THE NUMBER OF PERSONS WHO SIGNED THEIR MARRIAGE CERTIFICATES BY MARK FOR QUEENS LAND SINCE 1875.

	Num	har of Pars	one in	each Year	Tho		P:	roportion to	each 1	00.
		signed Mar		Certificate	W110 /		Marriages		Pe	ersons Married.
Year.		Males.		Females.		Males.		Females.	,	Persons.
1875		135		267		9.08		17.96		13.52
1880		90		187		5.82		12.09		8.95
1885		107		209		3.76	• • •	7.35		5.26
1890		94		115		2.94		3.60		3.27
1895		82		76		2.90		2.69		2.80
1900		58		88		1.72		2.61		2.17
1905		44		44		1.39		1.39		1.39
1910		38		51		0.80		1.07	•••	0.93
1915		31		35		0.50		0.57	•••	0.54
1919	100	16	* *	18	•••	0.29	•••	0.33	•••	0.31

J.

RETURN SHOWING THE BIRTHS OF QUEENSLAND IN GEOGRAPHICAL DIVISIONS FOR 1918 AND 1919.

						1918.			1919.		Total Increase or	Females born to	Females born to
Geog	raphics	al Divisio	on.		Males.	Females.	Persons.	Males.	Females.	Persons.	Decrease in the latter Year.	Males born in 1918.	wery 100 Males born in 1919.
Brisbane (10-		radius)		384	2,882 46	2,676 35	5,558 81	2,747 41	2,539 41	5,286 82	-272 1	92·85 76·09	92.43 100.00
Tota	al Met	tropolit	an Div	rision	2,928	2,711	5,639	2,788	2,580	5,368	271	92.59	92.54
Moreton					1,189	1,148	2,337	1,190	1,062	2,252	-85	96.55	89.24
Wide Bay					1,228	1,113	2,341	1,147	1,102	2,249	-92	90.63	96.08
Port Curtis					841	761	1,602	802	739	1,541	61	90.49	92.14
Edgecumbe					1,081	1,002	2,083	1,028	908	1,936	-147	92.69	88.33
Rockingham					530	495	1,025	553	402	1,035	10	93.40	72.69
York Peninsu	ıla				114	111	225	105	87	192	-33	97.37	82.86
Carpentaria					176	197	373	205	172	377	4	111.93	83.90
Central West	tern				47	51	98	62	48	110	12	108.51	77.42
South Wester	rn				126	114	240	128	125	253	13	90.48	97.66
Central					313	298	611	326	283	609	-2	95.21	86.81
Maranoa					185	154	339	175	165	340	1	83.24	94.29
Downs		•••			1,335	1,312	2,647	1,238	1,199	2,437	-210	98.28	96.85
Tota	al				10,093	9,467	19,560	9,747	8,952	18,699	-861	93.79	91.84

Ja.

Return showing the Numerical and Centesimal Increase or - Decrease of Births in Queensland for Ten Years.

			—Decrease or ous Year.	n				Decrease on ous Year.
Year.	Births.	Numerical.	Centesimal.		Year.	Births.	Numerical.	Centesimal.
1910	 16,173	619	3.98		1915	 20,165	282	1.42
1911	 16,991	818	5.06		1916	 18,916	-1,249	-6.19
1912	 18,758	1,767	10.40		1917	 19,764	848	4.48
1913	 19,747	989	5.27		1918	 19,560	204	-1.03
1914	 19,883	136	0.69		1919	 18,699	-861	-4.40

Jb.

RETURN SHOWING THE PROPORTION OF FEMALES BORN TO MALES IN QUEENSLAND FOR TEN YEARS.

	Females born to every 100 males born.			Females born to every 100 males born.
1910	 95.78	1915	 	93:11
1911	 95.14	1916	 	95.49
1912	 95.70	1917	 	96.77
1913	 96.53	1918	 	93.79
1914	 96.47	1919	 •••	91.84

27·3 29·4 26·2

#### K.

RETURN SHOWING THE CRUDE BIRTH RATE OF QUEENSLAND SINCE 1860.

1860	 47.9	1885	 36.7	1910	
1865	 43.6	1890	 37:2	1915	
1870	 43.5	1895	 32.8	1919	
1875	 37.5	1900	 30.2		
1880	36.9	1905	25.9		

#### Ka.

RETURN SHOWING THE CRUDE BIRTH RATE OF EACH STATE OF THE COMMONWEALTH AND NEW ZEALAND FOR FIVE YEARS.

	Birth Rate, 1915.	Birth Rate, 1916.	Birth Rate, 1917.	Birth Rate, 1918.	Birth Rate, 1919.	Average of the rates for the quinquennial period.	
Queensland	 29.35	27.91	29.05	28.41	26.23	28.19	
New South Wales	 28:30	27.89	28.07	26.52	24 68	27.09	
Victoria	 24.55	24.30	23.50	22.29	21.57	23.24	
South Australia	 26.81	27.39	26.21	25.80	24.27	26.10	
Western Australia	 27.98	27.21	25.54	22.84	21 44	25.00	
Tasmania	 29.32	28.47	27.03	25.91	25.12	27.17	
Territories—		1					
Northern	 13.85	15.26	13.92	21.03	22.05	17.22	
Federal Capital	 19.05	24.11	17.65	20.19	11.68	18.54	
New Zealand	 25.33	25.93	25.67	23.44	21.54	24:38	

**K** b.

RETURN SHOWING THE FECUNDITY OF THE PEOPLE OF QUEENSLAND AT CENSUS PERIODS.

		ARS TO 45 YEARS AGE.	BIRT	HS.	3101	BIRTHS PER 1,000.	
Census Year.	Married.	Unmarried.	Legitimate.	Illegitimate.	Legitimate Births to Married Females 15 years to 45 years of age.	Illegitimate Births to Unmarried Females 15 years to 45 years of age.	Total Births to all Females 15 years to 45 years of age.
861	5,1	788					245 85
871	15,502	6,830	5,074	131	327:31	19.18	233.07
881	24,178	15,441	7,875	345	325.71	22.34	207.48
891	44,537	34,607	14,031	684	315.04	19.76	185.93
901	53,617	50,561	13,455	848	250.95	16.77	137.29
911	64,461	69,976	15,903	1,088	246.71	15.55	126.39

#### I.

RETURN SHOWING THE ILLEGITIMATE BIRTHS FOR QUEENSLAND FOR EACH QUARTER FOR 1919.

			Males.	Females.	Persons
First Quarter		 	 132	 119	 251
Second Quarter		 	 142	 130	 272
Third Quarter		 	 146	 136	 282
Fourth Quarter		 	 151	 118	 269
T	otal	 	 571	 503	 1,074

#### La.

RETURN SHO	WING THE RATE OF	ILLEGITIE	MACY FOR	QUEENSLAND	FOR TEN	YEARS.
1910 6	3.37	1914	. 5.86		1917	. 4.89
1911 6	3.40	1915	. 5.41		1918	. 5.35
1912 6	3·14	1916	. 5.04		1919	. 5.74
1913 6	5.15					

#### Lb.

RETURN SHOWING THE RATE OF ILLEGITIMACY FOR EACH STATE OF THE COMMONWEALTH AND NEW ZEALAND FOR 1919.

Females by	Per Cent. to Total Births.		Per Cent. to Total Births.
Queensland	5.74	Western Australia	4.21
New South Wales	5.22	Tasmania	5.99
Victoria	5.77	New Zealand	4.65
South Australia	3.89		

LC.

RETURN SHOWING THE NUMBER OF CHILDREN LEGITIMATED SINCE 1899 FOR QUEENSLAND.

District.		or to	19	10.	19	11.	19	12.	19	13.	19	14.	19	15.	19	16.	19	17.	19	18.	19	19.	r	Total.	
	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	Р.
Metro- politan	193	147	21	25	28	22	22	26	30	23	35	30	38	34	34	35	39	34	22	18	31	39	493	433	926
Country	281	275	57	35	58	49	56	45	70	55	67	62	56	56	55	52	72	50	67	55	44	48	883	782	1,665
Totals {	474	422	78	60	86	71	78	71	100	78	102	92	94	90	89	87	111	84	89	73	75	87	1,376	1,215	2,591
Totals	8	96	1	38	1	57	14	.9	1	78	19	1	18	1	1'	76	1	.95	1	62	1	62			

#### Ld.

RETURN SHOWING THE MULTIPLE BIRTHS OCCURRING IN QUEENSLAND DURING 1919.

			T	WINS.	TRIE	LETS.
10.00			Males.	Females.	Males.	Females
First Quarter			46	42		
Second Quarter			41	27	3	
Third Quarter			25	47	3	6
Fourth Quarter			29	33 .		
Total	***	***	141	149	6	6

RETURN SHOWING THE DISEASES TREATED AND DEATHS IN HOSPITALS OF THE STATE FOR FIVE YEARS, 1915-1919.

		191	5.	191	6.	191	7.	191	.8.	191	9.
Disease.		Diseases.	Deaths	Diseases.	Deaths	Diseases.	Deaths	Diseases.	Deaths.	Diseases.	Deaths.
General Diseases—									10		10
Typhoid Fever		1,291	132	1,190	128	523	44	472	42	571	48
Influenza		962	7	491	2	538	2	1,380	10	5,376	301
Dengue Fever		835	4	1,912	5	487	1	376	1	209	1
Cholera Dysentery		140	5	80	3	79	6	75	3	137	5 168
Tuberculosis (all kinds)		784	151	849	190	788	170	758	191 208	716	
Cancer (all kinds)		633	158	670	162	669	193	707	13	655	12
Rheumatism		1,103	5	1,052	11	1,050	23 26	1,078	17	1,096	38
All Other Control		834	34	940	49	969	193		206	1,205 $5,054$	250
All Other General		4,580	187	4,916	219	4,884	195	4,917	200	0,004	200
Diseases of Nervous System and Organs of Spe- Sense		0 700	004	0.000	227	2,623	241	2,917	260	3.142	237
D: Cil C: 1 . C		2,533	224	2,699	237		268	1.666	320	1.738	316
		1,565	252 300	1,666	273	1,484 4,220	236	5,139	318	4.189	357
Diseases of the Respiratory System		3,880	344	3,956 4,852	305	5,150	262	6,215	275	6,865	450
Diseases of the Digestive System		5,154	226		222	2,936	212	3,301	190	3,426	215
Diseases of the Genuto-urinary System & Adn Puerperal Condition	еха	2,799 740	220	2,977	36	876	25	890	24	973	31
T' AND AND THE TOTAL		1,682	17	1.642	20	2,016	21	2,126	17	1,882	18
Diseases of the Skin and Cellular Tissue  Diseases of Organs of Locomotion		692	21	677	9	777	9	821	12	760	11
74 16 4		50	6	71	5	58	4	59	4	66	4
T C		74	12	81	16	95	18	89	13	139	27
011 4		410	136	403	120	378	120	490	130	612	163
		4,421	155	4,575	155	5,351	124	5.410	170	5,236	175
Ill-defined Diseases		523	12	599	8	610	16	732	34	730	10
Total Number of Diseases Treated fr All Causes Total Number of Deaths	rom 	35,685	2,417	37,077	2,402	36,561	2,211	40,614	2,458	44,777	3,028

Ma.

RETURN SHOWING THE NUMBER OF DEATHS AND THE PROPORTION PER 1,000 MEAN POPULATION, MALES AND FEMALES, FOR QUEENSLAND FOR TEN YEARS.

													DEA	THS.		
						YE	AR.				Т	otal Numbe	er,	Deaths	portion of to s per 1,000 of Population	of Mean
											Males.	Females.	Persons.	Males.	Females.	Persons
010		 				TERM.		 			 2.505	9.150	5 745	11.13	7.99	9.70
910			***	***		•••		 	 	• • • •	 3,595	2,150	5,745			
911									 		 4,060	2,484	6,544	12.14	8.88	10.65
912								 	 		 4,305	2,616	6,921	12:56	9.05	10.96
913								 	 		 4,196	2,587	6,783	11.87	8.65	10.39
914								 	 		 4,132	2,599	6,731	11.32	8:39	9.97
915								 	 		 4,696	2,864	7,560	12.73	9.00	11.00
916	***							 	 		 4,653	2,861	7,514	13.14	8.84	11.09
917				8781	MO MI		4.13		 		 4,021	2,529	6,550	11.52	7.64	9.63
918				8:01				 	 		 4,362	2,796	7,158	12.43	8.28	10.40
.919								 	 		 5,337	3,523	8,860	14.54	10.19	12.43

RETURN SHOWING THE DEATH RATE OF EACH STATE OF THE COMMONWEALTH AND NEW ZEALAND FOR FIVE YEARS.

	Rate in	Rate in	Rate in	Rate in	Rate in	Average of the Rates for the Quin-
	1915.	1916.	1917.	1918.	1919.	quennial Period.
Queensland	 11.00	11.09	9.63	10.40	12.43	10.91
New South Wales	 10.50	10.63	9.61	9.86	13.42	10.80
Victoria	 11:10	11.70	10.36	10.70	13.21	11.41
South Australia	 10.67	11.73	10.10	9.97	12.01	10.90
Western Australia	 9.28	9.80	8.97	9.11	11.10	9.65
Tasmania	 10.11	10.38	8.89	8.84	10.37	9.72
Territories-						
Northern	 22.03	25.16	12.70	14.82	17.68	18.48
Federal Capital	 6.89	3.06	5.21	2.47	7.79	5.08
New Zealand	 9.06	9.64	9.58	14.84	9.51	10.53

M C.

RETURN SHOWING THE DEATH RATE OF QUEENSLAND CORRECTED TO COMMON STANDARD OF AGE OF SWEDEN AS FIXED BY NATIONAL CONFERENCE OF STATISTICIANS.

	Year.		Classes of Age.	°/o of Queens- land Population at each Age Period, Census 1911.	Estimated Mean Population.	Number of Deaths.	Coefficient °/o.	°/o of Swedish Population at each Age Period.	Queensland Index °/o.
		1	Under 1 year	2.69	19,178	1,353	7.05	2.55	1.80
			1 to 20 years 20 to 40 ,,	40·97 32·77	292,087 233,626	1,148 $1,573$	0·39 0·67	39.80	1.56 1.82
1919		1	40 to 60 ,, 60 years and upwards	17·77 5·80	126,687 41,350	1,961 2,825	1.54 6.83	19·23 11·46	2·98 7·83
			Totals	100.00	712,928	8,860	1.24	100.00	15.99

N.

RETURN SHOWING THE DEATHS IN EACH QUARTER IN CERTAIN AGE GROUPS FOR QUEENSLAND FOR 1919.

Quarter.	Under	1 Year.		1 and under 5 Years, 20 Years.			under ears.		under ears.	60 Y and up		Unspe	ecified.	Males.	Females.	Persons	
Quarter.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	M.	F.	М.	F.			
First Quarter Second Quarter Third Quarter Fourth Quarter	218 188 156 226	149 139 104 173	87 97 60 95	85 91 44 73	67 85 72 73	34 89 57 39	147 309 235 162	119 280 196 125	268 435 348 269	141 211 155 130	402 453 463 415	219 290 307 273	2 1 1 3		1,191 1,568 1,335 1,243	747 1,100 863 813	1,938 2,668 2,198 2,056
Total Males Total Females	788	565	339	293	297	219	853	720	1,320	637	1,733	1,089	7		5,337	3,523	
Total Persons	1,	353	(	332		516	1,	573	1,9	)57	2,8	322		7			8,860
Percentage each Age Group to	14.77	16:04	6:35	8:32	5.94	6.21	15.98	20:44	24.73	18:08	32.47	30.91	0.13			100.00	
Total each to each	15	27	7.	13	5.	82	17	76	22	09	31	85	0.0	08		100.00	

Showing True Infantile Mortality—Rèturn for Ten Years.

1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	Mean for the 10 years.
6:31	6:54	7.14	6.33	6.39	6.40	7.04	5.42	5.69	7:24	6.44

#### Oa.

RETURN	SHOW	ING TH	E TRUE	Infant Mortality	OF QUE	ENSLAND	SINC	E 1875.
1875			12.46		1900			10.31
1880		• • •	12.98		1905			9.89
1885			13.64		1910			8.23
1890			12.65		1915			6.80
1895			11.07		1919			6.44

#### Ob.

RETURN SHOWING THE TRUE INFANT MORTALITY FOR EACH STATE OF THE COMMONWEALTH AND NEW ZEALAND FOR 1919.

The state of the state of					1919.
Queensland	 	 	•••	•••	7.24
New South Wales	 	 			7.23
Victoria	 	 	10.01		6.80
South Australia	 8	 			6.40
Western Australia	 	 			6.13
Tasmania	 • • •	 			6.46
New Zealand	 • • •	 			4:53

RETURN SHOWING THE PROPORTION TO TOTAL DEATHS IN CERTAIN DISTRICTS OF QUEENSLAND OF CHILDREN UNDER Two and under Five Years of Age for 1919.

						Dis-	CHILDREN UN	DER 2 YEAR	RS OF AGE,	CHILDREN U	NDER 5 YE	ARS OF AG
	B	egistry I	District.	7381\ - 105 - 105		Number of Deaths in trict.	Census 1911— Centesimal Ratio of Children under 2 years of age to Population of Dis- trict.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.	Census 1911— Centesimal Ratio of Children under 5 years of age to Population of Dis- trict.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.
Brisbane					 	2,489	4:39	484	19.45	10.24	577	23.18
Bundaberg					 	185	5.46	32	17:30	12.63	41	22.16
Enoggera					 	339	5.19	110	32.45	11.71	118	34.81
Gympie					 	185	5.25	50	27.03	12.75	55	29.73
Ipswich					 	493	5.05	102	20.69	11.53	119	24.14
Kennedy*					 	231	4.88	34	14.72	11.91	38	16.45
Mackay					 	215	5.66	32	14.88	12.93	36	16.74
Maryborough					 	280	4.88	64	22.86	11.63	77	27.50
Mount Morgan					 	114	6.47	20	17.54	14.74	26	22.81
Rockhampton					 	545	5.05	100	18.35	11.50	121	22.20
Toowoomba					 	513	5.31	98	19.10	12.18	114	22.22
Townsville		,,,			 	330	4.58	65	19.70	10.86	71	21.52
All Other					 	2,941	5.48	492	16.73	12.82	592	20.13
Totals					 	8,860	5:21	1,683	19:00	12.17	1,985	22:40

<sup>\*</sup> Includes Charters Towers.

#### 0

RETURN SHOWING THE DEATH RATES AT EACH AGE GROUP, ASSUMING THE AGE CONDITIONS OF THE POPULATION TO BE AS AT LAST CENSUS FOR QUEENSLAND FOR 1919.

					Proportion of Population at each Age	Estimated Mean Population, 1918, at each	Dea	ths, 1919.
	Age Period.			Period to Total Population, Census 1911.	Age Period on basis of Census Ratio.	Number.	Rate per 1,000 o Mean Population.	
			7					MI CAR - INC.
Under 1	year				 2.69	19,178	1,353	70.55
1 to 2	years				 2.52	17,966	330	18.37
2 to 3	,,			160 W	 2:31	16,469	155	9.41
3 to 4	,,				 2.34	16,682	75	4.50
4 to 5	,,				 2:30	16,397	72	4.39
	To	tal un	der 5	years	 12.16	86,692	1,985	22.90
5 to 10					 10.48	74,715	185	2.48
0 to 15	,,			7	 10.31	73,503	129	1.76
15 to 20	,,				 10.49	74,786	202	2.71
20 to 25	,,				 10.40	74,145	272	3.67
25 to 30	,,				 8.68	61,882	393	6.35
30 to 35	,,				 7:22	51,473	462	8.98
35 to 40	,,				 6:30	44,915	446	9.93
10 to 45	,,				 5.73	40,851	390	9.55
15 to 50	,,			90104	 5.12	36,502	467	12.79
60 to 55	,,				 4.08	29,087	513	17.64
55 to 60	"				 2.74	19,534	587	30.05
30 to 65	,,				 2.05	14,615	587	40.16
35 to 70	,,	100		zanii	 1.66	11,835	573	48.42
70 to 75	,,				 1.16	8,270	530	64.09
5 and u					 0.90	6,416	1,132	176.43
Unspeci					 0.25	3,707	7	
	Т	otal			 100.00	712,928	8,860	12:43

#### R.

					Popu	nal Proportion lation borne by nality, Census	y each		esimal Proportion to borne by Deaths of ty, Year 1919.
						Proportion.		Number.	Proportion.
Queensland						63.09		4,260	48.08
Other Australa	asian	States	, includ	ing	New	11.07		865	9.76
Zealand				0		,			
England						11.23		1,510	17.04
Scotland						3.39		476	5.37
Ireland						5.22		967	10.92
Other British P	osses	sions				0.56		27	0.31
Germany						1.98		279	3.15
Other Countrie	s of F	Europe				1.28		180	2.03
China						0.90		88	0.99
Pacific Islands						0.16		64	0.72
Elsewhere						1.12		144	1.63
						100.00		8,860	100.00

Ra.

RETURN SHOWING THE OCCUPATIONS OF PERSONS WHO DIED DURING THE PAST FIVE YEARS IN QUEENSLAND.

CLASSES.	YEARS.											
CHASSES.	19	15.	19	916.	19	917.	15	918.	1919.			
Class I.—Professional  ,, II.—Domestic  ,, III.—Commercial  ,, IV.—Transport and Communicati  ,, V.—Industrial  ,, VI.—Agricultural, &c  ,, VII.—Indefinite  ,, VIII.—Dependants	 M. 199 110 292 210 1,080 1,127 127 1,551	F. 16 460 17 3 24 5 73 2,266	M. 223 120 276 225 1,013 1,032 120 1,644	F. 18 464 22 1 26 5 80 2.245	M. 129 106 269 198 834 995 80 1,410	F. 10 405 17  26 3 50 2,018	M. 171 96 274 270 963 1,089 77 1,422	F. 17 363 16 1 15 5 44 2.335	M. 205 144 352 320 1,500 1,017 88 1,711	F. 26 531 29 2 35 5 79 2,816		
Tatels	4,696	2,864	4,653	2,861	4,021	2,529	4,362	$\frac{2,535}{2,796}$	5,337	$\frac{2,810}{3,523}$		

Rb.

Return showing the Occupations of Persons who Died in Queensland in 1919 as compared with those disclosed by the Census 1911.

		CENSU	s, 1911.		DEATHS, 1919.				
CLASSES.	Males.	Females.	Percentage to Total Males.	Percentage to Total Females.	Males.	Females.	Percentage to Total Males.	Percentage to Total Females.	
Class I.—Professional	11,403	6,250	3.46	2.26	205	26	3.84	0.74	
" II.—Domestic	6,354	20,216	1.93	7.32	144	531	2.70	15.07	
" III.—Commercial	28,905	5,659	8.77	2.05	352	29	6.59	0.82	
" IV.—Transport and Communication	22,521	621	6.83	0.23	320	2	6.00	0.06	
" V.—Industrial	56,949	11,313	17.28	4.09	1,500	35	28.11	1.00	
,, VI.—Primary Producers	98,721	3,183	29.96	1.15	1,017	5	19.05	0.14	
,, VII.—Independent	2,027	731	0.62	0.26	88	79	1.65	2.24	
"VIII.—Dependants	98,359	227,711	29.85	82.41	1,711	2,816	32.06	79.93	
Unspecified	4,267	623	1.30	0.23		,			
Totals	329,506	276,307	100.00	100.00	5,337	3,523	100.00	100.00	

Rc.

RETURN SHOWING THE METROPOLITAN DEATHS AND DEATH RATE FOR 1919.

					Estimated Mean Population.	Total Deaths.	Rate per 1,000.
City of Brisbane			100		40,577	1,338	*32.97
City of South Brisbane					39,578	662	†16.73
Suburbs					105,233	899	8.54
Brisbane Metropo		Cen-mile	e Radiu	ıs)	185,388 712,928	2,899 8,860	$\frac{15.64}{12.43}$
	eral and Children's				,	4,000	12.10

<sup>†</sup> The Diamantina and Mater Misericordiæ Public Hospitals are in the City of South Brisbane,

Rd.

RETURN SHOWING THE DEATHS IN PUBLIC INSTITUTIONS OF THE METROPOLITAN AREA FOR TEN YEARS.

											1919.	93111
	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	Males.	Females.	Persons.
Brisbane Hospital Lady Bowen Hospital Children's Hospital Salvation Army Home	350 27 108 16	310 20 163 9	341 33 216 11	346 41 195 6	35S 21 171 5	395 40 196 5	378 39 256 6	348 38 160	413 30 225 6	267 13 167 8	172 12 140 3	439 25 307 11
Hos. for Chronic Diseases Lady Lamington Hospital Infants' Home	79 3	67 2	65 8 3	85 5 8	83 5 11	99 5 6	129 6 9	133 7 21	$ \begin{array}{c} 121 \\ 3 \\ 22 \end{array} $	88	45 6 17	133 6 35
Brisbane Gaol Magdalen Asylum Industrial Home	10 3	1 12 1	1 11 7	2 8 	 5 2	9	4	 4 2	1 12	1 4	6	1 10 1
Isolation Hospital Lytton† Nudgee Orphanage Isolation Hospital, Exhibi-		1	* ··· 2	5	•••	•••	1		404	5  74	 1 26	5 1 100
tion† Isolation Hospital, St. Lawrence's School†										13	21	34
Female Refuge Mater Misericordiæ Public Hospital††	1		•••		 115	128	143	118	105	64	51	115
Totals	602	595	698	701	771	884	971	832	938	722	501	1,223

<sup>†</sup> Appearing for the first time in 1919.

S.

RETURN SHOWING THE STAFF AND COST OF MAINTENANCE IN SOME OF THE PRINCIPAL HOSPITALS OF QUEENS-LAND FOR 1919.

			dan	-patients.	ient	ation	-patient	ET E			HOSPITA	L STAFF			
Whe	re Sit	unted.		In-pat	In-pati	Administration Management patients.	In			PA	ID.			HONO	BARY
Liasop V.				ber of	ber of	E E	of each r Day.	Med	ical.	Nur	sing.	Ot	her.	Med	lical.
				Number	Number Days.	Cost o	Cost	M.	F.	М.	F.	м.	F.	M.	F.
Brisbane				0.500	100 440	£	s. d.				110		40	3.4	
,, Childre	en's		 	6,569	123,442 64,971	45,627 17,345	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6	2	5	119 65	55 4	49 38	14 14 .	
Bundaberg			 	1,220	21,121	6,478	6 13	1		1	25	2	8	2	
Charters Towers			 	1,078	26,886	7,551	$5 7\frac{1}{2}$	1		2	21	8	7 13	3 6	
Iackay		-1.	 	2,219 1,381	40,911 28,534	11,613 8,292	5 S <del>1</del> 5 93	2	1	1	37	8	8	1	
Iaryborough			 	1.078	16,678	5,004	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1			17	3	9	3	
Iount Morgan				936	14,551	6,588	9 03	1		2	15	4	7		
lockhampton				1,582	29,090	11,294	7 91	1		3	23	7	10	4	
oowoomba				2,410	43,263	14,137	$6 6\frac{1}{2}$	1		3	44	10	29	8	]
Cownsville Varwick				1,823	32,947	11,239	$69\frac{1}{4}$	1			30	9	10	4	
varwick			 	566	9,861	3,899	7 11	1			12	3	4	5	

T.

Table comparing the Percentage which the several Causes of Deaths bear to the Total Deaths in each Year—Return for the Five Years.

Classes.	1915.	1916.	1917.	1913.	1919.
Class I.—General Diseases	22.23	21.43	22.41	23.23	30.58
" II.—Diseases of Nervous System and Organs of Special Sense	8.81	8 93	10.49	9.49	7.83
" IIIDiseases of Circulatory System	14.07	14.45	15.44	15.93	13.60
" IV.—Diseases of Respiratory System	10.05	8 68	8.53	10.16	7.82
" V.—Diseases of Digestive System	14.35	13.35	11.39	11.34	12.86
" VI.—Diseases of Genito-Urinary System and Adnexa	6.23	6.52	7.08	6 41	5.97
,, VII.—Puerperal Condition	1.23	1.30	1.62	1.(3	0.89
" VIII.—Diseases of Skin and of the Cellular Tissue	0.52	0 69	0.63	0.41	0.42
" IX.—Diseases of the Organs of Locomotion	0.30	0.15	0.21	0.18	0.16
, XMalformations	1.40	1.49	1.76	1.59	1.30
,, XI.—Infancy	6.54	6.26	7.41	6.21	5.94
" XII.—Old Age	5.32	5.86	4:53	5.06	5.49
" XIII.—Violence	8.55	7.80	8.47	8.59	7.04
,, XIV Ill-defined Diseases	0.15	0 0 4	0.03	0.07	0.10
TOTAL	100.00	100:00	100.00	100.00	100.00
그는 얼마를 되었다면 있어요 심은 사람들은 사람이 이번째 하나는 점하다.					

Ta.

RETURN FOR FIVE YEARS SHOWING THE NUMBER OF DEATHS FROM SOME OF THE PRINCIPAL CAUSES IN ORDER OF DEGREE OF FATALITY IN 1919, ALSO THEIR PROPORTION PER 10,000 OF THE TOTAL DEATHS AND PER 100,000 OF THE MEAN POPULATION, RESPECTIVELY, FOR EACH YEAR 1915-1919.

		1915.			1916.			1917.			1918.			1919.	
Most Common Cause of Death.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100, 00 Mean Population.	No. cf Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.
Organic Diseases of the Heart	853	1,128	124	847	1,127	125	809	1,235	119	904	1,263	131	941	1,062	132
Influenza Diarrhœa and Enteritis (under and over two years)	129 684	171 905	19 100	49 650	65 865	7 96	33 420	50 641	5 62	122 458	170 640	18 67	830 743	937 839	116 104
Cancer (all kinds) Congenital Debility, Icterus, and Scleroma	443 494	586 653	64 72	462 384	615 511	68 57	505 485	771 740	74 71	580 466	810 651	84 68	566 526	639 594	79 74
Senile Debility Tuberculosis (all parts) Bright's Disease	402 384 296	532 508 392	59 56 43	440 403 311	586 536 414	65 59 46	297 336 297	453 513 453	41 49 44	362 359 270	506 502 377	53 52 39	486 439 322	549 495 363	68 62 45
Pneumonia Hæmorrhage of Brain, Apoplexy	283 215	374 284	41 31	196 242	261 322	29 36	183 299	279 456	27 44	267 295	373 412	39 43	280 221	316 249	39
Pneumonic Influenza Acute and Chronic Bronchitis	230	304	33	194	258	29	149	227	22	187	261	27	200 175	226 198	28 25
Congenital Malformations (exclusive of stillborn) Disease of Arteries, Athe-	106	140 127	15 14	112	149 149	17	115 95	176 145	17 14	114	159 169	17 18	116	131 123	16 15
roma, Aneurism, &c. Broncho Pneumonia	104	138	15	116	154	• 17	89	136	13	120	168	17	103	116	14
Total Deaths each Year from all Causes Mean Population each Year	7,560		7,010	7,514		 7,630	6,550			7,158	68	8,547	8,860		2,928

Tb.

RETURN SHOWING THE AGES OF ALL PERSONS REGISTERED AS DYING FROM CANCER OF ALL KINDS DURING THE YEAR 1919, TOGETHER WITH THE PORTION OF THE BODY AFFECTED THEREBY.

																			urds.		-	Total	
Portion of the Bod	Affected.	vears				20.	25.	30.		30.	0.	45.	.09	0.	60.	16	0.	20	awdn	ified.		1	
		- 2 to 3	M. H 3 to 4.	4 to 5.	.W. 5 to 10.	15 to	20 to	- 25 to	00	30 to	- 35 to 40.	- 40 to	- 45 to	50 to 55.	01 95 10	- 60 to 65.	- 65 to 70.	- 70 to 75.	75 an	1	Males.	Females.	
bdomen	A.A	F		-		M. F		- AL.	F. M.		1	2	-			M. F.		1		3	6	11	
xill t																	1		. 1		1	1	
ladder and Prostate													1 1		1 .	1	2 2	1		i	6 1	4	
rain									i		1		3	1	5	3	3		2		2	26	200
,, and Lungs												1										1	
ar														1					1			1	
ye	of and							1						33 0	1	9 23					1		
oot													. 1	1 2		1	2	2	1	3	6	7	
all Bladder		(.)		0	M								i		1 2	1	1 1		1 . 1		3	6	
ead																	1				1		
eart									1								1		1	10000	1 2		
cecum Colon												4 2	200		4 1	1 3	1 2				16	20	
" Colon " Rectum										1	. 31.	1	1	1 1	4 1	3 1	1 1	1	. 2 1		7 9	5 7	
w ,, Lower ,, Upper			. 1											1	1 1 1	1		2			4 8 6	<sub>1</sub>	
dney :		0.		1		1					1				1	,					5	3	
rynx				19/1.								1		2 1	1	1		2	2		8	2	
p and Face											1						1	1	2		5	1	
ver and Bowels											1 1	1		2 1	ō	4 5	5 1	2	4 5		23	14	;
,, and Gall Bladde ,, and Pancreas ,, and Spleen																	1	1			1	1	
ing							]					1 1		1 1	1		1		1		3	1	
outh																			1		1		
, and Face	111 130		1												1			1	3		10		1
sophagus	3Q 3A3Q									1	]		2			1 2.	5	1	3		18	1	]
la'e													1	11					1			6	
noreas rotoid Gland						1						1			1 1	1	1 2.		2 1		6	7	1
lvis nis ritonæum		i										1		1							1	2	
arynx													1 1		1	1					1		
ostate														1	1 1		2	1 2	1		1 4 2	1 4	
08								ļ					,		11						1	-30	
oulder	.1818														1.		1		1			1	
ernum												. 1	.    .				100				1	1	
mach ,, and Liver										- 1						4 6 1		1 . 1	9 8		83 2	37	12
sticle	1					Triple											18	11			1	1	
igh											1	. 1	1		1 1	3 1	1				1 1 7	1	,
yroid Body								1				1	2	2 .	1	11.		2 - 1			7 2 12	1 1	1
,, and Jaw ,, ,, Neck												.	1 1		1				7 1		2 2		1
ibilieus			. 101												1	• • • • • • • • • • • • • • • • • • • •					1	100	
erus, and Bladder	11 114									2	. 3	3	5	. 6.	14	3	. 3	5	0		1	1 47	4
", ", Liver					-					1					1	1						1 2	
gina atriculi lva										1				1 1		1 1	i		1		3	2 2	
lanotic	1									1		1		1	. 1 11			1 1			2	2	
specified								1		1		-		3	.	1 2	. 2 2	2	2		7	9	1
Total		1	1	1	1	1 1	. 1	3 .	0	1	1-1-			-	-     -			-	15 38				U27

	DEATHS FROM PHTHI	SIS AN	D TUBEL	RCULOSI	S OF TH	IE PULI	MONARY	AND I	ARYNG	EAL OR	GANS.			DEATI	HS FROM	и товк	RCULAR			HER TO	HAN TU	BERCUI	OSIS OF	PULM	ONARY
9 0	migrano				Duratio	on of Res	sidence i	n Queens	sland.								Durat	ion of Re	esidence	in Queen	ısland.				
	Birthplaces.	Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.	Unspecified.	Total.	Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.	Unspecified.	Total.
9	neamonts.  The History of Storach	10400			5 5 5	1 1	1 1																		
i	Australian States and New Zealand	1					1	1	1	7	150		161	2	4	1	1	1		3		3	6		21
	Pacific Islands Elsewhere	2	1	3	8	9	13	22	3	7	111	9	188	1		2					1	1	5		10
	Totals	3	1	3	8	9	14	23	5	14	263	9	352	3	4	3	1	1		3	1	4	- 12		32
	Australian States and New Zealand	2		2	1	1	2	2	3	6	170		188	1	2	4	2	1		2	2	2	4	3)	20
916	Pacific Islands Elsewhere	3	2	3	7		5	23	3	12	102	$\frac{1}{12}$	6 178		1			2	1	1			5	9	10
1	Totals	5	2	5	8	6	7	25	6	18	277	13	372	1	3	4	2	3	1	3	2	2	10	3	31
	Australian States and New Zealand	1			,	3		2		8	128		139		1	2	1			3	1	2	7	ē	17
917	Pacific Islands Elsewhere	1	1	5	2	5	8	21	8		3 64	25	3 168				1		1	4			3		9
	Totals	2	1	5	2	5	8	23	8	16	215	25	310		1	2	2		1	7	1	2	10		26
	Australian States and New Zealand			1	1	2	1	3		9	170	•••	187	1		3	2	1		2	1		8		18
1918	Pacific Islands Elsewhere	1 7		. 1	2	2	2	 21	7	4	77	27	1 144				• •••		1				7		9
	Totals	1	•••	2	3	4	3	24,	7	13	248	27	332	1		3	2	1	1	2	2	, <u>.</u>	15	9	27
	Australian States and New Zealand	1	1	1				83	4	8	207	•••	222	2	3	1	3	1	1	33 3	3	1	12		· 27
1919 -	D- : G Talanda	1		2	2	2	3	37	9	5	86	32	179										1 7		1 10
	Totals	2	1	- 3	2	2	3	37	13	13	293	32	401	2	3	1	3	2	1	1	4	1	20	•••	38

T d.

CAUSES OF DEATH—OLD PERSONS 75 YEARS OF AGE AND UPWARDS.

			4				5			11			, P	-81	A	GE LA	ST BII	RTHDAY																110
Cause of Death.		75	76	77	7 78	79	8	0	81	82	83	84	8	5   6	86	87	88	89	90	91	92	2	93	94	95	96	97	98	8 99	)	100 and wards.		L DEATHS 75 YEARS	
		M. F.	M. F	. М.	F. M. F	. М.	F M.	F. M	(. F	м. F.	M. F.	М.	F. M.	F. M	. F.	м. F.	M. F	M. F.	м. 1	F. M. 1	F. M.	F. 3	L. F.	м. F.	и. F	м. г.	м. 1	г. м.	F. M.	F. M	F.	М.	F.	P.
Influenza					3 2																											9	14	23
Tuberculosis of the Lungs	J	1		. 1	3. 1.	1	1				1					34.																5		5
Cancer of the Mouth		1	1 .		2		1			1	1 .																					7		7
Cancer of Stomach and Liver		2 2	6	3 3	3 1	1 1	1 1		. 2	1	1.		1		1			1								J						16	16	32
Cancer Peritonæum, Intestines, etc.			1	2 1	1	1	1 1				1									1.												5	5	10
Cancer of the Skin																															1,	4	4	8
Cancer of Other Organs		1	3	1 1	1 2		1	1	. 3																							13	8	21
Diabetes		2			1	1	1			1		1																				5	2	7
Hæmorrhage of Brain, Apoplexy		2 4	3 (	6 3	4 5													. 1														42	45	87
Softening of the Brain		1	1	1	1												1															3	4	7
Paralysis without indicated cause		1			1 .														1 - 1													5	6	11
Organic Diseases of the Heart		19 7	14 8	8 13	7 5	7 11	6 9	8	7	10 3											1											121	68	189
Disease of Arteries, Atheroma, Aneuris																																	9	43
Embolism as d Thrombosis		i	] ]	1		1						1			1 1		1															4	4	8
Acute Bronchitis				. 3																												5	4.	9
Chronie Bronchitis		1 4	5	1	1 1 2												3 70 8	ļ				201										23	23	46
Broncho-Pneumonia Pneumonia Other Diseases of Stomach (Cane		1 2 2			2 2 .				1	2 1 2 1			1 1	]	1	1 1			1			1		1								7 14 6	7 11 4	14 25 10
Diarrhœa and Enteritis (over 2 years) Hernia, Intestinal Obstruction Cirrhosis of the Liver Other Diseases of the Liver Bright's Disease Diseases of the Bladder Diseases of the Prostate Gangrene Senile Debility Falls (accidents) All Other Diseases	2	3 1 2 1 0 11  8 3	3 1 5 5	4	9 11 9 1 2 2 5 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 5 16 2 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3 1	2 2 1 1 16 14	1 1	1 1 1 2  19 1 3		1 8 16 3 2 1	0 6 1	1 6 6	5 3		4	2 5	1 1 1 2	1 .	5	1 3	1 2							4	19 3 2  10 2  4 147 10 22	34 10 6 5 37 19 12 7 348 19 73
Totals	7	4417	71 52	724	0 55 40	543	56	14'31	165	331	47 18	40 2	8 32	24 25	21 1	16 13	13 6	9 9	11	5 9	3 6	3	. 6	1 6	3 2	3 . 1	1.	1	1		2	679	453	1,132

U.

RETURN SHOWING THE AMOUNTS RECEIVED BY THE DISTRICT REGISTRARS IN THE STATE DURING THE YEARS 1918 AND 1919 RESPECTIVELY, AND WHERE COLLECTED BY PUBLIC OFFICERS, PAID INTO THE CONSOLIDATED REVENUE.

District Registrars at-	1918.	1919.	District Registrars at—	1918.	1919.
Brisbane Bundaberg Cairns Charters Towers Gympie Ipswich Mackay Maryborough Red Hill	 £ s. d. 760 9 7 26 4 0 14 19 6 37 4 6 20 2 0 58 1 0 38 8 0 37 7 0 28 17 0	£ s. d. 1,028 18 9 23 11 0 24 7 0 40 9 0 19 18 6 53 11 0 33 10 0 42 2 6 27 12 0	Rockhampton Sherwood Toowoomba Townsville Warwick Total all other Districts	£ s. d. 62 19 0 12 5 0 72 14 0 46 9 6 21 1 6 186 7 0	£ s. d. 71 4 0 13 11 0 72 19 6 50 0 6 28 0 6 205 17 2

Ta.

RETURN SHOWING THE AMOUNT OF FEES PAID TO DISTRICT REGISTRARS OF THE STATE NOT UNDER THE PUBLIC SERVICE ACT DURING THE YEARS 1918 AND 1919 RESPECTIVELY.

Districts.	1918	1919	Districts.	1918.	1919.
Enoggera and Toowong	£ s. d. 269 5 0	£ s. d. 284 2 6	Oxley	£ s. d. 128 8 0	£ s. d. 98 17 0

.

## A Statistical Survey of the Causes of Deaths in Tropical Queensland.

THE FOLLOWING IS A PAPER READ BY THE GOVERNMENT STATISTICIAN (MR. N. J. MACLEOD) BEFORE THE AUSTRALASIAN MEDICAL CONGRESS, WHICH MET AT BRISBANE, 23RD TO 28th AUGUST, 1920;—

The purpose of, or one of the reasons for a survey of this nature is to ascertain if it is possible for the white race to live and increase in this region, and, with this in view, I have taken the figures for the last ten years (1910 to 1919), considering that as the world advances scientific knowledge increases, and that as statistics form one of the sciences it is safe to assume, without in any measure detracting from the ability of those who have preceded us, that the details furnished during the last decade would be fuller and, so to speak, more up to date.

Buckle, in his "History of Civilisation in England," has this reference to statistics—"A branch of knowledge which though still in its infancy has already thrown more light on the study of human nature than all the sciences put together." Whether this is agreed to or not, there is no question that this branch has grown older and stronger and has considerably increased its usefulness, so much so that it may be classed as a science; at all events, it has been referred to as Statistical Science.

In order that there may be no misconception in regard to the information, I may state here an obvious fact—that death statistics are wholly in the hands of the medical profession; that is to say, the Statistician records and tabulates the causes as appearing on the medical certificates furnished by the doctors. While completeness of records of death is desirable, it is of no more importance than the accuracy of the causes themselves as stated on the death certificates. The primary necessity for reliable and adequate statement of cause of death is obvious.

The American Public Health Association, in discussing the question of the accuracy of all certified causes of death in their relation to mortality statistics, arrived at the following conclusions:—

"(a) To secure accuracy of all certified causes of death is absolutely beyond the power of any Statistical Bureau at the present time.

- "(b) Two educational movements are needed before this can be accomplished:
  - "(1) The physicians must be educated to ask for post-mortems when needed to determine the cause of death, and to base their diagnoses, where possible, upon specific laboratory evidence of the cause of disease.
  - "(2) The public must be educated to permit post-mortems when requested, to determine the cause of death.
  - "Only by such means can a satisfactory percentage of accuracy in mortality statistics be obtained."

It is scarcely likely that these two educational movements, the second one especially, will ever be accomplished facts.

I am of opinion that there is no necessity for this here, as the certificates furnished by the Medical Profession in Queensland are full and accurate.

Attached hereto is a map showing the causes of diseases in classes, with predominating causes, in groups of Registry Districts.

I also append the general scheme of Classification of Causes of Death; a graph showing predominating causes of deaths 1910-1919; another one giving the four predominating and the four lesser predominating factors; and two tables—one for the Registry Group totals for the ten years, the other, yearly mortality in Tropical Queensland during the same period, and both showing the causes of deaths.

Further, I considered it might be of interest to attach two other tables—one the deaths occurring in the warmer and milder periods, the other that of the deaths of children under 12 months.

Dr. Manson, in the introduction to his book on Tropical Diseases, says—

"If by tropical diseases be meant diseases peculiar to the tropic, then half a dozen pages might have sufficed for their description; for, at the most, only two or three comparatively unimportant diseases strictly deserve that title. If, on the other hand, the expression 'tropical diseases' be held to include all diseases occurring in the tropics, then the work would require to cover almost the entire range of medicine; for the diseases of temperate climates are also, in almost every instance, to be found in tropical climates."

He employs the term "tropical" in a meteorological rather than in a geographical sense, meaning by its sustained high atmospheric temperature, and by the term "tropical diseases" he wishes to indicate diseases occurring only, or which from one circumstance or another are specially prevalent, in warm climates. It must not be inferred from this, however, that high atmospheric temperature is the sole and direct cause of the bulk of tropical diseases. Indeed, although temperature acts as an important pathogenic factor it is very rarely that it does so directly.

Dengue has caused 58 deaths, 20 of which were in Edegeumbe and 23 in Rockingham.

Filaria has caused deaths in four Registry Groups—Port Curtis 4, Edgecumbe 6, Rockingham 1, and York Peninsula 7.

Beri-beri, with 182 deaths, has appeared in all districts except Port Curtis and was most prevalent in York Peninsula (128). Some cases were recorded in the Central and Central Western districts. There was a marked decrease in York Peninsula since 1912, owing, probably, to many of the pearling boats leaving for other fields. The cases in the Central Districts were more or less of a sporadic nature.

Yellow Fever.—No deaths recorded.

Dysentery.—The greatest number (69) was recorded in York Peninsula, where, possibly, the general hygienic conditions are not of the first order.

Rheumatism and Gout.—One hundred and nine cases were registered. There is no necessity now for patients to visit the hot springs in New Zealand, for the Innot Springs, near Herberton, and, doubtless, many of the artesian wells, have curative properties.

Malaria.—The disease is attributed to mosquitoes, and it has been said that "the bite of a mosquito should be dreaded as much as that of a mad dog." How many people have been tortured by mosquitoes? Mad dogs have slain their hundreds, but mosquitoes have slain their tens of thousands. For the venom of those tiny creatures is fearfully fatal, as to them are attributed the cause of climatic fever, malaria, yellow fever, dengue fever, coast fever, endemical fever, remittent fever, and bilious remittent fever.

The bulk of the deaths were in Rockingham 92, York Peninsula 75, and Carpentaria 28. There were 206 deaths from malaria, or only

three more than those caused by the "mad dog" of alcoholism.

A writer in one of the Home journals remarks:—

"All of us, whatever our attitude towards prohibitive measures, agree that the scourge of alcoholism can never be too forcibly denounced; but, better employed, instead of effecting the downfall of its population, it might be an inestimable source of riches to the world. No one is ignorant of the curse of alcoholism. In several countries it ravages more fiercely than any disease, and is accountable for the largest number of wrecks and failures."

It is made especially serious by the fact that the drunkard is not content with killing himself and plunging his relatives in misery, his children are tainted and physically and morally decadent.

Infantile Mortality in the families of drunkards is proportionate to the degree of alcoholisation.

Some figures follow in this connection:—
Moderate drinkers (men), 141 with 305 children; 85 die, or 28 per cent.

Heavy drinkers (men), 108 with 248 children; 115 die, or 46 per cent.

Very heavy drinkers (men), 147 with 326 children; 244 die, or 74 per cent.

Thus, there is a great premature mortality among children of drunkards; but it is regrettable that the rate is not higher, especially in the third group. They are truly sad specimens of the human race, almost all of them being weak, abnormal failures.

Drunkenness is, very often, the predisposing cause of tuberculosis. Sometimes it is a question of general debility, or generally retarded growth, of insufficient breadth or height, or anaemia. Sometimes it is a question of weakness of organs or functional visceral troubles. It is both to their general debility and to a weakness of tissues which diminishes their power of resistance that one must attribute the frequency of tuberculosis among these subjects—tuberculosis both of the bones and lungs.

"Health is best for mortal man," and although all are agreed as to the blessing of health, there are many who will not take the little trouble or submit to the slight sacrifices necessary to maintain it. Many, indeed, deliberately ruin their own health, and incur the certainty of an early grave or an old age of suffering. No doubt, some inherit a constitution which renders health almost unattainable. Most of us might be well if we would. It is very much our own fault that we are ill. We do those things which we ought not to do, and we leave undone those which we ought to have done, and then we wonder that there is no health in us. Like a great general of old, we expect our health to be the subject of some miracle, but neglect the homely precautions by which it might be secured.

We all know that we can make ourselves ill, but few realise how much we can do to keep ourselves well. Much of our suffering is self-inflicted. It is sad to think how much unneces-

sary suffering has been caused and how many valuable lives lost through ignorance or carelessness. We cannot but fancy that the lives of many great men might have been much prolonged by the exercise of a little care.

With reasonable precautions, most of us hope to enjoy good health. And yet, what a marvellous and complete organisation we have! We are, indeed, "fearfully and wonderfully made." It is "strange that a harp of a thousand strings should keep in tune so long."

When we consider the marvellous complexity of our bodily organisation it seems a miracle that we should live at all; much more, that the innumerable organs and processes should continue day after day and year after year with so much regularity and so little friction, and that we are sometimes scarcely conscious of having a body at all; and yet, with judicious care we can most of us keep this wonderful organisation in health, so that it will work without causing us pain, or even discomfort, for many years, and we may hope that when death comes at last "Time may lay his hand upon your heart gently, not smiting it, but as a harper lays his open palm upon his harp, to deaden its vibrations." It seems wonderful that we do not watch with ceaseless care over our body, on the state of which our life, peace, and happiness so much depend.

This tropical country is a good land, a splendid heritage which the British race should go in and possess. I have travelled the length and breadth of it, lived in it for twelve years, and from personal observation can testify that it possesses all the qualities for building up a virile race, provided the inhabitants live temperately and decently, attend to laws of health abstaining from alcohol and those things which have been the ruin of Empires, and things not necessary to mention here, but which are well known, following in their train, cursing the unborn babe and not giving him a chance in life notwithstanding creches and other charitable institutions erected to preserve the young life, which in some cases is no charity at all, for the child has inherited the disease which causes his life to be a burden.

The climate along the coastal belt during the rainy season is certainly somewhat oppressive—not much more so though, if any, than subtropical Queensland—but nearly all the elevated country is within easy access and to which people may go to recuperate.

In reference to this I append hereto, by the kind permission of the Commonwealth Meteorologist, a Contours and Rain Map showing Registry Groups, numbered and indexed, with districts in each Group:—

#### GROUP No. 1 (PORT CURTIS).

Rockhampton has high land opposite to the city, a range runing for some distance along the coast beyond Marlborough; also a good health resort at Mount Morgan (albeit just below the tropic), 24 miles south-west. For those who desire a change from the interior there are the beautiful and health-giving seaside resorts of Emu Park and Yeppoon. The city has an excellent water supply. The deaths in this group account for slightly over 20.5 per cent.

of the total deaths in the tropics. It must be recognised, however, that many are those of persons who are not truly residents of Rockhampton but who come for treatment, too late, to this fine city as to similar places which possess first-rate hospitals and medical gentlemen of great repute. It has been truly said that when about to build a house we call in an architect, who acts as our adviser, makes our plans, and sees that they are carried out. If going into a business deal our lawyer draws up the contract, sees that our interests are protected, and advises us how to proceed. But in the case of the doctor, many of us call him in when the damage is done and we expect him to give us something in a bottle that will undo the results of weeks, months, or years of our indiscretion and neglect.

St. Lawrence.—Somewhat to the north of this town there are mountains 2,000 feet and over.

#### GROUP 2 (CENTRAL).

Aramac (part) and Clermont.—Deaths in this group were 7.12 per cent. of the total within the tropics. The high lands are from 1,000 to 2,000 feet.

#### GROUP 3 (EDGECUMBE).

BOWEN, KENNEDY, MACKAY, TOWNSVILLE.

Bowen.—Enjoys a most delightful and equable climate. Heat of summer tempered by a cool breeze. Excellent main beach not far from the town.

Charters Towers (Kennedy) is 1,004 feet above sea-level. Climate is very pleasant, even in summer hot days are invariably succeeded by cool nights.

Mackay.—Eungella Range, 45 miles distant, is a health resort—2,000 feet or over.

Townsville has Ravenswood at its back as a good health resort, and another on Magnetic Island, facing the city. Castle Hill is 936 feet.

The deaths in this group were 36.95 per cent. of the total in the tropics.

#### GROUP 4 (ROCKINGHAM).

CAIRNS, CARDWELL, HERBERTON.

There is more high land in this group, as disclosed by the map.

Cairns is five feet above the level of the sea, but within 21 miles there is a rise of 1,080 feet (Kuranda), Mareeba 46 miles (1,325 feet), Herberton 82 miles (2,890 feet), Atherton 68 miles (2,466 feet) with a climate like Toowoomba all the year round.

Evelyn Tableland is very fine and bracing. Altitude 3,163 feet, with ice in July.

Ingham.—Kangaroo Hills country, which cannot be excelled as a health resert, and then there are Mount Bowen (3,650 feet), and Mount Diamantina (3,160 feet), on Hinchinbrook Island.

Innisfail.—With Bartle Frere 5,287 feet, Centre Peak 5,181 feet, and Mount Peter Botte 3,468 feet.

Deaths in this group were 17.80 per cent. of the total in the tropics.

#### GROUP 5 (COOK, PALMER, SOMERSET).

Cooktown.—From the appearance of the children it is evident the place is healthy.

Palmer.—Maytown is above 2,000 feet.

Thursday Island (Somerset).—The trade winds keep it cool.

Port Douglas.—The following extracts from the evidence taken by the Federal Royal Commission while in Port Douglas in 1911 demonstrate most conclusively that healthy conditions generally prevail in North Queensland. The Head Mistress of the State School at Mossman stated—"... the general standard of health and physical standard here are as good or better than on the Darling Downs. Only two children who have been in attendance at the school have died since I have been here (13½ years ... Neither of them was born in the district."

Dr. P. H. Clarke, Government Medical Officer at Port Douglas, stated, inter alia, "that cases of sunstroke were rare; that epidemics were attended by a lower mortality than in the Southern portions of Australia; that, with proper care, the probability of children born in the district living to adult ages was greater than in the Southern portions of Australia; that the most prevalent cases of tropical complaints were preventable."

#### GROUP 6 (CARPENTARIA).

Burke. Croydon, Etheridge, Cloncurry, Hughenden.—There is no high land at Burketown, Normanton, and Croydon, but some parts of the Etheridge and Cloncurry districts are elevated.

Deaths were 9.16 per cent. of the total within the tropics.

#### GROUP 7 (CENTRAL WESTERN),

Aramac (part) Marathon.—There are parts elevated to about 1,000 feet, and Winton is a health resort for those affected with chest and throat troubles.

Deaths were 3.16 per cent. of total deaths.

Artesian well-boring in the great Desert of Sahara is a very ancient industry, and some oases are supplied with water wholly from artesian wells. The average depth of these is from 160 to 200 feet, and the upper strata have only to be pierced to give a constant stream. Since 1858 an immense number of perforations have been made by French engineers, and the fertilising effect on the sandy desert plains is apparent. Villages are built and palm trees are growing where formerly there was waste and solitude. In the future the so-called desert places of the tropics will blossom as the rose.

From a glance at a special map, prepared by the Water Supply Department, which shows the location of artesian bores and irrigation areas, you will notice that the Western and Central portions of tropical Queensland are approaching that state when the benefits of a continuous and healthful water supply are making it a desirable land to live in. The large and important centres of population, such as Longreach, Barcaldine, Winton, Hughenden, and Cloncurry are well supplied with water. The dry healthful air of the places just mentioned—Winton in particular—makes them ideal as homes for those suffering from chest and throat affections.

#### ACCLIMATISATION.

A professor has well remarked that the debility and sickening of Europeans in many tropical countries are wrongly ascribed to the climate, but are rather the consequences of indolence, sensual gratification, and an irregular mode of life. Thus, some races who cannot give up animal food and spirituous liquors are less able to sustain the heat of the tropics than those of more sober proclivities.

The Dutch accommodate themselves admirably to a tropical climate, doing much of their work early in the morning, dressing very lightly, and living a quiet, temperate, and cheerful life. They also pay great attention to drainage and general cleanliness.

In the Moluccas, where the Dutch have had settlements for more than 250 years, some of the inhabitants trace their descent to early immigrants; and these, as well as most of the people of Dutch descent in the East, are quite as fair as their European ancestors, enjoy excellent health, and are very prolific.

Under favourable conditions and with a proper adaptation of means to the end in view, man may become acclimatised with as much certainty and rapidity (counting by generations rather than by years) as any of the lower animals.

The best examples of partial or complete acclimatisation are to be found where European races have permanently settled in the tropics and have maintained themselves for several generations; to wit, the Jews are a good example of acclimatisation, because they have been established for many generations in climates very different from that of their native land, and in Cochin China and Aden they succeed in rearing children and forming permanent communities.

In some of the hottest parts of South America Europeans are perfectly acclimatised, and where the race is kept pure it seems to be even improved.

The number of people in Tropical Queensland is not great, but will increase, and by the development of scientific training and appliances they may probably be maintained in happiness and comfort. We have, in fact, to make our choice between science and suffering. It is only by wisely using the gifts of science that we have any hope of maintaining our population in plenty and comfort. Science, however, through the medical profession, will do this for us, if we only let her. She may be no fairy godmother, indeed, but she will richly endow those who love her. She has been as a great archangel of mercy, devoting herself to the service of man, to extinguish human pain and by her anæsthetics has enabled the sufferer to be hushed and unconscious while the delicate hand of some skilled operator cuts a fragment from the nervous circle of the unquivering eye. She has lengthened life, controlled madness, and trampled on disease.

I am indebted to two small publications issued by the Intelligence and Tourist Bureau, Brisbane, Lord Avebury, and other writers, for some of the matter in this paper. Also, I wish to place on record my appreciation of the valuable assistance rendered in its preparation by several officers of my Department, notably Mr. John Campbell and Miss Gertrude O'Doherty, daughter of the late Dr. O'Doherty, F.R.C.S.I.

## GROUP TOTALS—10 YEARS.

Causes.	Port Curtis.	Edge- cumbe.	Rock- ingham,	York Penin- sula.	Carpen- taria.	Central West- ern.	Central.	Grand Total 10 years.
Anæmia, Chlorosis	19	40	32	3	3	1	8	106
Typhoid Fever	51	137	38	8	110	63	47	454
Malaria	1	8	92	75	28		2	206
Scarlet Fever	41	134	2		12		1.0	257
Influenza	94	177	47 36	5 9	24	2 9	16 34	383
Dysentery	11	19	36	69	15	3	10	163
Yellow Fever	19	100	181	849	Sole com	autojol , g	hilideG-le	Mars god
Dengue Beri Beri	4	20 9	$\frac{23}{7}$	190	17	13	2 8	$\begin{array}{c} 58 \\ 182 \end{array}$
Tuberculosis of the Lungs	182	417	159	128 51	80	24	54	967
Tuberculosis (all other)	30	38	18	3	2	dOdejoT	6	98
Syphilis	11	31	22	10	10	7	6	97
Cancer	282	509	203	33	54 7	19 •	70 5	1,170
Scurvy	2.0	1	1					2
Diabetes	27	49	20	1	3	1	9	110
Filaria Alcoholism	4	6	1	7	49			18
All other General Diseases	14	50 218	34	6 32	43 32	33	23 43	$   \begin{array}{c}     203 \\     543   \end{array} $
Pneumonic Influenza	23	10	6	0.2	4	al DelahoI	5	48
Total, Class I	937	1,914	895	448	446	189	348	5,177
					1.0	- slatell	1.0	220
Meningitis	69 143	$\begin{array}{c} 75 \\ 229 \end{array}$	34 65	$\begin{array}{c} 10 \\ 22 \end{array}$	19 42	3 12	$\frac{10}{26}$	220 539
Paralysis without indicated cause	143	48	31	19	14	4	3	133
Epilepsy	15	31	11	2	6	1	8	74
Convulsions, children under 5 All other Class II	31 64	95	39 55	3 50	53 14	13	26 7	260 324
Total Class II	336	605	235	106	148	40	80	1,550
Pericarditis	1	10	8	2	2	• • • • • • • • • • • • • • • • • • • •	1	24
Acute Endocarditis	14	66	31	10	19	7	7	154
Organic Diseases of the Heart	510	740	418	69	162	58	132	2,089
Diseases of the Arteries, &c	$\frac{54}{3}$	106	52	9	33	4	21	279 12
All other Class III.	19	54	17	3	3	iı	10	107
Total Class III	601	983	527	94	219	70	171	2,665
	- 91		10				111/15/3	a trake M
Acute Bronchitis	20	72	34	8	10	6	20	170
Chronic Bronchitis	53	88	31	* 13	29 22	7	32	253
Broncho-pneumonia Pneumonia	66	80 217	25 98	19	66	5 20	15 43	219 596
Pleurisy	14	17	11	5	3		8	58
Congestion of the Lungs	6	8	3	2	4	1	1	25
Asthma	25	44	27	7 3	7 34	2 7	6 9	118 264
Miners' Phthisis	9 14	155	47 26	1	11	4	6	97
	01							
Total Class IV	340	716	302	64	186	52	140	1,800
Ulcer of the Stomach	2	24	6		2	1	1	36
Diarrhœa and Enteritis (under 2 years)	314	248	95	17	79	17	51	821
Diarrhœa and Enteritis (over 2 years)	113	122	54	16	25	8	18	356
Ankylostomiasis	3	12	24 24					39 60
Sprue	$\frac{1}{38}$	34 50	33	1	2	3	15	142
Appendicitis Hernia, Intestinal Obstruction	17	64	33	5	8	11	11	149
Cirrhosis of the Liver	18	73	19	13	17	4	17	161
Other Diseases of the Intestines	7	20	12 73	4 18	37	$\begin{array}{c} 2 \\ 17 \end{array}$	5 29	50 353
All other Class V	57	122	- 13		Y N S S			150 0 6 51
Total Class V	570	769	373	74	170	63	148	2,167
Acute N. phritis	35	42	15	4	18	6	7	127
Bright's Disease	172	307	112	28	29	24	42	714
Diseases of the Bladder	12	32 83	17 43	9 5	$\frac{1}{20}$	3	13 18	87 217
All other Class VI	267	464	187	46	68	33	80	1,145
Total Class VI	201	404	101	10				A THE LOCAL
Total Class VII	32	117	44	10	16	7	16	242
Total Class VIII	23	51	20	8	8	1	7	118

#### GROUP TOTALS-10 YEARS-continued.

Causes.	Port Curtis.	Edge- cumbe.	Rock- ingham.	York Penin- sula.	Carpen- taria.	Central West- ern.	Central.	Grand Total 10 years
Total Class IX	9	22	4	3	3		1	42
Total Class X	59	112	44	7	16	7	14	259
Congenital Debility, Icterus, Scleroma Other Diseases peculiar to early infancy Want of care	181 98 1	383 49 2	200	22 8	93 9 1	24 2 ···	61 15	964 204 4
Total Class XI	280	434	223	30	103	26	76	1,172
Total Class XII	273	438	169	, 65	122	19	90	1,176
Total Class XIII	396	799	554	104	327	127	256	2,563
Total Class XIV	4	9	3	7	12	2	6	43
Totals	4,127	7,433	3,580	1,066	1,842	636	1,433	20,117

#### YEARLY MORTALITY IN TROPICAL QUEENSLAND.

Causes.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919
	. 9	10	8	7	-12	11	8	12	14	14
	. 44	47	52	59	48	56	. 64	25	29	3
	. 24	12	14	1/3	9	13	29	35	32	2
			1.1				2		1	
Diphtheria	. 21	32	40	25	35	15	23	24	19	2
nfluenza	. 11	22	10	38	4	9	17	10	20	24
Dysentery	. 25	52	14	12	7	16	16	6	7	
Yellow Fever									414(10)	
Dengue	. 11	18	3	3	2	6	9	2	3	Harrier.
Beri Beri	. 28	34	40	8	10	5	23	4	10	2
TI I CT	. 101	111	95	108	78	87	111	81	99	9
1 1 : ( 11 41)	. 10	7	14	6	8	10	9	10	11	1
1 11	. 11	9	12	10	11	7	10	12	9	1
** **	. 91	124	110	104	110	112	113	124	126	15
21 +: 1 0+	. 5	12	9	16	7	112	8	14	10	1
			1					1000000	and the second	
. 1	. 7	6	8	7	13	14	10	1 9	10	
3.1	. 3	2	1	2	13	1	3	LORGIN I	18	1
1 1 1:	. 9	12	23	20	24	29			3	0
11 /1 · C · 1 D'	~.	59	37	49	74		26	20	19	2
: T A						52	55	63	54	4
rneumonic influenza						•••	• •		• •	4
Total Class I	. 461	569	491	487	453	454	536	452	484	790
Meningitis	. 19	18	22	10	21	10	2.2			
T		45		18	21	19	20	31	40	1:
1	20	15	48	38	52	41	57	74	71	6:
		9	18	10	11	11	10	12	12	1
	. 5		7	12	7	8	8	8	4	
II di Ci II	. 27	31	34	16	28	29	30	26	18	2
ll other Class II	. 39	35	37	31	27	33	31	24	44	2
Total Class II	. 157	153	166	125	146	141	156	175	189	14
		0							4674.40	A to H
17 1 1111	. 2	3	1		2	5	2	6	3	
	. 13	15	21	22	6	17	14	8	18	20
C 41. A -4 -: - C -	. 149	191	208	186	203	208	241	227	222	24
	. 23	25	25	33	36	28	28	19	30	3
	. 1	3		2	1	3	2			
all other Class III	. 7	12	9	11	9	11	14	11	14	
Total Class III	. 195	249	264	254	257	272	301	271	287	31

### YEARLY MORTALITY IN TROPICAL QUEENSLAND—continued.

Causes.		1910.	1911.	1912.	1913.	1014	1015	1016	1917.	1918.	1919
The state of the s		-	1311.	1912.	1913.	1914.	1915.	1916.	1917.	1910.	_
Acute Bronchitis		10	19	13	12	19	29	12	12	19	24
Chronic Bronchitis		12	27	27	28	27	34	24	22	27	2
Broncho-Pneumonia		12	21	20	20	27	17	19	23	31	25
Pneumonia		38	50	62	55	61	69	59	67	53	85
Pleurisy		6	8	4	3	3	6	8	6	7	,
Congestion of Lungs		5	2	1	4	1	4	5	2	1	
Asthma		17	9	9	16	7	20	8	6	14	13
Miners' Phthisis			19	22	30	24	24	30	39	46	3(
All other Class IV		17	19	3	10	7	6	13	6	6	10
Total Class IV		117	174	161	178	176	209	178	183	204	220
						7	-	100			-
Ulcer of Stomach		2	6	3	4	6	5	1	4.	3	9
Diarrhæa and Enteritis (under 2 years)		58	66	79	82	98	136	104	52	54	9:
Diarrhœa and Enteritis (over 2 years)		23	28	43	29	37	62	41	28	30	3.
Ankylostomiasis		7	9	2	3	4	3	5	4		9
Sprue		6	2	11	2	7	12	9	7	1	
Appendicitis		8	13	14	14	19	12	20	13	17	13
Hernia, Intestinal Obstruction		11	12	17	14	15	15	15	15	18	1
O41 - D' C 11 T 1 1'		5	6		3		9	13	4	7	1
Cimple sais of Times		9	18	4	16	2	12	13	24	17	1
All other Class V		22	34	23	41	12 39	24	42	36	37	4'
An other class v		44	94	31	41	99	44	42	30		
Total Class V	• •	151	194	227	208	239	290	251	187	184	236
Acute Nephritis		7	15	8	21	16	14	12	8	13	13
Bright's Disease		67	58	59	78	85	61	91	74	60	81
Diseases of Bladder		6	7	3	8	16	9	8	9	9	12
All other Class VI		14	22	20	15	32	25	22	16	29	22
Total Class VI		94	102	90	122	149	109	133	107	111	128
	C AND										
Total Class VII		22	23	24	28	29	27	24	22	23	20
Total Class VIII		12	15	13	11	13	12	19	11	9	3
TON THE LEAST COLUMN TO BE	18-	72	78.								
Total Class IX		5	6	3	3	6	7	1	5	1	5
Total Class X		30	25	19	35	15	23	23	34	26	29
											190
Congenital Debility, Icterus, Scleroma		63	85	103	91	109	109	101	95	86	122
Other Diseases peculiar to early infancy	7	5	11	30	21	23	26	21	17	25	25
Want of Care					1		1		2		
mai i ou aut			96		113	132	136	122	114	111	147
Total Class XI	• •	68	90	133	110	192	100	122	114	111	147
Total Class XII		75	86	124	111	106	127	140	105	148	154
Total Class XIII		224	347	265	244	220	245	221	274	290	TA
		. ,									
Total Class XIV		3	5	7	4	2	6	3	1	4	6
Totals		1,614	2,044	1,987	1,923	1,943	2,058	2,108	1,941	2,071	2,428

#### PORT CURTIS.

			1 12	Rock	HAMPTON.		1	St. I	AWRENCE.	
	×7		W	armer.	Mi	ilder.	War	mer.	Milde	er.
	Year.		M.	F.	M.	F.	М.	F.	M.	F.
910	38	117	101	62	83	73	1	1		3
1911			110	67	115	82	1	1		
912			137	77	107	71	1	3	1	
913			119	84	97	91	4	2	1	
914	Man. 0		116	57	124	86			3	3
915	10.0		131	104	123	75	- 18880.00		3	
916			121	114	112	73	3	2	3	
917			121	96	106	88	3	1	2	
918			127	91	97	79				1
919			156	99	167	123	15	5	3	
Tota	al		1,239	851	1,131	841	27	15	16	7

### CENTRAL.

		THE		ARAM	IAC (Part).			CLE	RMONT.	
	Year.	20	Wa	rmer.	Mil	der.	War	mer.	Mil	der.
1.88	1.8	70.0	M.	F.	M.	F.	M.	F.	M.	F.
1010		9	1.4		0.4		1.5	0		
1910	11.	0	14	6	34	9	17	2	6	1
911			34		36	14	24	11	17	6
912		0	36	14	41	5	21	16	19	9
.913			37	10	31	12	12	8	12	8
914			30	16	34	15	10	6	10	7
915			37	10	38	8	31	4	18	5
916			28	16	34	4	11	5	19	7
917	0		24	6	39	8	49	27	11	2
918			35	7	34	9	11	2	14	5
1919	08	88-	40	15	62	20	22	14	22	17
	Total		315	107	383	104	208	95	148	73
		81								

#### EDGECUMBE.

			Box	WEN.			Ken	NEDY.			MAC	KAY.			Town	NSVILI.I	Ε.
	Year.	Wan	mer.	Mild	er.	Wan	rmer.	Mil	der.	War	rmer.	Mil	der.	Wa	mer.	Mil	der.
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	М.	F.
1910		 14	7	15	8	78	47	62	36	54	23	38	27	43	42	61	46
1911		 21	14	13	12	79	46	68	42	63	36	55	29	65	37	171	67
1912	/	 12	6	18	12	89	41	81	47	48	28	47	39	104	43	82	3
1913		 16	7	10	5	73	32	91	37	58	34	46	22	76	38	100	5.
1914		 22	4	15	8	69	54	55	36	60	27	58	27	91	39	91	6:
915		 18	11	12	8	104	38	53	36	59	21	54	26	122	70	99	5
916	*	 12	8	18	8	86	37	53	37	57	24	58	46	104	49	95	5
.917		 14	5	20	6	59	32	71	45	41	31	53	20	99	64	95	35
918		 23	8	19	13	62	31	60	36	76	44	69	26	103	55	105	5/
1919		 11	13	37	16	66	28	86	51	44	31	95	45	96	59	120	54
To	otal	 163	83	177	96	765	386	680	403	560	299	573	307	903	496	1,019	523

#### ROCKINGHAM.

					CAIR	NS.			CARD	WELL.			HERB	ERTON.	
	Year		8	Wari	ner.	Mile	der.	Warı	ner.	Mild	ler.	War	mer.	Mile	der.
372.6	170.2	140.1	801.5	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.
910				48	21	50	20	11	5	8	7	36	8	43	15
911				58	26	47	35	15	5	9	4	54	8	49	1
912				56	18	51	29	14	4	14	8	60	18	46	1
913				55	15	73	27	10	7	17	3	56	24	51	20
914				77	35	76	27	20	5	19	8	41	24	48	1
915				74	34	58	22	20	4	18	3	50	17	39	1
916				97	37	84	27	13	7	19	2	38	23	31	1
917				87	32	84	35	5		13	5	28	14	26	1
918				104	26	85	35	30	7	19	6	42	15	39	1
919				88	37	79	31	25	7	14	8	47	10	32	1
	Tot	al		744	281	687	288	163	51	150	54	452	161	404	14

Note.—For the purpose of contrasting the effect of the seasons on mortality in tropical Queensland, the year has been divided into two periods—the Warmer, October-December, January-March; the Milder, April-September.

#### YORK PENINSULA.

					Co	OK.			PALI	MER.			Som	ERSET.	
	Year.			Wai	mer.	Mil	der.	Wa	rmer.	Mil	der.	Wan	mer.	Mil	lder.
				М.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1910		10.	9.	22	7	22	5	4	1	2	- 3	43	2	24	4
911				17	4	9	12	2	3	1	1	63	8	43	4
912				14	3	10	4	6		2	1	51	4	32	3
913				7	6	10	7	5	Aug. (12) Aug.	4		19	3	14	2
914				16	6	15	3		40 40	1	1	13	1	19	1
915				11	3	12	7	3		2		9	2	9	2
916				26	3	15	5	10		7	1	14	2	5	2
917				14	9	21	3			i	1	14	8	7	4
918				18	8	13	6	4				20	19	23	14
919				12	8	16	11	5		7		18	11	24	12
	Tot	al		157	57	143	63	39	4	27	4	264	60	200	48

#### CARPENTARIA.

	1		Bui	RKE.		(	CLONG	CURRY			Croy	DON.		E	THE	RIDGE.		I	Iugh	ENDEN	٧.
Year.	Wa	rm	ner.	Mil	der.	War	mer.	Mile	der.	War	mer.	Mil	der.	Warn	ner.	Mild	er.	War	mer.	Mil	der.
	M	.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.,	F.	M.	F.
1910	4		2	6	2	18	6	8	6	10	3	10	4	19	3	23	4	13	2	7	8
1911	7		2	4	2	18	3	10	5	10	5	18	4	14	3	15	7	9		16	4
1912	4			3	1	35	3	26	5	11	1	8	3	14	2	12	3	16	8	19	7
1913	4			4		25	5	29	5	9	6	5	. 4	16	5	12	3	18	3	19	1
1914	1		9	5		34	8	31	8	5	4	7	1	11	1	9	2	20	5	17	3
1915	2	2	1	4	- 1	34	11	27	10	12	4	5	2	11	1	8	2 .	23	7	17	9
1916	1		2	9	2	45	25	42	9	13	6	10	3	16	3	7	5	24	12	19	2
1917	3	3	1	5	2	24	8	29	7	6	4	6	2	4	3	5	1	28	6	18	8
1918	2	2		10		38	9	26	6	9	4	8	5	7	4	6	2	13	8	15	9
1919	5	5	1	3	-1	38	11	39	11	8	2	6	2	8	3	6	3	21	1	30	7
Total	33	3	9	53	11	309	89	267	72	93	39	83	30	120	27	103	32	185	52	177	58

#### CENTRAL WESTERN.

			ARAMAC	(Part).		5-L	Mar	ATHON.	
	Year.	Warm	er.	Mi	lder.	Wa	irmer.	Mil	der.
		М.	F.	M.	F.	M.	F.	M.	F.
1910		 2				13	3	10	3
1911		 1		1		12	5	25	9
1912		 			1	28	3	18	2
1913		 		2		30	8	39	8
1914		 3	2	2	- H	21	3	25	11
1915		 -2		1		40	10	19	11.
916		 1				33	6	22	7
917		 1	10 -1 10		1	23	12	22	9
1918		 2		2		22	3	17	7
1919		 4	2	2	1	33 .	7	23	1
	Total	 16	4	10	3	255	60	220	68

#### TOTAL DEATHS FOR ALL DISTRICTS (TEN YEARS), TROPICAL QUEENSLAND.


	Yéar.		WAR	MER.	Mil	DER.	Тот	'AL.	GRAND TOTAL.
			M.	F.	M.	F.	M.	F.	Persons.
1910	 	 	565	253	512	284	1,077	537	1,614
1911	 	 	676	291	722	355	1,398	646	2,044
1912	 	 	757	292	637	301	1,394	593	1,987
1913	 	 	649	297	663	314	1,312	611	1,923
1914	 	 	660	297	664	322	1,324	619	1,943
915	 	 	793	352	619	294	1,412	646	2,058
916	 	 	753	381	662	312	1,415	693	2,108
917	 	 	647	359	634	301	1,281	660	1,941
918	 	 	748	340	661	322	1,409	662	2,071
1919	 	 	762	364	873	429	1,635	793	2,428
			7,010	3,226	6,647	3,234	13,657	6,460	20,117

Note.—For the purpose of contrasting the effect of the seasons on mortality in Tropical Queensland, the year has been divided into two periods—the Warmer, October-December, January-March; the Milder, April-September.

DEATHS IN TROPICAL QUEENSLAND—TEN YEARS, 1910-1919—CHILDREN UNDER TWELVE MONTHS.


Regist	ry D	istrict	s.		19	10.	19:	11.	19	12.	19	13.	19	14.	19	15.	19	16.	19	17.	19	18.	19	19.	Тот	ALS.
				۰	М.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.
1: { Rockhampto St. Lawrence					27	34	48	26	49	35 1	36	46 1	50 1	27 1	54	47	39	37 1	27	28	34	35	52	26	416	341
2. { Aramac (par Clermont					7	5 2	6	6 5	11	6 5	4	10 3	13 1	10 4	12 8	10	3 5	6 5	5 5	3	2	· · · · · · · · · · · · · · · · · · ·	15 2	7 4	78 27	63 32
Kennedy					6 21 7 11	2 14 9 11	5 19 8 14	8 14 13 21	8 23 13 35	6 9 10 16	3 25 14 21	2 9 8 14	8 19 11 37	2 14 10 21	2 14 15 42	3 16 7 19	1 18 19 30	5 10 10 23	3 19 14 28	3 9 9 11	2 11 21 24	5 9 12 25	5 18 16 35	3 11 8 21	43 187 138 277	39 115 96 182
4. Cardwell					8 1 10	10 4 7	14 1 13	20 4 4	14 4 17	6 3 4	24 2 14	11 6 5	16 3 14	16 4 9	12 6 13	11 2 11	18 3 6	15 2 10	18 2 10	14	15 3 2	9 2 4	26 5 8	10 5 6	165 30 107	122 32 67
5. Palmer .			• •		5 2	1	2 2	1 1	1 5	2	1 2	3	2 3	3	1  5	2	2 3	1 3	1 4	1 3	3	3	1 10		19  37	12 1 18
6. Croydon . Etheridge .					1 2 5 1 2	1 1 3 7 2	2 1 	3 1 1 1	2 1 4 4 4	1 3 3 5	2 1 6 5	 4 4 2 1	1 1 9 4	··· 2 7 3	2 2 5 4	1  5 8	1 1 4 15 4	1 4 1 9 4	1  9 4	2 1  3 5	1 2 1 8 3	3 2 6 3	1 1 12 5	2  3 5 1	8 13 19 69 35	10 15 19 48 32
7. \{\begin{aligned} \text{Aramac (part Marathon} \\ \\ \end{aligned}					i		3	3	4	1	5	3	4	6	8	6	6	5	3	5	4	4	3	6	41	39
Total .					117	113	144	132	199	116	165	132	197	139	205	151	178	152	153	104	137	126	215	122	1,710	1,287
Persons .					23	0	270	3	31	5	29	7	33	6	35	6	33	0	25	7	26	3	33	7	2,0	97

The Four Predominating Factors.



Organic Diseases of the Heart Cancer Tuberculosis of Lungs Congenital Debility


The Four Lesser Predominating Factors.




Diarrhoea and Enteritis, Children under 2 years. Bright's Disease Pneumonia Haemorrhage of the Brain, Apoplexy

	18	Tilaria
	26	Congestion of Lungs.
	39.	anny los terriasis
	58	Sengue
	60 P	spune
		anaemia
	sh T	Asthona
	Topi	Cinhosis of Liver
	cal	Devi Beu
-	Que	alcoholism
Con	ensla, all	Maland
whit	nd,	Brownad Incomorno
id	1910	Diawhoen & Enterilio mer 2
hy	uses )-191 117.	Influenza + For Influenza
20	9.	Acuter Chr. Beauchilis
Dan	454	Informed Fever
ple	hs,	Ineumonia
el.	7/4	Bughts. Divease
	82/	Diambora & Enteritio morer 2
	964	Congential Debility
	967	Interculosio of Lungs.
	1.170	Cancer
		5 tryamic Diseases of Mark.

Tompiled by S. Campbell. Gord. Stal Office, Bristans.





### GENERAL SCHEME OF CLASSIFICATION OF CAUSES OF DEATH.

### CLASS I .- General Diseases.

- 1. Typhoid Fever.
- 2. Typhus.
- 3. Recurrent Fever.
- 4. Intermittent Fever.
- 4a. Malarial Cachexia.
- 5. Small-pox.
- 6. Measles
- 7. Scarlet Fever.
- 8. Whooping Cough.
- 9. Diphtheria.
- 9a. Croup.
- 10. Influenza.
- 10a. Pneumonic Influenza.
- 11. Miliary Fever. 12. Asiatic Cholera.
- 13. Cholera Nostras.
- 14. Dysentery.
- 14a. Epidemic Dysentery.
- 15. Plague.
- 16. Yellow Fever.
- 17. Leprosy.
- 17. depress.18. Erysipelas.19. Other Epidemic Diseases.
- 19a. Dengue. 20. Purulent Infection and Septicæmia.
- 21. Glanders and Farcy.
- Malignant Pustule and "Charbon."
- 23. Rabies.
- Tetanus.
- 25. Trichinosis, etc.
- Pellagra.
- 27. Beri Beri.

- 28. Tuberculosis of the Lungs.
  29. Tuberculosis, Acute Miliary.
  30. Tuberculosis of the Meninges.
  31. Tuberculosis, Abdominal, etc.
- 32. Pott's Disease.
- White Swellings
- Tuberculosis of other Organs.
- 35. General Tuberculosis.
- 36. Rachitis.
- 37. Syphilis.
- 38. Genococcic Dis.
  39. Cancer, etc., of the Mouth.
- 40. Cancer, etc., of the Stomach and Liver.
  41. Cancer, etc., Peritonaum, Intestines, etc.
- 42. Cancer, etc., of the Female Genital Organs. 43. Cancer, etc., of the Breast.
- 44. Cancer, etc., of the Skin.
- 45. Cancer, etc., of other Organs.
  46. Other Tumours (excl. F. Genital Organs).
  47. Acute Articular Rheumatism.
  48. Chronic Rheumatism and Gout.

- Scurvy. 50. Diabetes.
- 51. Exophthalmic Goitre.
- 52. Addison's Disease.
- 53. Leucæmia.
- 54. Anæmia, Chlorosis. 54a. Filaria.
- 55. Other General Diseases.
- 56. Acute and Chronic Alcoholism.
- 57. Lead Poisoning.
- 58. Other Chr. Poisonings due to Occupations.
- 59. Other Chronic Poisonings.

### CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.

- 60. Encephalitis.
- 61. Simple Meningitis.
- 61a. Epidemic Cerebro-spinal Meningitis.
- 62. Progressive Locomotor Ataxia.
  63. Other Diseases of the Spinal Cord.
  64. Hæmorrhage of Brain, Apoplexy.
- 65. Softening of the Brain.
- 66. Paralysis without indicated cause.67. General Paralysis.68. Other Forms of Mental Alienation.
- 69. Epilepsy:
- 70. Eclampsia (non-puerperal). 71. Convulsions of Children under five.
- 72. Chorea.
- 73. Hysteria, Neuralgia, Neuritis.74. Other Diseases of the Nervous System.
- Diseases of the Eyes and Appendages.
- 76. Diseases of the Ear.

### CLASS III.-Diseases of the Circulatory System.

- 77. Pericarditis.
- 78. Acute Endocarditis.
- 79. Organic Diseases of the Heart.
- 80. Angina Pectoris.
- 81. Dis. of Arteries, Atheroma, Aneurism, etc. 82. Embolism and Thrombosis. 83. Dis. of Veins (Varices, Varicose Ulcers, etc.)

- 84. Diseases of the Lymphatic System.
- 85. Hæmorrhage.

### CLASS IV.-Diseases of the Respiratory System.

- 86. Diseases of the Nasal Fossæ.
- 87. Diseases of the Larynx.88. Diseases of the Thyroid Body.
- 89. Acute Bronchitis. 90. Chronic Bronchitis.
- 91. Broncho-pneumonia.
- 92. Pneumonia.
- 93. Pleurisy.
- 94. Congestion of Lungs and Pul. Apoplexy.
- 95. Gangrene of the Lungs.
- 96. Asthma.

- 97. Pulmonary Emphysema.97a. Miners' Phthisis.98. Other Diseases of the Respiratory System.

### CLASS V.—Diseases of the Digestive System.

- 99. Dis. of Mouth and associated organs.
- 100. Diseases of the Pharynx.
- 101. Diseases of the Œsophagus.
- 102. Ulcer of the Stomach.
- 103. Other Dis. of Stomach (Cancer excluded). 104. Diarrhea and Enteritis (under two years).
- 105. Diarrhæa and Enteritis (over two years).
- Ankylostomiasis. 106.
- 107. Intestinal Parasites.
- 107a. Sprue.
- 108. Appendicitis.
- 109. Hernia, Intestinal Obstruction.110. Other Diseases of the Intestines.

- 111. Icterus Gravis.
  112. Hydatid Tumours of the Liver.
- 113. Cirrhosis of the Liver.
- 114. Biliary Calculi.
- Other Diseases of the Liver.

- 116. Diseases of the Spleen.
  117. Simple Peritonitis (non-puerperal).
  118. Other Diseases of the Digestive System.

### CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.

- 119. Acute Nephritis.120. Bright's Disease.
- 121. Chyluria.
- 122. Other Diseases of Kidney and Adnexa.
- 123.
- 124.
- Calculi of Urinary System.
  Diseases of the Bladder.
  Other Dis. Urethra, Urinary Abscess, etc. 125. Diseases of the Prostate
- 126. Non-venereal Dis. of Male Genital Organs. 127.
- Uterine Hæmorrhage (non-puerperal). 128.
- 129. Uterine Tumour (non-cancerous)
- Metritis and Other Diseases of the Uterus.
- 131. Cysts and other Ovarian Tumours.
- 132. Other Dis. of Female Genital Organs. 133. Non-puer. Dis. of Breast (Cancer excep.)

### CLASS VII.-Puerperal Condition.

- 134. Accidents of Pregnancy.
- 135. Puerperal Hæmorrhage
- Other Accidents of Childbirth.
- Puerperal Septicæmia. Puerperal Albuminuria and Eclampsia.
- 139. Puerperal Phlegmasia Alba Dolens.
  140. Other Puerperal Accidents, Sudden Death.
  141. Puerperal Diseases of the Breast.

### CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.

- 142. Gangrene.
- 143. Carbuncle.
- 144. Phlegmon, Acute Abscess.
- 145. Other Diseases of the Skin and Adnexa.

### CLASS IX.-Diseases of the Organs of Locomotion.

- 146. Non-tuberculous Diseases of the Bones.
- 147. Arthritis and other Dis. of Joints.
- 148. Amputation.
- 149. Other Dis. of Organs of Locomotion.

### CLASS X .- Malformations.

150. Congenital Malfor. (excl. of Stillborn).

### CLASS XI.-Infancy.

- 151. Congenital Debility, Icterus, and Scleroma.152. Other Dis. Pec. to Infancy (un. 3 mths). 153. Want of Care (Infants).

### CLASS XII.—Old Age. 154. Senile Debility.

- CLASS XIII.-Violence.
- 155. Suicide by Poison.
- 156. Suicide by Asphyxia.157. Suicide by Hanging or Strangulation.
- 158. Suicide by Drowning.
- 159. Suicide by Firearms. 160. Suicide by Cutting Instrumerts, 161. Suicide by Precipitation from a Height. 162. Suicide by Crushing.

- 163. Other Suicides.
- 164. Poison by Food. 165. Vene. Creatures and other Acute Poisons.
- 166. Incendiarism.
- 167. Burns. Noxious Gases. 168.
- 169. Drowning.
- I70. Firearms 171. Cuts and Stabs.
- 172. Falls. 173. Mines and Quarries.
- 174. Machinery.
- 175. Vehicles. 175a. Railway and Tramways.
- 176. Animals. 177. Starvation. 178. Cold.
- 179. Sunstroke.
- 180. Lightning.
- 181. Other Electric.
  181a. Timber Felling, Logging, etc.
  182. Murder by Firearms.
  183. Murder by Cuts. 184. Murder, Öther.
- 185. Fractures, etc. 186. Other Violence. 186a. Wounds received in Battle.

### CLASS XIV. Ill-defined Diseases.

- 187. Organic Lesion (not Defined).
- 188. Sudden Death.
- 189. Unspecified or Ill-defined Causes of Death.

### INDEX TO TABLES.

H	ead.		Particulars given in Table.		Table.	Page.
			APPENDIX A.			•
Population	1		Synopsis of Vital Statistics from 1856		•••	1 to 5
Population Births Metropoli		 a	Estimated for 1918 and 1919, Estimated Mean for the year Number Registered during each Quarter Mean Population, Births, Deaths, and Marriages for Ten years	•••	I. II. III.	6 6 7
<b>Larriages</b>			Number Registered during each Quarter		IV.	7
,,	•••		Number Registered, showing the Denominations		V.	8
"	•••	•••	Showing the Birthplace or Race of the Persons Married		VI. VII.	9 10 to 1
"	•••	•••	,, various Ages of the Persons Married	• • • •	V 11.	10 10 1
eaths in	the Sta	ite	Showing the Number Registered during each Month of the Young Age Groups		VIII.	12
"	•••	•••	,, Number Registered during each Month of the according to Districts		IX.	13
,,	•••		,, Number of Children, Male and Female, under Five	years	X.	14
,,	••		,, Ages of Persons since 1860, also Mean Age at Deat Mean Age living	n and	XI.	15
,,			,, Birthplace, &c., of Persons whose Deaths were Regis	stered	XII.	16
,,			,, Occupations of Persons whose Deaths were Register	ed	XIII.	17
"	•••		Causes of Deaths, arranged in order of Degree of Fa ,, Causes of Deaths of Males at different periods or	f life	XIV.	18 to 1
,,	•••	•••	Registered during the year		XV.	20 to 2
,,	•••	•••	,, Causes of Deaths of Females at different periods o Registered during the year ,, Causes of Deaths of Persons at different period	f life,	XVI.	23 to 2
,,			,, Causes of Deaths of Persons at different period life, Registered during the year	ds of	XVII.	26 to 2
13			,, Causes of Deaths, Males and Females, Number Regis	stered	XVIII.	29 to 31
,,			,, Causes of Deaths of Males, Females, and Persons several Groups of Registry Districts		XIX.	32 to 37
,,			,, Ages of Males and Females in Districts who during 1919	Died	XX.	38 to 39
eaths in	Brisban	e	,, Causes of Deaths, Males, at different periods of			
,,	•••	•••	Registered within Metropolitan Area ,, Causes of Deaths, Females, at different periods of	f life,	XXI.	40 to 42
,,		•••	Registered within Metropolitan Area, Causes of Deaths, Persons, at different periods of	life,	XXII.	43 to 45
,,			Registered within Metropolitan Area Causes of Deaths, Males and Females, Registered d		XXIII.	46 to 48
,,,			each Month of the Year, within Metropolitan Area	1	XXIV.	49 to 51
			APPENDIX B.			
			District Registrars, List of, for 1919			52
			APPENDIX C.			
ensus of	Queensl	and	Showing the Population of Cities, Towns, and Shires, as returned	ed at		
			Census of 1911		I. II.	52 to 53 54
"	•••	• • • •	Birthplaces of the Population of Queensland, as retu	irned		
"	•••	•••	at Census of 1911		III.	54
,,		•••	Religions of the Population of Queensland, as retu at Census of 1911		IV.	55
37			,, Occupations of Population of Queens.and, as return	ed at	V.	56

### A H H H Z U H × A

## SYNOPSIS OF THE VITAL STATISTICS OF QUEENSLAND FROM THE YEAR 1856 TO 1919, INCLUSIVE.

1919	1918	1917		1915	1914	1912	1911	1910	1909	1907	1906	1905	1904	1902	1901	1900	1898	1897	1896	1894	1893	1891	1000	1890	1889	1887	1886	1885	1884	1882	1881	1880	1879	1878	1876	1874	1873	1872	1870	1869	1867	1866	1864	1863	1861	1860	1858	1856				YEAR	
:	:	:	:	:	:	:	: :	:	:	:	:	: :	:	:	: :	:	:	: :	:	:	: :	:	~	~	: :	:	: ,		: :	: :	: ,		: :	:	:	: :	:	: :	:	: :	:	: :	:	: :	:	: :	::	:				•	
378,904	353,091	‡343,994	011,00/	359,541	364 526	344,139	337,955	325,806	303,837	298,040	292,609	290,206	285,297	283,195	281,659	287,512	279,670	271,372	264,160	250,834	243,793	232,558	+227,274	*243,926	235,607	214,531	201,024	*191,450 +180 035	182,442	$145,592 \\ 169.990$	132,904	*134,216	130,867	124,924 $127,608$	113,883	97,860 $111,272$	87,154	79,618	69,629	66,571	59,836 65,843	57,307	45,516 53,316	37,579	20,811 27,186	16,817	13,276 19,954	11,254	A	ales.		POPULATION	
346,316	341,349	331,164																																													8,190 9,029			emales.		ON THE 31ST	
725,220	694,440	675,158	104,600	678,675	650,158	636,425	622,129	599 131	558,237	546,467	535,113	528,048	521 655	510,853	505,944	512,604	498,523	484,700	460,550	445,155	432,299	410,330 421 297	399,215	422,776	406,658	366,940	342,614	326,916	309,913	248,255 287.475	226,968	226,077	217,851	210,510	187,100	163,517 $181,288$	146,690	125,146 $133,553$	115,567	109,897	99,849	96,201	74,036 87 804	61,640	34,367	23,520 28,056	22,305	18,544	P	ersons.		DECEMBER.	
25,813	9,097	7,136	EOG'ET-	4,985	7 913	6,184	12,149	10.386	5,797	5,431	2,403	2,407	2,102	1,536	6,770	7,842 -19,693	8,298	6,759	5,326	7,041	5,828	3,184 5,407		8,319	10,091	13,507	9,574	9,008	12,452	12,688 24.398	-1,312	3,349	3,259	11,041	2,611	10,706 13.412	7,536	4,993	3,058	728	2,529	3,991	7,937	10,393	3,994	2,963	1,208	1 200	M	ales.		NUMER  — DECRE  OF 3	
4,967	10,185	11,929	0,110	6,953	8636	8,112	10,849	10.197	5,973	5,923	4,662	3,986	3,575	3,373	5,008	5,239	5,525	5,762	6,069	5,815	5,174	5,585 5,585	1	7,799	9,550	10,819	6,124	7,995	9,986	8,599 14.822	2,203	4,877	4,082	4,943	3,201	6,121 4,359	5,601	4,586 3,411	2,612	1,742	1,119	4,406	4,459	6,170	2,317	1,573	839	::	F	emales.		ICAL INC LASE IN P	
30,780	19,282	19,065	0,200	1,968	16 549	14,296	22,998	20,583	11,770	11,354	7,065	6,393	6.125	4,909	11,778	14,081	13,823	12,521	11,629	12,856	11,002	6,769 10.967	1	16,118	19,195	24,326	15,698	17,003	22,438	21,287 39.220	891	8,226	7,341	15,984	5,812	16,827 17,771	13,137	8,407	5,670	2,470	3,648	8,397	12,396	16,563	6,311	1,215 4,536	2,108 1,653	9 100	P	ersons.		UMERICAL INCREASE OR DECREASE IN POPULATION OF 31ST DECEMBER.	
7.31	2.64	2.07	11 %	-1.37	2.22	1.83	3.73	3.29	2.0.0	1.86	0.83	0.84	0.88	0.55	2.46	4.30	3.06	2.55	2.10	2.89	2.45	2.33		3.53	4.47	6.72	5.00	4.94	7.32	9.55	-0.98	2.55	255	9.69	2.35	13.70	9.46	69.6	4.59	1.10	4.41	7.48	21.12	38.23	23.75	4·35 21·39	6.53	10.75	М	ales.		INCREA	CENTI
1.46	3.08	3.67	F ()	2.23	20.00	20.00	3.97	00 H	2.40	2.44	1.96	1.70	1.57	1.50	2.28	20.00	2.59	2.70	3.07	3.08	2.82	3.12		4.56	5.62	6.06	4.52	6.27	8.49	9.14	2.40	5.61	4.92	6.75	4.57	10.28	10.38	6.75	6.03	4.19	2.88	12.79	20.03	34.48	17.09	20.62	10.24	19.94	F	emales.		LEASE OR — D POPULATION DECEMBE	SIMAL R
4.43	2.86	2.85	-	0.29	2.51	2.30	3.84	3.50	61.7	2.12	1.34	1.23	1.19	0.97	2.38	28.2	2.85	2.65	2.4.0	2.97	2.61	2.67	1	3.97	4.95	7.10	4.80	5.49	7.81	9.38	0.39	3.78	3.49	3.654	3.21	10.86	9.83	6.72	5.16	2.30	3.79	9.56 00 or	18.60	36.74	22.49	5·44 19·29	8.00		Po	ersons.		ECRI OF 3	ATIO OF
91.49	96.67	95.78	60	88.76	85.64	84.93	84.09	83.89 H	22.73	83.35	82.88	81.96	81.26	80.39	79.63	79.77	78.25	78.61	78.44	77.47	77.32	76.44	2	73.32	72.60	71.04	70.43	70.76	69.87	69.11	70.78	68.44	66.47	62.57	64.29	67·09	68.31	67.74	86.59	80.59	66.87	67.87	62.66	64.03	65.14	66.83	68.01	3.:		each 10	0 Ma	Females les in tot feachyea	al
4,410	5,721	6,023	0,010	5,746 5,093	5,988	5,280	4,647	4,666	4,175	3,974	4,068	3,479	3,875	3,355	3,443	3,180	3,312	3,794	3,567	3,840	3,773	4,162 4.383	1100	4,222	3,519	3,600	2,813	1,786	705	1,597	2,087	2,176	1,902	1,546	1,291	1,503 761	1,574	1,484 $1,382$	1,495	1,263	1,187	692	572 807	296	382	327	212	101	м	ales.		OF 31ST YEAR, A.OF BIR	ADDITI
5,429	6,661	7,191	0,000	6,859	7,164	6,557	5,800	5,762	4,9/3	4,969	4,856	4,644	4,957	4,657	4,853	5 133	4,378	5,096	4,860	4,839	4,926	5,383	2000	5,547	4,750	4,747	4,194	65	,11	2,647 3,038	00	0	77	12	1	2,086 1,841	00	000	7	600	म ज्य	1,073	999	650	541	433	385		F	emales.		DECEA RISING	ONS TO POI
9,839	12,385	13,214		12,605	13,152	11,837	10,447	10,428	9,148	8,943	8,924	8,123	8.832	2,012	8,296	9,750	7,690	8,890	8,722	8,679	8,699	9,545	1	9,769	8,269	8,347	7,007	5,437	3,818	4,244	4,900	5,179	4,663	3,796	3,436	3,589 2,602	3,470	3,420	3,260	2,893	2,731	1,765	1,437	946	923	758	457 597	1 :	P	ersons.		IBER OF EACH FROM EXCESS	MOLTATION
1.42	1.83	1.97	+ 00	1.86	1.99	1.93	1.74	1.80	1.67	1.67	1.69	1.56	1.71	2 000	1.68	1.77	1.59	1.88	2.50	2.01	2.06	2:39		2.40	2:13	2.44	2.14	1.75	1.33	1.87	2.17	2.38	2.22	2.03	1.89	$\frac{2.44}{1.59}$	2.60	2.96 2.96	2.96	2.69	2.84	2.01	2.34	2.09	3.29	3:30 3:22	2·47 2·89			Populat Decemb	ion er o xcess	of 31 feach yes of Birt	to

SYNOPSIS OF THE VITAL STATISTICS OF QUEENSLAND FROM THE YEAR 1856 TO 1919, INCLUSIVE—continued.

					MEAN POI	PULATION	OF EACH	YEAR, ITS	NUMERIC	AL AND CE	ENTESIMA	L INCREASE	
	YEA	R.		MEA	N POPULATIO		- DECREAS	RICAL INCRE E IN MEAN D OF EACH YEA	POPULATION	or -	AL RATIO ( DECREASE I		f Females to ales in mean of each year.
				Males,	Females.	Persons	Males,	Females.	Persons,	Males.	Females.	Persons.	Proportion of Females to each 100 Males in mean Population of each year.
1856													
1857			• • • •	11,858	7,740	19,598 $21,478$	1.011		1.000	8·53	11.23	9.59	65·27 66·90
$1858 \\ 1859$	•••			12,869 $13,565$	8,609 9,347	22,912	1,011	869 738	1,880 $1,434$	5.41	8.57	6.68	68.90
1860				15,335	10,453	25,788	1,770	1,106	2,876	13.04	11.83	12.55	68.16
$\begin{array}{c} 1861 \\ 1862 \end{array}$			•••	18,814 23,998	12,397 $15,724$	31,211 $39,722$	3,479 $5,184$	1,944 $3,327$	5,423 8,511	22.69 $27.55$	18·59 26·84	$21.03 \\ 27.27$	65·89 65·52
1863				32,382	20,976	53,358	8,384	5,252	13,636	34.94	33.40	34.33	64.78
1864				41,548	26,290	67,838	9,166	5,314	14,480	28.31	25.33	27.14	63.27
$1865 \\ 1866$				49,416 $55,312$	31,504 36,691	80,920 92,003	7,868 5,896	5,214 5,187	13,082 11,083	18.94 11.93	19·83 16·46	19·28 13·69	63·75 66·33
1867				58,572	39,453	98,025	3,260	2,762	6,022	5.89	7.53	6.55	67.36
1868				62,839	40,799	103,638	4,267	1,346	5,613	7.28	3.41	5.73	64.92
1869 1870				66,207 68,100	42,455 $44,632$	108,662 $112,732$	3,368 1,893	1,656	5,024 $4,070$	$\frac{5.36}{2.86}$	4·06 5·13	4·84 3·75	64·13 65·54
1871		•••		72,125	48,231	120,356	4,025	2,177 $3,599$	7,624	5.91	8.06	6.76	66.87
1872				77,120	52,230	129,350	4,995	3,999	8,994	6.93	8.29	7.47	67.73
1873 1874	•••			83,386 92,507	56,736 62,596	140,122 $155,103$	6,266	4,506	10,772	8·12 10·93	8·63 10·33	8·33 10·69	68·04 67·66
1875				104,566	67,836	172,402	9,121 $12,059$	5,860 5,240	14,981 $17,299$	13.03	8.37	11.15	64.87
1876				112,578	71,616	184,194	8,012	3,780	11,792	7.66	5.57	6.84	63.61
1877 1878		•••		119,403 126,266	75,689 80,531	195,092 206,797	6,825 6,863	4,073 4,842	10,898 $11,705$	6·06 5·75	5·69 6·39	5·92 6·00	63·39 63·78
1879				129,237	84,943	214,180	2,971	4,412	7,383	$\frac{375}{2.35}$	5.48	3.57	65.73
1880				132,542	89,422	221,964	3,305	4,479	7,784	2.56	5.27	3.63	67.47
1881 1882				129,584 $139,248$	91,427 98,363	221,011 237,611	-2,958 $9,664$	2,005 6,936	-953 $16,600$	-2.23 $7.46$	2·24 7·59	- 0·43 7·51	70·55 70·64
1883				157,791	110,074	267,865	18,543	11,711	30,254	13.32	11.91	12.73	69.76
1884		• • • •		176,216	122,478	298,694	18,425	12,404	30,829	11.68	11.27	11.21	69.50
1885 1886				186,946 195,480	131,469 $137,030$	318,415 332,510	10,730 $  8,534$	8,990 5,561	19,720 $14,095$	6·09 4·56	7·34 4·23	6·60 4·42	70.32 $70.10$
1887				207,778	146,999	354,777	12,298	9,969	22,267	6.29	7.28	6.70	70.75
1888				220,023	157,178	377,201	12,245	10,179	22,424	5.89	6.92	6.32	71.44
1889 1890				230,562 $239,766$	166,499 $174,950$	397,061 414,716	10,539 9,204	9,321 8,451	19,860 $17,655$	4·79 3·99	5.08	5·27 4·45	72.21 $72.97$
1891				229,916		404,772	-9,850	- 94	-9,944	- 4·11	- 0.02	- 2.40	76.05
1892 1893	•••			235,261 $240,879$	180,552 $185,919$	415,813 $426,798$	5,345	5,696	11,041	2.32	3.26	2.73	76.75
1894				240,379 $247,314$	191,413	438,727	5,618 $6,435$	5,367 5,494	10,985 11,929	$\frac{2.39}{2.67}$	2.97 $2.96$	2·64 2·79	77·18 77·39
1895				254,997	197,855	452,852	7,683	6,442	14,125	3.11	3.37	3.22	77:59
1896 1897				261,886 267,993	204,478 $210,447$	466,364 478,440	6,889	6,623	13,512	2.70	3.35	2.98	78.08
1898				276,108	216,494	492,602	6,107 8,115	5,969 6,047	12,076 $14,162$	2·33 3·03	2·92 2·87	2·59 2·96	78.53 $78.41$
1899				285,778	223,086	508,864	9,670	6,592	16,262	3.20	3.04	3.30	78.06
1900 1901	•••	•••		273,498 281,699	216,827 $223,996$	490,325 505,695	- 12,280	-6,259	- 18,539	- 4.30	- 2.81	- 3.64	79.28
1902			• • •	285,525	228,087	513,612	8,201 3,826	7,169 4,091	15,370 7,917	$\frac{3.00}{1.36}$	3·31 1·83	3·13 1·57	79·52 79·88
1903				283,821	228,869	512,690	-1,704	782	- 922	- 0.60	0.34	- 0.18	80.64
1904 1905				286,920 289,462	232,258 236,266	519,178 525,728	3,099 $2,542$	3,389 4,008	6,488 $6,550$	1·09 0·89	1·48 1·73	1·27 1·26	80·95 81·62
1906				292,164	240,619	532,783	2,702	4,353	7,055	0.93	1.84	1.34	82.36
1907 1908				295,277	245,927	541,204	3,113	5,308	8,421	1.07	2.21	1.58	83.29
1908				303,179 311,734	251,992 259,310	555,171 571,044	7,902 8,555	6,065 $7,318$	13,967 15,873	$2.68 \\ 2.82$	2·47 2·90	2·58 2·86	83·12 3·18
1910				323,014	269,187	592,201	11,280	9,877	21,157	3.62	3.81	3.70	83.34
1911				334,542	279,810	614,352	11,528	10,623	22,151	3.57	3.95	3.74	83.64
1912				342,663	288,914	631,577	8,121	9,104	17,225	2.43	3 25	2.80	84:31
1913				353,625	298,930	652,555	10,962	10,016	20,978	3.20	3.47	3.32	84.53
1914				365,118	309,814	674,932	11,493	10,884	22,377	3.25	3.64	3.43	84.85
1915		.,,	•••	368,855	318,155	687,010	3,737	8,341	12,078	1.02	2.69	1.79	86.25
1916	•••	,		353,980	323,650		-14,875	5,495	- 9,380	- 4.03	1.73	- 1:37	91.43
1917				349,130	331,183	680,313	- 4,850	7,533	2,683	- 1.37	2.33	0.40	94.86
1918	•••	•••		350,857	337,690	688,547	1,727	6,507	8,234	0.49	1.96	1.21	96.25
1919	.,,	***		307,134	345,794	712,928	16,277	8,104	24,381	4.64	2.40	3.54	94.19

### SYNOPSIS OF THE VITAL STATISTICS OF QUEENSLAND FROM THE YEAR 1856 TO 1919, INCLUSIVE—continued.

				IMMI	GRATION .	AND EMI	GRATION	VE—conti	BIRT	OF EA	CH YEA	R, AND	N TO ME THEIR N AL INCRE	UMERIC.	
	YEAI	₹.	BY RA	S BY SEA AT ILWAY DUH AR AS RECO		OVE	ARTURES B ERLAND BY URING FAC AS RECOR	CH YEAR	registered each	ns registered	registered each	ncrease or —De- Births of each	ncrease or -De- Births of each	entesimal Proportion total Births bear to Mean Popula- tion of each year.	Number of Female Births to each 100 Male Births.
			Males.	Females.	Persons.	Males.	Females.	Persons.	Male Births year,	Female Births each year.	Total Birthus year.	Numerical Increase crease in Births vear	Centesimal Increase crease in Births year.	Centesimal Births beartion of eac	Number of I each 100 M
1856 1857 1858 1860 1861 1862 1863 1864 1865 1866 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1899 1890 1891 1892 1893 1894 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906			**5,988 **8,534 12,291 15,919 **3,299 **1,342 12,022 4,954 5,947 6,880 7,883 10,216 15,458 20,631 17,700 18,223 11,307 10,102 9,361 11,554 18,622 31,827 25,638 24,087 24,555 22,385 24,330 24,713 23,334 19,536 16,391 15,771 17,749 20,694 18,765 20,536 23,999 27,751 25,053 29,641 23,817 24,289 28,093 27,480 31,649	*3,817 *5,155 4,718 6,936 *3,333 †425 1,360 1,747 2,050 2,358 2,452 4,925 5,493 4,178 4,131 4,373 4,832 3,726 4,669 8,378 14,503 11,245 10,247 9,546 10,008 10,534 10,893 9,671 8,546 7,220 6,236 7,498 9,372 8,958 8,574 10,244 11,295 12,357 10,265 10,040 11,780 12,752 16,028	*9,805 *13,689 17,009 22,855 *6,632 *917 13,382 6,701 7,997 9,238 10,335 15,141 20,951 24,809 21,831 22,596 16,139 13,828 13,396 16,223 27,000 46,330 36,883 34,334 34,101 32,393 34,864 35,606 33,005 28,082 23,611 22,007 25,247 30,066 27,723 29,110 34,243 39,916 36,348 41,998 34,082 34,082 34,1098 34,082 34,082 34,329 39,873 40,232 47,677	4,926 8,928  7,887 5,488 4,384 4,656 4,263 4,253 6,255 7,980 8,728 9,668 8,745 8,188 7,000 7,531 19,240 13,892 16,865 16,287 12,478 17,063 18,141 19,237 18,414 15,367 13,716 14,548 16,735 16,824 17,571 19,013 23,094 24,966 24,334 24,966 24,334 23,600 28,423 27,516 32,052	3 1,958 7 1,206 1,635 1,203 1,229 988 1,221 1,458 0 1,660 1,715 1,680 2,222 2,405 2,161 2,209 2,426 2,719 4,371 5,903 4,624 3,936 5,996 6,539 7,419 8,098 6,519 7,419 8,098 6,522 7,658 7,642 7,908 9,097 10,496 10,799 11,558 10,954 10,686 12,557 12,908 15,661	10,886 9,095 7,124 5,587 5,879 5,257 5,474 7,713 9,640 9,695 10,408 11,390 11,150 10,349 9,209 9,957 11,959 18,263 22,768 20,911 16,414 23,059 24,680 26,656 26,512 22,281 19,704 21,070 24,393 24,466 25,479 28,110 33,590 35,433 36,524 35,288 34,286 40,980 40,424 47,713	1,794 2,138 2,275 2,267 2,412 2,555 2,676 2,620 2,945 3,280 3,419 3,540 3,769 4,000 4,171 4,242 4,414 5,093 5,998 6,369 6,929 7,299 7,449 7,788 7,506 7,277 7,604 7,083 7,128 7,599 7,281 7,279 6,277 7,134 6,978 7,280	7 488 522 590 684 799 1,127 1,411 1,738 1,989 2,201 2,193 2,529 2,645 2,775 3,103 3,287 3,467 3,463 3,870 4,025 3,978 4,104 4,797 5,280 6,584 6,948 6,948 6,952 7,619 7,165 7,038 6,770 7,270 6,931 7,038 6,771 7,036 6,948 6,648 6,648 6,648 6,648 6,648 6,648 6,648 6,648 6,648 6,648 6,648 6,648	8   976 1,069 1,236 1,423 1,422 1,702 2,221 2,888 3,532 4,127 4,476 4,460 4,654 4,905 5,205 5,205 5,265 5,720 6,383 6,706 6,903 7,169 7,397 7,870 8,196 8,220 8,518 9,890 10,679 11,672 12,582 13,513 14,247 14,401 15,407 14,715 14,903 14,874 14,907 14,715 14,903 14,874 14,907 14,874 14,907 14,874 14,017 14,303 14,216 12,621 14,082	5   220 9   94 165   163 187 2   151 183   662 184   595 349 194   164 194   164 194   164 194   164 196   164 196   164 197   164 197   164 198   178 199   178 199	9·64 15·62 15·13 19·60 19·60 19·60 19·60 19·60 19·60 19·60 19·60 10·85 8·46 10·85 10	3:85 4:54 4:67 4:79 4:56 4:29 4:16 4:25 4:36 4:48 4:57 4:30 4:28 4:35 4:32 4:07 4:08 3:75 3:67 3:68 3:72 3:58 3:69 3:57 3:68 3:72 3:64 3:58 3:72 3:64 3:78 3:78 3:78 3:78 3:78 3:78 3:78 3:78	98·16 100·20 95·43 91·33 92·56 88·48 103·02 95·86 96·88 93·03 96·75 91·98 94·50 100·95 94·23 94·60 96·14 95·00 93·65 96·26 96·75 96·50 93·65 96·50 93·65 97·55 95·02 95·19 93·33 97·83 95·61 97·81 96·69 96·71 94·99 94·78 96·74 96·74 96·75 97·39 96·71 96·69 96·71 96·69 96·71 96·73 96·74 96·75 96·75 96·75 96·75 97·81 96·69 96·71 96·71 96·71 96·73 96·73 96·74 96·75 96·75 96·75 96·75 96·75 97·81 96·69 96·71 96·73 96·74 96·75 96·75 96·75 96·76 97·81 96·76 96·77 96·78 96·79 96·79 96·71 96·79 96·79 96·70 96·71 96·70 96·71 96·70 96·71 96·70 96·71 96·70 96·71 96·70 96·71 96·70 96·71 96·70 96·71 96·70 96·71 96·70
1907 1908 1909 1910 1911 1912 1913 1914 1915			42,120 47,785 53,816 57,284 73,240 67,374 72,534 78,178 82,784	19,807 23,019 25,724 28,980 36,480 35,062 36,776 42,366 48,219	61,927 70,804 79,540 86,264 109,720 102,436 109,310 120,544 131,003	,	22,535 24,552 31,536 33,476 32,545	57,504 67,528 69,441 76,058 97,560 100,594 99,063 117,555 140,447	7,454 7,675 7,956 8,261 8,707 9,585 10,048 10,120 10,442	8,284 9,173 9,699 9,763	14,542 14,828 15,554 16,173 16,991 18,758 19,747 19,883 20,165	523 286 726 619 818 1,767 989 136 282	3·73 1·97 4·90 3·98 5·06 10·40 5·27 0·69 1·42	2·69 2·67 2·72 2·73 2·77 2·97 3·03 2·95 2·94	95·09 93·20 95·50 95·78 95·14 95·70 96·53 96·47 93·11
1916 1917	•••		81,334 75,123	49,194 48,120	130,528 123,243	102,102 74,771	49,758 43,367	151,860 118,138	9,676 10,044		18,916 19,764	-1,249 848	-6·19 4·48	2·79 2·91	95·49 96·7 <b>7</b>
1918			69,040	41,838	110,878	66,455	38,294	104,749	10,093		19,560		-1:03	2.84	93.79
1919			56,786	22,219	79,005	36,202	22,660	58,862	9,747	8,952	18,699	<del>- 861</del>	-4.40	2.62	91.84

<sup>\*</sup> Excess of Arrivals over Departures; Complete figures not available. † Excess of Departures.

### APPENDIX TO THE REGISTRAR-GENERAL'S REPORT.

# SYNOPSIS OF THE VITAL STATISTICS OF QUEENSLAND FROM THE YEAR 1856 TO 1919, INCLUSIVE-continued.

1919	1917	1916	1915	1914	1913	1856 1857 1858 1859 1860 1861 1862 1862 1862 1863 1864 1865 1866 1867 1866 1867 1868 1877 1877 1877 1877 1877 1877 1877 1877 1877 1877 1877 1877 1877 1877 1878 1887 1887 1889 1889 1890 1891 1893 1894 1895 1896 1900 1900 1900 1900 1900 1900 1900 1910 1911 1911	YEAR.
5,337	4,021	4,653	4,696	4,132	4,196	200 200 200 200 200 200 200 200	Male Deaths registered each year.
3,523	2,529	2,861		2,599	2,587	 98 1101 111	Female Deaths registered FH HEI
	7 159	7,514	7,560	6,731	6,783	5.5007 5.5007	Total Deaths registered CENTER ANNU
1,702	608	- 46	829	- 52	- 138	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Numerical Increase or — Decrease in Deaths of each year.
23.78	0.98	-0.61	12.32	-0.77	1.99	26:26:26:26:26:26:26:26:26:26:26:26:26:2	Male Deaths registered each year.  Female Deaths registered each year.  Total Deaths registered each year.  Numerical Increase or — Decrease in Deaths of each year.  Centesimal Increase or — Decrease in Deaths of each year.  Centesimal Proportion total Deaths of each year.  Centesimal Proportion total Deaths bear to Mean Population of each year.  Number of Female Deaths to each 100 Male Deaths.
1.24	1.04	1.11	1.10	1.00	1.04	11.000	Centesimal Proportion total Deaths bear to Mean Population of each year.
66.01	62.89	61.49	60.99	62.90	61.65	4 4 4 5 3 7 4 5 5 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Number of Female Deaths to each 100 Male Deaths.
1,353	1,071	1,832	1,290	1,270	1,249	11.526 11.526	Number of Deaths under I I I I I I I I I I I I I I I I I I I
1,683	1,284	1,632	1,582	1,514	1,503	1.027 1.	Below 2 years of age. INCR
302	237	272	256	248	212	110 1110 1111 1111 1111 1111 1111 1111	2 and under 5 years of age.
1,985	1,521	1,904	1,838	1,762	1,715	1966 1966 1966 1966 1968 1968 1968 1968 1968 1968 1969	Total below 5 years of age.
387	3000	66	76	47	- 112		Number of Deaths under 1 year.  Below 2 years of age.  2 and under 5 years of age.  Total below 5 years of age.  Numerical Increase or — Decrease in Deaths of Children below 5 years of age.  Centesimal Increase or — Decrease in Deaths of Children below 5 years of grade  Centesimal Increase or — Decrease in Deaths of Children below 5 years of
24.22	-20.12	3.59	4.31	2.74	- 6.13		Centesimal Increase or —Decrease in Deaths of Children below 5 years of age.
22.32	23.22	25.34	24.31	26.18	25.28	3996 3996	Centesimal Proportion Deaths of Children below 5 years of age bear to the total Deaths of each year.
0.23	0.22	0.28	0.27	0.26	0.26	0.000000000000000000000000000000000000	Centesimal Proportion Deaths of Children below 5 years of age bear to the total Deaths of each year.  Centesimal Proportion Deaths of Children below 5 years of age bear to Mean Population of each year.  Centesimal Proportion Deaths of Children under 1 year to Total Births, showing true infantile mortality
5·69 7·24	5.42	7.04	6.40	6.39	6.33	11-40 9-56 11-40 11-40 11-40 11-40 11-40 11-40 11-40 11-40 11-40 11-40 11-50 11-50 11-50 11-60 11-	CentesimalProportion Deaths of Children under 1 year to Total Births, showing true infantile mortality.

### SYNOPSIS OF THE VITAL STATISTICS OF QUEENSLAND FROM THE YEAR 1856 TO 1919, INCLUSIVE—continued.

1919	1918	1917	1916	1915	1914	1913	1898 1899 1900 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911	1856 1857 1860 1860 1861 1866 1866 1866 1866 1867 1870 1871 1872 1873 1874 1875 1887 1888 1888 1888 1888 1888 1888		4
:	:	:	:	:	:	:			YEAR.	
:	:	:	:	:	:	:	1111111111111			
1,802	1,428	1,311	1,558	1,684	1,620	1,524	794 904 910 921 921 883 741 789 779 779 779 779 779 1,057 1,057 1,021 1,148 1,212 1,448	No Neturns Ditto Ditto Ditto Ditto Ditto Ditto S7 80 154 158 158 158 158 158 158 158 158 158 158	Church of Eng- land.	
1,197	1,108	1,170	1,117	1,208	1,173	1,166	595 722 689 678 645 589 616 616 767 792 918 918 1,042	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Church of Rome.	MA
698	685	708	713	870	886	875	437 553 469 439 444 444 444 427 427 5577 5577 621 621 688		Presbyterian.	LRRIA(
								30 30 41 41 41 41 41 41 41 41 41 41	Wesleyan Methodist.	ES, TI
792	760	776	00	1,019	1,020	987	486 570 5570 5570 5521 7731 7731 7731 7731 7731 7731 7731 77	133 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Primitive H Methodist.	TEIR I. PRO
2	0	6	w	9	0	7	000000000000000000000000000000000000000	33 6 6 6 9 9 9 1 1 1 2 2 2 7 1 1 6 1 6 1 7 4 1 4 7 3 1 8 2 1 3 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3	United Methodist.	NCRE.
									Bible Christian.	ASE OFION T
131	108	98	108	184	162	179	79 122 139 104 104 104 104 107 107 109 128 128 138	24	Congregational.	OR DEC
167	141	183	210	344	292	294	143 151 150 156 158 158 157 158 158 157 158 158 158 158 158 158 158 158 158 158	550 500 500 500 500 500 500 500	Baptist.	AN PC
111	94	131	137	178	141	151	137 148 144 145 130 130 130 132 142 142 156 160 160	25 51 51 51 51 51 51 51 51 51 51 51 51 51	Lutheran.	E, NUI
334	308	325	357	422	347	231	56 72 92 101 109 94 146 155 189 243 271 358	4 8 8 8 8 4 6 4 8 1 5 5 5 7 7 8 1 8 1 8 4 8 6 8 1 5 7 7 8 1 8 1 8 1 8 6 8 8 8 8 8 8 8 8 8 8 8 8	Other Denominations.	TERIC YON C
199	189	160	155	232	254	255	245 227 2207 2238 2238 2230 2200 1188 1188 1188 2119 1187 220 220 220 263	53	Registration and Justices Marrying Acts.	OF EAC
5,431	4,821	4,862	5,208	6,141	5,895	5,662	29,972 3,344 3,347 3,347 3,243 3,924 3,924 3,173 3,588 4,105 5,588 4,105 5,169 6,169	11. 11. 12. 13. 14. 15. 16. 16. 16. 16. 16. 16. 17. 16. 16. 16. 16. 16. 17. 17. 17. 17. 18. 18. 18. 18. 18. 18. 18. 18	Total Marriages.	D CENT
610	- 41	-346	-933	246	233	€ 1	78 477 78 		Numerical Increase  — Decrease in  Marriages.	MARRIAGES, THEIR INCREASE OR DECREASE, NUMERICAL AND CENTESIMAL, PROPORTION TO MEAN POPULATION OF EACH YEAR.  CHURCH, OR REGISTRY OFFICE.
12.65	- 0.84	- 6.64	-15.19	4.17	4.12	0.60	2.70 2.70 2.26 2.98 2.98 2.98 2.99 4.94 4.94 13.08 13.08 13.08 5.00 8.88 8.88	24484 24484 64484 64484 64484 6484 6486 6486	Centesimal Increa —Decrease in Marriages	A
0.76	0.70	0.72	0.77	0.89	0.87	0.87	0.666 0.666	0.000 0.000	Centesimal proporti Marriages bear t Population of each	on total

### Table No. I.

Showing the Estimated Population on 31st December, 1918; the Number of Births, Marriages, and Deaths Registered in Queensland during the Year 1919; the Estimated Population, and the Estimated Mean Population of the State for the Year 1919.

	d Populatio		Birt	hs Regist in 1919.		ages istered 919.	Deat	hs Regist in 1919.			d Populatio		Estimate	d Mean Po 1919.	pulation,
Males.	Females.	Persons.	Males.	Females	Persons.	Marri   Reg   in 1	Males.	Females	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
353,091	341,349	694,440	9,747	8,952	18,699	5,431	5,337	3,523	8,860	378,904	346,316	725,220	367,134	345,794	712,928

Table No. II.

Showing the Number of Births Registered in each Registry District in each Quarter of the Year 1919.

		FIRST Q	UARTER.	SECOND	QUARTER.	THIRD Q	UARTER.	FOURTH	QUARTER.		TOTALS.	
REGISTRY DISTRICT.		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.
Aramac		32	18	32	22	28	21	33	22	125	83	208
D.1	• •	7	12	4	7	11	4	7	7	29	30	59
DI 1 11	• •	21	23	23	17	24	31	30	29	98	100	198
	• •	25	23	21	27	36	24	32	23	114	97	211
Bowen	• •	445	437	492	453	425						
Brisbane	• •	70					403	521	446	1,883	1,739	3,622
Bundaberg			84	74	56	54	58	80	65	278	263	541
Burke		20		$\begin{array}{c} 4 \\ 27 \end{array}$	4	1	3			5	7	12
Burnett		56	20		18	26	18	25	24	98	80	178
Caboolture			44	43	42	59	48	46	50	204	184	388
Cairns		94	66	117	82	73	70	78	77	362	295	657
Cardwell	• •	17	19	31	14	16	14	20	14	84	61	145
Charleville	• •	20	27	24	31	17	18	31	14	92	90	182
Clermont	• •	14	14	9	16	17	14	20	15	60	59	119
Cloncurry	• •	24	24	34	26	24	15	25	19	107	84	191
Cook	• •	8	6	4	6	6	5	7	10	25	27	52
Croydon	• •	7	7	3	3	6	5	5	5	21	20	41
Cunnamulla		7	7	7	7	8	6	8	6	30	26	56
Dalby		41	42	42	43	40	47	50	42	173	174	347
Darling Downs West		18	17	11	13	10	14	11	12	50	56	106
Enoggera		132	144	161	119	120	129	150	127	563	519	1,082
Etheridge		3	4	2	4	3	1	3	3	11	12	23
Fassifern		23	23	28	27	25	20	27	23	103	93	196
Gladstone		14	15	22	17	18	22	22	11	76	65	141
Gympie		59	52	60	51	71	60	54	47	244	210	454
Herberton		19	35	36	35	23	31	29	25	107	126	233
Hughenden		13	10	16	22	17	11	15	6	61	49	110
Ipswich		148	152	165	131	149	134	141	129	603	546	1,149
Kennedy		64	47	55	52	51	62	55	38	225	199	424
Logan		51	38	52	48	49	32	49	41	201	159	360
Mackay		71	57	71	49	64	56	67	63	273	225	498
Maranoa		42	31	28	38	38	37	38	29	146	135	281
Marathon		21	11	13	14	16	8	12	15	62	48	110
Maryborough		83	86	76	81	62	72	61	78	282	317	599
Mount Morgan		55	45	41	44	38	27	54	34	188	150	338
Nanango		65	69	58	54	59	47	58	55	240	225	465
Oxley		38	40	33	43	51	47	43	42	165	172	337
Palmer									1		1	1
Rockhampton		149	142	126	150	132	113	124	112	531	517	1,048
Somerset		22	17	24	15	16	13	. 18	14	80	59	139
Springsure		8	14	13	6	15	12	7	9	43	41	84
Stanley		25	22	16	17	20	22	18	19	79	80	159
Stanthorpe		15	16	15	16	21	17	20	14	71	63	134
St. Lawrence		3	2	2	2		2	2	1	7	7	134
Tiaro			3	1		3	3	1	1	5	7	12
Toowong		52	25	51	39	38	37	36	49	177	150	327
Toowoomba		198	172	151	142	162	136	136	137	647		1,234
Townsville		114	120	106	111	111	86	85	70		587	1,234
Warrego		3		2	3		4	1	2	416	387	803
Warwick		84	81	69	75	82	81	62	82	297	319	616
TOTAL EACH SEX	• •	2,500	2,363	2,495	2,292	2,335	2,140	2,417	2,157	9,747	8,952	18,699
Total Persons		4	,863	4	,787	4	<b>,</b> 475	4,	574			

### VITAL STATISTICS—continued.

Table No. III.

RETURN showing Estimated and Mean Population, Births, Deaths, and Marriages in the Metropolitan Area for Ten Years.

	POPUL	ATION.		BIRTHS.			DEATHS		r of ages.	Deaths under	Birth Rate		Deaths under 1 year
Year.	Estimated 31st Dec.	Mean.	М.	F.	Р.	М.	F.	Р.	Number o Marriag	Persons.	per 1,000 Mean Population.	per 1,000 Mean Population.	to total Births, showing True Infant Mortality.
1910	141,342	142,210	1,903	1,847	3,750	902	690	1,592	1,494	314	26:37	11.19	8:37
1911	143,514	142,428	2,095	1,953	4,048	953	776	1,729	1,710	327	28.42	12.14	8.08
1912	145,022	144,268	2,390	2,316	4,706	1,071	811	1,882	2,048	385	32.62	13.05	8.18
1913	151,272	148,147	2,573	2,519	5,092	1,040	904	1,944	1,989	408	34:37	13.12	8.01
1914	154,011	152,642	2,708	2,538	5,246	1.047	887	1.934	2.183	372	34:37	12.67	7.09
1915	161,938	157,975	2,883	2,731	5,614	1.198	931	2,129	2,379	396	35:54	13.48	7.05
1916	168,393	165,166	2,720	2,566	5,286	1.311	973	2,284	2,014	440	32.00	13.83	8.32
1917	173,504	170,949	2,767	2,745	5,512	1,128	832	1,960	1,816	353	32.24	11:47	6.40
1918	181,199	177,352	2,882	2,676	5,558	1.282	1.013	2,295	1,838	392	31.34	12.94	7.05
1919	185,388	189,576	2,747	2,539	5,286	1,558	1,341	2,899	2,256	500	28.51	15.64	9.46

Table No. IV.

Showing the Number of Marriages Registered in each Registry District in each Quarter of the Year 1919.

	Regist	ry Dis	trict.			First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter.	Total Marriages
Aramac						12	12	11	13	48
Balonne						1	1	4	2	8
Blackall						6	10	13	14	43
Bowen						12	10	11	8	41
Brisbane						336	376	489	579	1,780
Bundaberg						28	20	40	44	132
Burke						1		2		3
Burnett						7	6	8	13	34
Caboolture						13	13	21	19	66
Cairns						33	27	36	51	147
Cardwell						12	7	4	7	30
Charleville						9	15	11	13	48
Clermont						11	6	8	12	37
Cloncurry						11	15	9	8	43
Cook	• •	• •	• •	• •		5	2	4	3	14
Croydon	• •	• •	• •	• •			ī	3	2	6
Cunnamulla	• •					3	4	1	4	12
Dalby						17	17	12	24	70
Darling Downs						5	7		4	16
Enoggera						74	71	92	79	316
Etheridge	• •	• •		• •	• •	i	1	2	4	8
Fassifern	• •	• •	• •		• •	9	10	14	8	41
Gladstone		• •	• •	• •		5	15	11	16	47
Gympie	• •	• •	• •		• •	20	37	20	29	106
Herberton	• •			• •		20	11	11	9	51
Hughenden	• •	• •				5	3	5	5	18
Ipswich	• •	• •		• •	• •	60	76	76	80	292
Kennedy	• •	• •			• •	25	36	31	35	127
Logan	• •	• •	• •	• •	• •	9	16	17	16	58
Mackay	• •	• •	• •	• •	• •	28	28	28	28	112
Maranoa	• •	• •	• •	• •	• •	$\frac{20}{22}$	14	24	18	78
Marathon	• •	• •	• •	• •	• •	6	5	13	5	29
	• •	• •	• •		• •	32	44	52	48	176
Maryborough Mount Morgan	• •	• •			• •	12	12	12	11	47
Mount Morgan Nanango				• •		23	24	30	18	95
Oxley	• •	• •		• •	• •	15	17	27	34	93
Palmer	• •		• •	• •						
Rockhampton	• •		• •	• •	• •	70	57	82	84	293
Somerset		• •	• •	• •		11	10	9	10	40
	• •	• •	• •		• •	1	5	7	11	24
Springsure Stanley	• •	• •		• •	• •	5	8	5	3	21
Stanthorpe	• •	• •	• •		• •	3	9	4	6	22
St. Lawrence	• •	• •	• •	• •	• •				i	1
Cioro	• •	• •	• •	• •	• •	1	7	i	3	12
l'iaro	• •	• •	• •		• •	1	12	21	31	83
Coowong	• •	• •		• •	• •	19	72	88	76	<b>2</b> 96
Coowoomba	• •	• •			• •	60	56	48	79	239
Townsville		• •	• •		• •	56		1		4
Warrego	• •	• •	• •	• •	• •	2	1	28	36	124
Warwick	• •	••	• •		• •	28	32	48		JAAT.
Ton	CALS					1,144	1,238	1,446	1,603	5,431

Table No. V.

Showing the Number of Marriages of each Denomination Registered in each Registry District during the Year 1919.

	Regis <b>tr</b> y	y District		Church of England.	Roman Catholic Church.	Methodist.	Presbyterian.	Baptist.	Lutheran.	Congregational.	Salvation Army.	Other Christian Sects.	Hebrew.	By Registrar and Justices Marrying Act.	Total.
Aramac Balonne Blackall Bowen Brisbane Bundaberg Burke Burnett Caboolture Cairns Cardwell Charleville Clermont Cloncurry Cook Croydon Cunnamulla Dalby Darling Dov Enoggera Etheridge Fassifern Gladstone Gympie Herberton Hughenden Ipswich Kennedy Logan Mackay Maranoa Marathon Maryboroug Mount Morg Nanango Oxley Palmer Rockhampt Somerset Springsure Stanley Stanthorpe St. Lawrene Tiaro Toowong Toowoomba Townsville Warrego Warwick	wns W	est		24 22 24 11 476 23 14 23 43 10 21 21 7 6 4 4 23 6 111 27 19 28 18 11 49 26 17 33 36 14 35 10 21 48 71 11 9 7 11 9	17 3 9 13 361 28 7 1 44 5 22 14 13 3 3 26 6 62 3 3 5 22 14 4 66 34 9 20 16 5 30 8 11 5 97 6 5 2 4 14 61 74 42 1,197	$\begin{array}{c} 4\\ \cdot\\ \cdot\\ 1\\ \cdot\\ \cdot\\ 265\\ 21\\ \cdot\\ \cdot\\ 7\\ 31\\ 18\\ 14\\ \cdot\\ \cdot\\ 2\\ 16\\ 4\\ \cdot\\ \cdot\\ \cdot\\ 54\\ \cdot\\ \cdot\\ \cdot\\ 12\\ \cdot\\ \cdot\\ 37\\ 10\\ \cdot\\ \cdot\\ \cdot\\ 62\\ 38\\ 12\\ 20\\ 13\\ 6\\ 6\\ 45\\ 10\\ 29\\ 12\\ \cdot\\ \cdot\\ \cdot\\ 36\\ \cdot\\ \cdot\\ \cdot\\ 10\\ 29\\ 12\\ \cdot\\ \cdot\\ \cdot\\ 36\\ \cdot\\ \cdot\\ \cdot\\ 10\\ 0$	1 5 15 244 46 3 4 15 3 29 2 19 112 9 2 2 39 119 5 28 8 35 13 11 11 55 4 4 4 3 18 36 36 21 698	50	10 5	5         	1	247 3         	5	2 3 3 3 2 45 3 3 6 1 8 8 1 2 2 4 1 1 1 1 6 3 3 3 6 1 1 8 4 4 4 5 5 1 2 4 4 1 1 1 1 6 1 3 4 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	48 8 43 41 1,780 132 3 34 66 147 30 48 37 43 14 6 12 70 16 316 8 41 47 106 51 18 292 127 58 112 127 176 47 95 93 40 40 40 40 40 40 40 40 40 40
				1,002	1,101	104	090	107	111	131	42	286	6	199	5,431

Table No. VI.

SHOWING the BIRTHPLACE OF 5,431 HUSBANDS AND 5,431 WIVES MARRIED during the Year 1919.

TOTAL WIVES	Unspecified	At Sea	Other British Possessions	Pacific Islands	Other Countries in Asia	British Possessions in Asia	British Africa	Other Countries in America .	British America	Other Countries in Europe .	British Possessions in Europe	Germany	United Kingdom	Other Australian States .	Queensland	BRTHPLACE OF HUSBANDS.	
•	:		•	:	:				•		•	•	•	•	•		
3,525	:	1	OT	:		4	:	22	:	00	:	11	253	262	2,979	Queensland.	
791	:	1	57	•	1	22	1	ಲ	:	1	:	22	76	156	543	Other Australian States.	
840		2	OT	:	:	:	:	1	:	1	:	4	213	70	544	United Kingdom.	
51			22	:	:	:		:		_		00	7	2	31	Germany.	
12	•	:	•	:			:	:		:	:	:	:	:	12	British Possessions in Europe.	
88		0 0			:	:	:	:	:	19	:	_	16	6	46	Other Countries in Europe.	
14	:	:	:	:	:	:	:		:		•		_	23	11	British America.  Other Countries in America.  British Africa.	
15		•	:		:		:	1	:	1	:		1	_		Other Countries in America.	
7				:		:	:	:	:		:		1	:	6	British Africa.	
7			:	:	:	:	:	:	:	:			:		7	British Possessions in Asia.	
34	:		:	:	18	:	:	:	:	1		_		22	12	Other Countries in Asia.	
OT	:			:	:				:	:			:	:	οτ <u> </u>	Pacific Islands.	
49	:		12	:	:	:	:	:	:	: ,	:		6	7	34	Other British Possessions.	
ಲ	:				:	:	:	:	:	:	•		:	23	1	At Sea.	
:					:	:	:	:	:	:		•		:	•	Unspecified.	
5,431	:	4	19	:	19	6	1	7	:	32	:	27	574	510	4,232	TOTAL HUSBANDS.	

Table No. VII.

SHOWING the AGES of 5,431 HUSBANDS and 5,431 WIVES MARRIED in QUEENSLAND during the Year 1919.

AGE.	16 17 18 19 20	22 23 24 24	25 27 28 29	30 31 32 33 34	35 35 39 39	40 42 43 44	4 4 4 4 4 4 4 6 4 6 4
Total Husbands.	25. 63 128	273 343 372 398	412 409 370 347 364	263 231 212 149 140	114 92 84 81 71	24 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	30 18 18 23 18
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 74							
Ages of Wives.		6. 3 1 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 5 2 3 4 1	11914       4       6       6       1       2       2       1<	3 6       3 3 1       2 7       3 1 5       1 2 2 1       1 1 1 1 1       1 1 1 1 1       1 1 1 1 1 1       1 1 1 1 1 1 1       1 1 1 1 1 1 1       1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1       1 1 1 1 1 1       1 1 1 1 1 1 1       1 1 1 1 1 1 1       1 1 1 1 1 1 1       1 1 1 1 1 1 1       1 1 1 1 1 1 1 1       1 1 1 1 1 1 1 1 <td< td=""><td>6 3 6 2 2 2 5 3 1 2 2 1 2 1 2 1 1 1 1 1 2 2 1 2 2 1 2 2 1 3 1 3</td><td>1 1 2 2 2 1 2 1 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</td></td<>	6 3 6 2 2 2 5 3 1 2 2 1 2 1 2 1 1 1 1 1 2 2 1 2 2 1 2 2 1 3 1 3	1 1 2 2 2 1 2 1 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
21 22 23 24 25 26 27 28		63 24 23 14 10 3 3	58     59     49     49     26     28     17111       49     40     43     46     52     37     24114       39     36     43     31     45     27     24 20       36     41     34     33     34     28     29 22       40     25     34     32     33     34     30 24	25 32 24 23 19 16 1621 21 17 24 13 24 15 1220 16 25 11 18 25 13 1114 10 10 16 6 11 9 611 10 9 12 8 13 9 10 9	7     6       17     9       5     5       5     1       6     1       9     1       8     1       4     1       5     3       5     4       1     4       6     6       7     6       8     6       8 </td <td>3 1 3</td> <td>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</td>	3 1 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	1 1 1 5 5 3 7 7 15 10 17 16 21 24	19 25 53 50 14 83 85 86 86 89 89 89 89 89 89 89 89 89 89 89 89 89	3 22 32 31 8 19 23 26 2 11 23 22 6 13 7 17 5 7 14 26	6 4 4 3 9 9 8 1 1 2 2 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 4 1 3 2 2 2 4	1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1	
AGE, 13 14 15 16	16   17   18   19   19   19   19   19   19   19	21 1 3 8 23 1 2 24 1 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	31 33 33 33 34 34 35 35 35 35 35 35 35 35 35 35 35 35 35	33.37	40 41 43 44 44	45 46 47 48 49 49

Ages of Husbands.

Table No. VII.—continued

Showing the Ages of 5,431 Husbands and 5,431 Wives Married in Queensland during the Year 1919—continued.

																											Age	es of	f W	7i <b>v</b> e	8.																											tal	ands.	A
AGE.	13	141	5	16	17	18	3	19	20	2	21	22	23	24	25	26	2	7 2	8 2	29	30	31	32	33	34 3	35 3	6 37	38	39	40 4	1 42	43	444	5 40	6 47	48	49	50	51 5	2 5	3 54	155	56	57 5	8 5	9 60	61	62	63	4 6	5 66	67	68	69	70 7	71 7:	2 74	Total	dsnu	
50 51 52 53 54				1								1  2 			1  1				2 .		1	1	2	3 2  1	1 . 1		1 2 1 1 1	2	2	2	. 1	 2  1	1	2 1 1 1 1	1	1	1	1	1	2 1 1 1	. 1	1	1		1				1									2: 1: 1: 1: 1: 1: 1:	3   5   0	
55 56 57 58 59									1		1		1		1	1		1			1 1	1		1	1	1	1		1	1	1 1	 2  1		1	1 1		1		2 1	2 2	1 1						1											11 11 6	_	
60 61 62 63 64													 1	1					1 .		1								1.1.1.	1				1		1			1	1 1			1	1	. 1	1			1	. 1								7 4 5 5	7 4 5 5 1	
65 66 67 68 69															1	•••												1					1		1	1			1	i		1			. 1			1		. 1		1						4 3 5 		
70 71 72 73 74																					1										. 1								•••••				2.			1								1.				2 1 2 1	2	
75 77 78 81									•••																							1										1			1			1			1					1	1	2 2 2 1		
Wives	13 1					234  18	- -	19	368 20	-	_			129 24		305 26			-	-			_  -		_   -				_  -	0 41	-	-	_  _	_	-	_		8 50 5		_			4 56 5	3 57 5	4 2 8 59	2 2 60	61	2 - 62 6	2 3 64	1 65	1 66	$\frac{2}{67}$	68	1 .	70 7	1 1 72	1 74	5,43	1	

Table No. VIII.

Number of Deaths of Persons of both Sexes Registered during each Month of the Year ended 31st December, 1919, distinguishing Ages at Death.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November	. December	Tota	al for the Y	Tear.
Age Groups.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males.	Females.	Persons.
Under 1 month	40 24 6 4 7 4 11 13 20 11	5 3 <b>5</b> 13 10	27 14 5 8 5 4 10 11 16 17	28 32 7 1 3 3 14 7 15 9	20 15 4 3 5 2 15 7 15 15	$\begin{bmatrix} 6 & 3 \\ 5 & 9 \\ 12 & 9 \end{bmatrix}$	26 21 4 3 1 1 9 7 5 4	29 12 4 1 3 6 4 5 6	32 22 4 2 3 6 16 7 11 6	26 18 6 1 8 3 14 13 18 18	30 15 1 5 5 3 13 16 24 21	37 23 7 5 5 3 10 6 22 23	356 59 51 143 179	228 35 46 110 146	584 94 97 253 325
Total under 12 months	84 56	71 39	63 54	67 52	59 42	62 45	45 36	45 25	66 43	72 53	73 60	81 60	788	565	1,353
1 year and under 2 years	7 2 4 3	9 8 4 6		15 16 4 8 3 2 5 5	14 13 7 14 5 5 5 2	$\begin{array}{c cc} 13 & 9 \\ 7 & 3 \end{array}$	14 8 5 5 1 5 2	8 8 4 6 1 3 3 1	11 4 5 3 4 1 2	26 11 6 3 4 2 5	21 20 5 2 2 2 2 4	9 14 10 9 3 2 2 4	181 82 39 37	149 73 36 35	330 155 75 72
Total under 5 years	119 81	105 76	81 77	94 83	90 76	101 71	69 52	61 43	86 53	113 69	103 88	105 89	1,127	858	1,985
5 years and under 10 years	8 5 4 1 13 2 13 3 9 10 14 11 17 16 9 13 24 13 28 16 38 12 31 21 33 15 26 14 23 13 20 12 9 4 1 2 1	6   6   2   10   9   6   11   15   8   13   8   13   8   12   7   27   13   24   10   21   11   28   8   32   11   31   13   16   13	9 1 4 4 7 4 16 13 8 14 11 17 12 18 12 23 12 22 12 22 12 22 12 20 14 25 12 23 18 16 9 7 6 3 4	6 6 6 5 4 2 7 5 8 3 10 11 19 10 21 11 18 14 19 11 34 12 21 13 39 21 29 19 24 16 23 9 6 4 1 1 1	13	10 9 14 19 18 35 36 50 66 41 52 37 48 29 60 20 53 24 51 25 50 35 37 25 29 23 25 18 21 10 7 4 3 2	8     5       9     5       14     13       11     14       23     28       29     24       30     19       28     10       43     15       34     14       46     23       36     21       28     15       30     19       38     19       19     14       15     6       3     3        1	8     6       8     7       5     10       14     13       13     20       21     15       22     12       20     16       25     12       33     14       32     12       36     23       34     15       42     16       27     27       18     17       14     2       2     1       2     1       2	4 2 3 4 13 5 7 8 22 15 18 14 25 14 13 9 23 6 23 9 28 15 28 26 23 24 21 19 14 6 2 5 3 4 	13     5       4     5       10     4       10     5       15     6       9     21       19     7       7     14       26     12       28     11       35     9       36     11       37     25       22     19       21     10       4     11       1     1       1     1       1	7 4 2 5 9 3 11 8 11 8 15 15 15 13 14 8 23 10 22 12 28 12 27 19 20 17 17 19 32 13 24 11 8 8 3 3	7 3 8 5 13 5 9 10 16 10 16 13 16 9 15 8 18 10 22 11 31 13 27 14 27 15 28 13 30 20 18 11 2 8 5 2 1	109 70 118 126 199 252 276 237 344 412 369 361 324 326 227 95 27 4	76 59 84 146 194 210 170 153 140 169 175 218 212 206 213 137 73 23 7	185 129 202 272 393 462 446 390 467 513 587 587 573 530 539 364 168 50 11
Total over 5 years		_	-					-	299 209		-	-	4,210	2,665	6,875
Total Ages, Male and Female	441  264   705	$\frac{ 403  224 }{627}$	$\frac{347}{606}$	389  257   646	$\frac{ 481  345 }{826}$	$-\frac{ 698  498 }{1,196}$	833	$\begin{vmatrix} 437 &  281 \\ \hline 718 \end{vmatrix}$	$\frac{ 385  262 }{647}$	$\frac{437}{705}$	392   276 668		5,337	3,523	8,860
Total Deaths of Persons each month		3000,000				-			2879		- 000	683		8,860	
Percentage to total number of Deaths for the year	7:96  Males.	7.08 Females.	6.84 Persons.	7·29 Males.	9·32 Females.	13.50 Persons.	9·40 Males.	8·10 Females.	7·30 Persons.	7.96 Males.	7.54	7.71			
Total Deaths each quarter	1,191	747	1,938	1,568	1,160	2,668	1,335	863	2,198	1,243	Females.	Persons. 2,056			

### VITAL STATISTICS—continued.

Table No. IX.

SHOWING the NUMBER of DEATHS REGISTERED in each REGISTRY DISTRICT in each Month of the Year 1919.

				JANUARY.		FEBRUARY.		CH.		. Tr.				E.				UGUST.		PTEMBER.		OCTOBER.		EMBER.		DECEMBER.		TOTAL	s.
DISTR	ICT.			JAN		FEB		MARCH		APRIL.		MAY.		JUN		JULY.		AUG		SEPT		OCIO		NOV		DECI		es.	ns.
			М.	F.	м.	F.	М.	F.	м.	F.	М.	F.	М.	F.	М.	F.	М.	F.	м.	F.	М.	F.	м.	F.	м.	F.	Males.	Females	Persons.
Aramac Balonne Blackall			7 2 8	1 1 2 3	7 2 2 2 2	4	8 5 4	4 1 3 2	8 5 3 2		10	2 2 2	14 6 10	6 8	19 3 13	6 4	7 8 6	5 2	6 3 4	1 2 4	5 1 3	1 1 2	6 4 2	2 2	11 4	5 3	108 39 62	38 11 33	50 98
Bowen Brisbane Bundaberg Burke Burnett Caboolture			115 9 2 2 1	93 6  1 1	101 9  2 7	1 69 1  1 4	106 1  2 2	75 4  1	5 94 11 1 4	$\begin{bmatrix} 1 \\ 71 \\ 6 \\ 1 \\ \dots \\ 2 \end{bmatrix}$	188 10 2 7 4	133 9  5 7	5 177 20  3 3	1 149 9  1 6	10 94 10  9 4	7 70 5  7 3	10 93 8  3 5	4 73 4  2 4	3 107 9  1 7	1 77 7  3 4	3 133 9  5	88 5  4 2	117 12 1 4 6	3 95 5  3 2	3 97 6 2 2 4	74 10 1 	1,422 114 8 44 43	1,067 71 28 36	2,489 188 10 79
Cairns Cardwell Charleville Clermont Cloncurry Cook			21 6 5 3 13 3	5 3  2 2 3	13 2 3 3 2 2	6 2	10 5 2 3 3 2	7 1 1 1 3	11 2 1 2 	5 2 2 1 1 3	11 4 2 1 6 4	4  6  1 4	12 2 19 4 10 3	4 1 5 2 3 3	16  7 10 6 5	7 2 3 3 3	18 3 8 3 10	9 2 1 3 2	11 3 2 2 3 2	2 1  1 1 1	18 4 4 5 3	10 1 3 2 	6 2 4 9	1 2 1 2 3	20 6 6 8 12	5 3 5 3	167 39 64 44 77 28	68 15 25 24 22	238 54 89 68
Croydon Cunnamulla Dalby Darling Downs Enoggera			6 1 13	1 5 	3 8 2 11	8 1 15	2 4 1 7	1 2 3  8	2 7 2 17	1 10 1 16	1 2 4  24	3	11 16 2 15	2 6 2 19	7 6 15	1  6 2 12	3  9  11	1 1 4 	2 5 3 10	4 4 9	1 3 1 20	1  1 12	3 2  4 	1  2 8  17	1 2 2 14 3 14	2	$\begin{bmatrix} 28 \\ 14 \\ 24 \\ 87 \\ 21 \\ 172 \end{bmatrix}$	19 4 9 59 11 167	18
Etheridge Fassifern Gladstone Gympie Herberton			3 3 11 9	3  6 1	3 3 10 9	3	12 6	1  2 2 2	1 2 9 3	3 4 8 1	1 1 11 3	5 1 3 2	5 1 14 5	7 11	5 4 14 6	1 3 10 4	4 1 2 7 11	1 3 10 5	2 2 5 4	1 2 1 5 2	3 1 4 3 9	1 1 4 8 1	5 7 8	1 1 1 2	2 3 1 9 6	1 1 1 6 4	14 27 28 112 79	8 21 27 73 24	20 48 58 188
Hughenden Ipswich Kennedy Logan Mackay			5 20 14 6 7	20 6 3 6	2 28 13 4 2	10 3 5 1	13 8 3 9	1 18 6 4 5	7 26 6 7 12	1 16 2 4 4	26 13 4 9	1 27 5 5 7	11 39 24 10 10	2 40 10 10 8	3 25 27 6 14	1 17 19 2 13	7 22 9 6 26	2 8 7 4 7 2	2 20 7 3 24	18 8 4 6	6 21 10 7 9	13 4 4 8	2 22 8  7	10 3 4 6	2 21 13 3 10	13 6 2 5	51 283 152 59 139	8 210 79 51 76	5
Maranoa Marathon Maryborough Mount Morgai Nanango			6 4 16 6 7	1  9 3 3	3 8 16 5 7	2  8 3 5	9 2 15 2 3	4 2 11 1 6	6 8 7 3 7	4 3 10 1 5	7 3 10 5 2	1  5 5 6	38 5 22 20 3	14 3 16 9 4	6 3 16 5 6	2 1 24  8	8 3 5 6 3	1 10 6 3	7 1 12 4 10	2  8 6 3	3 13 12 5 8	8 1 13 2 4	11 5 8 3 3	1 5 3	12 1 12 5 6	11 3 10 6 1	116 56 151 69 65	53 15 129 45 51	169 71 280 114 116
Oxley Palmer Rockhampton Somerset Springsure			9  25 3 2	7  20  2	12 1 31 2 2	6 12 3 3	6 1 17 9 5	3  22 3 2	9 1 20 12 4	3 15 5 1	8 1 18 1 2	19 1 2	24 1 52 7 4	14  39 2 3	12 2 30 2 3	5 20  3	11 2 29 2 2	10  18 2 3	12 18 	12 12 2 2	9 1 32 1 3	7  11 2 1	13 2 24 1 1	7 17 3 1	13 27 2 2 2	13 17  2	138 12 323 42 31	91 222 23 25	229 1: 54 68 56
Stanley Stanthorpe St. Lawrence Tiaro Toowong			2  3	1 4	2  1	4 1 	4 2 4	2  6	2 1	1 2  3	1 3  10	3 2  1 11	1 3 2 1 4	1 3  1 12	3 3  1 4	2  3	1 1 2 6	1 1 1 	2 4 1 1 8	1 4  7	5  9	1  4	5 15  5	2 1 2 1 9	1 4 1 3	1 2 1  5	17 37 18 6 58	11 24 5 3 68	28 61 23 126
Toowoomba Townsville Warrego Warwick			19 27 1 14	14 12  3	28 17 1 9	19 12  8	19 12 1 12	20 10	30 14  15	21 6  7	25 21  9	17 8  4	21 17  18	36 9  17	36 35 1 7	21 15  5	19 19 2 13	19 8  12	24 14 1 12	15 9  10	18 15  9	17 8  9	19 13  4	22 9  8	21 12 1 4	13 8  5	279 216 8 126	234 114  97	513 330 8 223
TOTALS OF 1	Months	•••	441	264	403	224	347	259	389	257	481	345	698	498	513	320	437	281	385	262	437	268	392	276	414	269			
Totals of C Male Female				1,19	l		747			1,568			1,100	)		1,335			863			1,243	3		813		5,337	3,523	
TOTALS OF C	QUARTEE	rs— 			1,9	938					2,	668					2,	198					2,0	056					8,860

Table No. X.

Showing the Number of Deaths of Children under FIVE Years of Age Registered during the Year 1919.

1	Distric	t.		UNDER	ONE YEAR.		EAR AND WO YEARS.		EARS AND IVE YEARS.		NUMBER OF FIVE YEARS DISTRICT.	
				Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons
Aramac				15	7	3	2	1		19	9	28
Balonne				4	4			î	1	5	5	10
Blackall			• •	6	9		1		î	6	11	17
Bowen				5	3	3	2	i		9	5	14
Brisbane			• •	204	165	62	53	48	45	314	263	577
Bundaberg		• •	• •	18	9	4	1	5	4	27	14	41
Burke			• •		2						2	2
Burnett	• •			6	3		1	2	4	8	8	16
Caboolture	• •			6	6			4	1	10	7	17
Cairns	• •			26	10	3	2	5	2	34	14	48
Cardwell	• •			5	5		1	1		6	6	12
Charleville		• •		8	3	i	$\frac{1}{2}$		• •	9	5	14
Clermont				2	4	1		i	i	4	5	9
Cloncurry	• •			$1\overset{2}{2}$	5	1	1	3		16	6	22
Cook	• •	• •	• •	1		1	1			2	1	3
Croydon				1					i	1	1	2
C 11	• •		• •	1	i	1	1		3	2	5	7
Dalby	• •			16	10	5	$\frac{1}{2}$	4	2	25	14	39
Darling Dow	na W	· ·		3	2		$\frac{2}{2}$			3	4	7
				53	40	7	10	6	2	66	52	118
Enoggera	• •	• •		1	3						3	4
Etheridge Fassifern	• •			3	2	1	i	2	i	$\frac{1}{6}$	4	10
Gladstone	• •	• •		3	3		1	1				8
	• •			26	13		7	4	i	$\frac{4}{34}$	$\frac{4}{21}$	55
Gympie	• •	• •		8	6	4		2			6	17
Herberton Hughenden	• •		• •	5	1		i	$\frac{2}{2}$	i	11 7	3	10
pswich		• •		41	37	10	4	15	12	66	53	119
Kennedy	• •	• •	• •	18	11	4	1	3	1	25	13	38
		• •	• •	11	7	1		3	3		10	25
Logan Mackay		• •		16	8	4	4	3	1	$\frac{15}{23}$	13	36
Mackay Maranoa		• •		12	7	7	5	1	2	20		34
Marathon	• •			3	6	í	2	2			14	14
	• •	• •	• •	28	23	7	6	7	6	$\begin{array}{c} 6 \\ 42 \end{array}$	$\frac{8}{35}$	77
Maryborough			• •	9	7	2	2	2	4			26
Mount Morga Nanango			• •	17	11	5	3	3	6	$\begin{array}{c} 13 \\ 25 \end{array}$	$\begin{bmatrix} 13 \\ 20 \end{bmatrix}$	45
Nanango Oxley	• •	• •	• •	9	14	3		1	5	13	19	32
Palmer	• •											
Rockhampto:	· ·		• •	52	26	12	10	9	12	73	10	121
${ m cocknamp}_{ m conservation}$				10	4		10			10	48	121
Springsure			• •	10	3	2		i	i	4	5	8
Stanley			• •	6	2	1				7	4 2	9
			• •	6	4		i	i	2	7	7	
Stanthorpe St. Lawrence	• •		• •			• •						14
ciaro			• •					• •		• •		
Coowong	• •		• •	9	12	5	3	1	2	1.5	1.7	99
Coowoomba				49	29	11	9	7	9	$\begin{array}{c c} 15 \\ 67 \end{array}$	17	32
Cownsville	• •		• •	35	21	4	5	3	3	42	47	114
Varrego	• •		• •	1				1		2	29	71
Warwick	• •			17	17	4	i	2	5	23	23	2 46
TOTALS				788	565	181	149	158	144	1,127	858	1,985

Yes	ar. U	nder 1 Year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 Years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.		Total all Ages.		Mean Age Living, Census Years.
186 186 186 186 186 188	31 32 33 34 35	141 136 222 329 365 580 690	46 41 74 158 155 206 320	16 6 30 61 47 70 94	5 7 20 43 98 27 55	7 6 16 36 34 20 23	215 196 362 627 639 903 1,182	10 14 22 65 73 59 63	4 8 14 21 19 30 28	7 14 18 28 34 38 58	25 21 36 67 97 113 168	22 34 44 75 111 126 192	36 40 53 80 93 107 167	34 36 47 62 73 75	27 37 53 51 64 64 64	24 29 38 42 47 44 71	21 17 33 34 47 43 55	9 8 25 24 25 28 41	17 10 15 20 19 30 30	5 4 9 9 10 10 26	4 5 6 8 10 4 16	2 3 2 7 8 3 10	16 23 20 55 77 56 75	478 499 797 1,275 1,446 1,733 2,362	21:31 22:07 20:55 17:15 18:46 15:80 17:03	22.97
186 186 186 187 187	37 38 39 70	578 552 528 526 516	228 197 199 129 137	73 77 53 63 67	43 48 33 30 46	25 21 14 18 26	947 895 827 766 792	39 51 39 41 47	31 25 16 27 28	30 28 28 28 30 53	84 70 71 48 81	114 110 119 112 107	119 113 142 117 120	90 104 103 93 101	52 71 82 79 89	62 52 71 62 51	45 47 46 70 53	28 36 32 43 45	26 46 41 34 47	11 19 25 17 25	8 15 15 15 15 18	7 14 13 12 26	52 103 91 79 102	1,745 1,799 1,761 1,645 1,785	16.06 18.15 19.58 19.92 20.54	23.06
187 187 187 187 187 187	2 3 4 5 6	578 701 776 ,025 994 ,058	178 209 251 429 331 326	67 94 91 194 110 102	47 55 53 92 68 55	22 37 34 84 45 30	1,096 1,205 1,824 1,548 1,571	54 84 92 194 96 101	27 40 45 59 50 54	35 43 48 92 105 102	69 84 127 183 166 153	131 128 151 186 190 138	129 134 175 237 162 170	102 119 187 238 208 166	116 100 144 185 164 154	51 72 107 132 114 107	78 54 112 100 85 93	42 44 72 59 80 74	43 56 56 70 66 65	27 31 32 41 51 50	20 19 42 31 38 37	21 21 22 39 41 42	99 125 177 434 303 296	1,936 2,250 2,794 4,104 3,467 3,373	20:15 18:38 20:95 18:33 19:58 18:87	23.30
187 187 188 188 188 188	8   1, 9   0   1 1   2   1,	,234 917 865 918 ,188	415 248 188 256 374 471	142 107 85 96 114 174	76 52 44 36 64 103	42 42 31 41 47 63	1,909 1,366 1,213 1,347 1,787 2,130	93 92 62 84 109 125	47 56 45 -54 80 60	104 97 110 147 204 305	191 177 196 265 382 522	179 151 172 222 312 383	205 160 188 193 240 272	201 190 192 164 199 200	196 176 155 166 174 237	152 140 138 158 166 177	107 94 98 129 134 147	95 66 73 86 99 106	92 72 85 81 100 94	81 52 44 61 70 83	56 30 48 38 63 68	46 36 37 56 80 88	$ \begin{array}{c} 466 \\ 252 \\ 161 \\ 69 \\ 75 \\ 44 \end{array} $	4,220 3,207 3,017 3,320 4,274 5,041	19.76 20.62 22.35 22.29 21.35 20.78	23.32
188 188 188 188 188	4 1, 5 1, 6 1, 7 1, 8 1,	,574 ,733 ,584 ,526 ,719	436 395 423 330 338	154 129 131 140 132	93 100 103 93 63	72 62 59 47 57	2,329 2,419 2,300 2,136 2,309	144 154 129 135 122	114 71 71 82 89	710 442 265 241 246	987 631 497 382 432	641 538 443 355 391	383 367 290 285 317	283 256 265 246 231	286 321 258 249 241	210 214 212 227 224	207 212 203 206 216	138 148 144 155 181	124 131 152 143 156	93 93 96 109 130	69 73 69 78 83	106 101 111 111 138	37 64 70 26 23	6,861 6,235 5,575 5,166 5,529	21.80 21.71 22.06 22.80 22.91	23.60
188 189 189 189 189 189	$ \begin{array}{c cccc} 0 & 1, \\ 1 & 1, \\ 2 & 1, \\ 3 & 1, \end{array} $	,962 ,548 ,489 ,591 ,691 ,369	397 352 300 277 363 301	153 153 131 121 171 162	112 101 119 89 109 115	63 99 73 48 63 91	2,687 2,253 2,112 2,126 2,397 2,038	135 206 158 170 201 166	87 82 65 77 90 84	208 176 205 151 199 165	448 376 363 326 294 250	409 377 362 325 372 351	341 363 310 293 323 287	280 266 229 253 242 267	245 242 199 199 207 223	269 248 206 230 230 203	265 265 225 277 250 269	204 181 175 193 182 199	187 183 161 176 200 226	114 112 114 137 165 199	115 117 106 124 121 160	126 140 163 182 193 201	12 51 17 27 29 10	6,132 5,638 5,170 5,266 5,695 5,298	22:54 23:95 23:92 25:01 24:10 26:88	23.56
189 189 189 189 190 190 190 190 190	55   1, 66   1, 177   1, 88   1, 100   1, 11   1, 122   1, 133   1, 144   1, 155   1,	,356 ,466 ,354 ,540 ,521 ,456 ,458 ,424 ,513 ,072 ,029 ,047	264 293 245 374 309 234 250 221 316 192 186 153	117 108 107 159 141 87 98 77 113 100 80 74	87 94 72 129 95 64 58 63 81 63 62 43	75 69 56 79 59 49 50 33 58 55 37 39	1,899 2,030 1,834 2,281 2,125 1,890 1,914 1,818 2,081 1,482 1,394 1,356	196 151 170 226 178 133 128 137 176 139 109	108 108 84 127 122 110 112 120 129 106 98 83	187 166 148 162 211 197 192 173 170 154 168 132	235 261 244 260 329 303 285 307 235 231 219	306 312 315 289 384 292 287 334 304 219 233 215	281 298 326 308 356 302 343 322 309 266 249 218	288 316 357 321 340 310 349 350 306 283 301 267	219 274 275 311 264 308 312 324 308 319 282 287	220 240 244 260 236 258 262 268 276 250 307 263	246 296 241 260 268 237 299 289 284 285 285 291	215 282 260 281 306 290 295 310 312 257 277 255	209 277 267 302 283 277 315 380 385 336 355 305	174 217 214 287 215 293 286 369 318 309 361 358	134 165 148 207 222 225 259 308 290 246 338 310	220 229 280 350 295 302 354 378 450 368 478 454	15 23 16 11 10 20 15 17 13 	5,152 5,645 5,423 6,243 6,144 5,747 6,007 6,204 6,346 5,250 5,503 5,095	27:10 28:57 29:67 29:12 28:88 30:78 31:88 33:63 32:42 34:65 37:38 37:31	24.97
190 190 190 191 191 191 191 191 191 191	7 1, 8 1, 9 1, 1 1, 1 1, 2 1, 3 1, 4 1, 5 1, 7 1, 1 8 1,	,122 ,043 ,119 ,020 ,112 ,340 ,249 ,270 ,290 ,332 ,071	212 181 177 190 184 238 254 244 292 300 213 227 330	99 70 78 100 119 117 113 123 134 132 97 119 155	54 49 49 45 69 70 64 71 60 83 84 81	42 31 36 44 58 62 35 54 62 57 56 58 72	1,529 1,374 1,459 1,399 1,542 1,827 1,715 1,762 1,838 1,904 1,521 1,598 1,985	125 122 115 120 162 170 135 157 171 144 172 168 185	110 102 102 89 105 103 108 98 113 107 111 120 129	127 192 164 156 185 152 182 157 181 207 134 154 202	203 227 198 237 296 294 285 257 303 251 200 202 272	207 226 213 242 279 301 274 312 311 305 241 250 393	203 233 211 209 240 254 264 256 289 276 246 268 462	239 243 227 242 279 256 257 250 308 308 266 292 446	322 287 269 258 324 319 305 297 307 301 262 285 390	345 331 312 350 364 392 343 348 385 334 326 337 487	315 339 322 329 398 410 439 408 410 444 368 401 513	250 304 277 300 358 343 397 362 410 452 452 433 587	328 352 308 303 349 375 338 364 451 496 416 536 587	390 376 407 407 463 451 421 411 477 444 491 573	366 361 377 409 447 519 487 455 509 507 472 541 530	537 607 564 686 732 744 825 832 1,085 1,032 910 1,083 1,132	3 4 5 9 21 11 8 5 12 2 12 	5,599 5,680 5,530 5,745 6,544 6,921 6,731 6,731 7,560 7,514 6,550 7,158	37.51 38.88 38.18	26.32

Table No. XII.

Showing the Birthplace or Race of 8,860 Persons who Died in Queensland during the Year 1919.

							0110	** 11	10 11		11011	II DA	TOE	01 1	LACE	01	0,0	JO 1	Lite	0110	WIIO	ועניי		11 62	UBER	SLAN	Dut	111118	5 011	.6 1	ear 1	110.	)							_			
													BI	RTHP:	LACE.															RA	CE.							BIR	THPL	ACE.			
GEOGRAPHICAL DIVISION.		Queensland.	New South Wales.	Viotomo		South Australia.	Western Australia.	Tasmania.	New Zealand.	England and	wates.	Scotland.		Ireland.		Germany.	Norway.	Sweden.	Denmark	Italy.	Other British	Possessions in Europe.	Other Countries in Europe.	British America.	United States of America.	British Africa.	India	T	Japan.	China.	Other Countries in Asia.	Dooifto Islands	racine Islands.	Other British Possessions.		Other Countries.		At Sea.		Not Specified.		TOTALS	
	м.	F.	м. г.	м.	F. M.	F. M	. F. N	1. F.	M. F.	м.	F.	м.	F.	м.	F. M.	F.	M. F	. M.	м.	F. M.	в. м.	F.	M. F.	и. г.	M. F	м.	F. M.	F. M.	F. M	. F.	M. F.	М.	F.	м. н	м.	F.	м.	F.	М.	F.	м.	F.	Р.
Metropolitan (10-mile	777	712	86 6	1 23	29 9	1 1	1	7 2	5 5	316	247	91	76	146 17	0 31	18	1 :	2 7	1 10	4 3.			14 4	3 1	2 4	2	2	2		8	2	6		2	. 1		1	3		1	1,558	1,341	2,899
radius) Metropolitan (outside 10- mile radius)	44	16	12	4 2				3	1	61	9	29	3	45	5 12	3	1	. 2.	2	1	1		7	1			1			3	1	5									232	52	284
Total Metropolitan	821	728	98 6	5 25	29 9	1	1 1	0 2	6 5 	377	256	120	79	191 18	35 43	21	2 2	9	1 12	5 3	1		21 4	4 1	2 4	2	3		]	11	3	11		2	. 1		1	3		1	1,790	1,393	3,183
Moreton	233	176	16	9 2	6 1			4 2	3 1	71	38	19	24	35 8	33 32	33	2	2 3	2 2				5	2								2	1						1		429	329	758
Wide Bay	235	195	27 1	1 6	2	1		3	3	87	60	23	20	33 4	(4) 34	15	2	. 3	3 8	6 1.			4 2	2	3 1		4			3	1	3		1			1	1	3		492	355	847
Port Curtis	212	176	18 1:	2 9	1	1	l		2 1	90	47	28	12	46 3	35 12	6		. 3	1 2	3 1	1		3	1	1					2		7	3					1			438	299	737
Edgecumbe	199	153	28 13	2 17	7 3	3	. 1		5 1	122	55	37	15	71 3	33 11	. 5	3 .	. 2.	. 5	2.	1	1	4 3	1	1 ]		4	1	1	15	4	19	7		1						555	298	853
Rockingham	96	58	21 10	0 5	2 1	1			1 1	46	18	20	4	33 1	1 3		2		. 2	5	1		4		1		2	3	1 2	25	3	5		1	1				5		285	107	392
York Peninsula	30	22	3 2	2 1	3			1	1	6	4	3	1	7	5 2	3		. 1.	. 1						1		1	3		9	6	4			1				3		82	42	124
Carpentaria	56	25	26	2 11	2 5	1 2	2	1	2	22	2	3	3	15	5 2	1	1						1		2		1			8		1							6		164	42	206
Central Western	19	10	11 3	3 5	3					7	2	2		4 .	]																								6		58	15	73
South Western	35	23	19 7	7 4	1 4				2	11	1	6		8	2 1															2							1		3		96	34	130
Central	100	78	22 10	16	3 5			1		30	14	17	2	22 1	1 4	2			. 1				4	1						1							1		18		243	120	363
Maranoa	67	38	29 9	7	1	1		1	2	18	9	2		15	6 3								1					1		2		1			1		1		4		155	64	219
Downs	251	224	58 38	8 14	15 6	1		1 1	1	72	45	18	18	70 5	1 28	17	1 1	2	1 3	3 1.			4 4	1	2		1			10	2				2		,	2	5	1	550	425	975
TOTALS 2	2,354	1,906	376 190	112	70,39	9 4	1 22	2 5 2	27 10	959	551	298	178	50 41	7 176	103	11 8	23	8 36	17 13	3 1	1	51 13	10 3	13 6	3 2	2 14	10	1 8	88	19	53	11	4	4 3	3	5	7	54	2	5,337	3,523	8,860

Table No. XIII.

Showing the Occupations of 8,860 Persons who Died in Queensland during the Year 1919.

00000		LASS	I.—		ASS II.					CLA	ss II	1.—c	OMMI	ERCIA	L.				TRANS	SS IV.— PORT ANI					CLASS	v.—	INDU	STRIA	AL.				AG	SS VI.	- 1	CLASS			S VIII.		PEN-			
GEOGRAPHICAL DIVISION.	Order I.—Government, Defence, Law, and	Frotection.	Order 2.—Religion, Charity, Health, Education, Art and Science, &c.		Order 3.—Board and Lodging and Paid Personal Service.	Voluntion Inches	Order 4.—Exchange, vantablon, insurance, Lease, Custody of Money, Land or Pro- nerty Rights.	Order Dealing in Art and Mechanic Pro-	Order 6.—Sale, Hire, or Exchange of Textile	Fabrics and Fibrous Materials. Order 7.—Sale of Food, Drinks, Narcotics, and	nulants.	Substances, Treating, Dealing (excluding Food).	Order 9.—Dealing in Minerals and Substances	10.—Dealing in Minera	Order 11.—General Dealers, Undefined	ntile Pursuits.	Order 12.—Persons engaged in Speculating on Chance Events.	Order 13.—Persons engaged in Storage.	1	Order 14.—Transport of Passengers, Goods, or Communications.	Order 15.—Manufacture, Process relating to	and Mechanic Productions.	Order 16.—Manufacture, Repairs, Cleansing, &c., Textile Fabrics and Fibrous Materials.	Order 17.—Manufacture or Processes re Food, Drinks Narcotics and Stimulants.	-Manufactures or	mal and Vegetable Substances, not otherwise classed.	Order 19.—Alteration, Modification, or Manufacture, re Metals or Mineral Matters.	20.—Conversion of Coal or other nees to purposes of Heat, Light, c	on of Energy not otherwis	Railways, Earthworks,	Order 22.—The Disposal of the Dead or of Refuse.	Order 23.—Industrial Workers, imperfectly defined.	ation of Land Bearing	Breeding Animals, or obtaining Products from Natural Sources.		Order 25Occupations Undefined, Incomes derived from Sources not related to other	SSes.	Order 26.—Dependent upon Natural Guard-	4	Order 27.—Dependent on State, Public. or			OTALS	
	-	F. 1	-	. 1	М.	F. :	M. F	. M. 1	F. M.	F. M.	F. 1	M. F	м. 1	. M.	F. M	F.	M. F. M	M. F.	М.	F.	м.	F.	м. Г	М.	F. M	. F.	м. г.	м.	F. M	. F.	м. г.	М.	F. M.	F		м.	F.	м.	F.	М.	F.	М.	F.	Р.
mile radius) Metropolitan (out-	66		3		45 1		17		11	7 16		1		. 1.		5	3		. 113		34		16 20	11		2 1	22	3	78		1	196 . 5 .	13	4		39	37	445		117 202	65 42	1,558 232	1,341 52	2,899 284
side 10-mile radius) Total Metropolitan			48 10		45 1	.32	17		11	7 16		1		. 1.	118	6	3		12	1 1	64		16 20	11		2 1		3	78	3	1	201	14	3		41	37	450	1,072	319	107	1,790	1,393	3,183
				-											-						10			-								50				0		100	270	-				
Moreton				5		50		1		1 5					16				. 1		19		2 3				5		19			56 .	13		1	3	7 8	129 152	258	17	4	429	329	758
Wide Bay	5		6		13	49	5 .			1 6		2		. 1	18				2		8		4 3	6		1	5		22			143	3		1	13	5		232	16 15	2	492 438	355 299	847 737
Port Curtis	6		1 6	2	23		4	2	1	4		2			23						13		4 1	4			7		2			127	14		2	7	9		206	6	3	555	298	853
Edgecumbe Rockingham	2		2			25	1.	2		1						ł			. 1		8		1	2			-		1			76	8			5	1	58	81			285	107	392
York Peninsula				1		12	1 .			1						1			. 1		1					0 0	2					16	2			2	2	13	26			82	42	124
			1	1		10	2 .			1		2			(	3			. 1		2		1	1			2		(	5		42	4	9			1	27	29	3		164	42	206
Central Western					3	1	1 .			1					:	2				4							1		:	3		18		5		1		9	14			58	15	73
South Western	. 1		4	1	3	9				2	1					3					2			. 1			1		2	2		23	2	9				18	23			96	34	130
Central			3	2	12	38	3 .	1		2	2	2 .				3			. 1	7	2		1			1	2		8	3	1	79	5	8		5	2	39	77	1		243	120	363
Maranoa	. 6		1 .		2	10	3 .					1 .				5				7							2		4	ı		47	4	6	1			31	53			155	64	219
Downs	. 9		20 .		6	71	6		1	6	3					5			. 3	0	21		3 3	1		3	8		10	)		. 88	14	8	1	6	7	149	309	26	29	550	425	975
TOTALS	. 103		102 2	26	144	531	47	7	17	9 49	1	10		3	210	3 19	3		. 32	0 2	148		34 34	30		7 1	65	. 3	19	3	3	1017	1,01	7	5	88	79	1,298	2,667	413	149	5,337	3,523	8,860

Table No. XIV.

Causes of Deaths in Queensland during the Year 1919, arranged in Order of Degree of Fatality.

Cause of Death.		and Female	Deaths, Male e, Registered ch Cause.	Total Deaths from each Cause in	Total Deaths from each Cause in	Increase or — Decrease
		Males.	Females.	1919.	1918.	In 1919.
Organic Diseases of the Heart Influenza (exclusive of Pneumonic Influenza) Diarrhœa and Enteritis (under and over 2 yea Cancer (all kinds) Congenital Debility, Icterus and Scleroma, &c Senile Debility Tuberculosis (all parts) Bright's Disease Hæmorrhage of Brain, Apoplexy Pneumonia Pneumonia Pneumonia (exclusive of Influenza) Acute and Chronic Bronchitis Congenital Malformations Diseases of Arteries, Atheroma, Aneurism, etc Broncho-pneumonia Diphtheria Drowning (Accidents) Falls (Accidents) Acute Endocarditis Other Diseases of the Stomach (Cancer exclud Typhoid Fever Hernia, Intestinal Obstruction Diabetes Other Diseases of the Spinal Cord Convulsions of Children (under 5) Acute Nephritis Animals (Accidents) Anamia, Chlorosis Diseases of the Bladder Appendicitis Cirrhosis of the Liver Burns (Accidents) Paralysis without indicated cause Simple Meningitis Embolism and Thrombosis Miner's Phthisis Whooping Cough Epilepsy Purulent Infection and Septicæmia Syphilis Acute and Chronic Alcoholism Acute Articular Rheumatism Other Diseases of the Nervous System Pleurisy Diseases of the Prostate Railways and Tramways (Accidents) Malarial Cachexia Sunstroke Poison (Suicides) Asthma Bori Pari	rs)	Males.  586 487 412 306 314 292 273 193 171 169 119 105 70 86 52 48 81 67 58 42 44 47 24 40 27 31 57 30 45 36 35 19 39 24 25 19 40 17 23 18 20 32 19 21 31 20 17 30 26 19 19 18		Cause in 1919.  941 830 743 566 526 486 439 322 321 280 200 175 116 109 103 96 95 89 87 86 72 70 65 65 65 60 59 56 52 49 49 44 43 43 43 44 43 43 43 40 39 38 36 35 34 33 33 31 30 30 29 29 29 28 26	Cause in 1918.  904 122 458 580 466 362 359 270 295 267 187 114 121 120 67 121 56 48 70 54 65 71 44 52 62 43 47 37 59 41 67 43 46 94 43 52 31 30 33 26 34 35 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 24 31 35 36 32 26 27 37 37 38 38 38 38 38 38 38 38 38 38 38 38 38	
Beri Beri General Paralysis Softening of the Brain Tetanus Other Diseases of the Intestines Other Diseases of Kidneys and Adnexa Firearms (Accidents) Puerperal Albuminuria and Eclampsia Dysentery Puerperal Sentingmin		25 19 18 17 10 11 23	6 6 6 13 12 21 8	25 25 24 23 23 23 23 23 21 20	10 21 10 40 19 28 19 20	15 4 14 — 17 — 5 4 — 2
Cutting Instruments (Suicides) Hangings and Strangulations (Suicides) Leucæmia Angina Pectoris Simple Peritonitis (Non-Puerperal) Gangrene Mines and Quarries (Accidents) Ulcer of the Stomach Other Accidents of Childbirth Starvation (Accidental) Accidents of Pregnancy		20 18 10 11 7 8 17 13  15  10 5 10	20 1 8 6 10 9 3 15 14 4 8 3 3	20 20 19 18 17 17 17 17 16 15 14 14 13 13	18 14 13 17 11 18 14 21 11 16 16 10 10 5 6	2 6 6 1 6 1 3 4 5 - 1 - 1 4 4 8 7

Table No. XIV.—continued.

CAUSES of DEATHS in QUEENSLAND during the YEAR 1919, arranged in Order of Degree of Fatality—continued.

Cause of Death.					and Female	Deaths, Male e, Registered ch Cause.	Total Deaths from each Cause in	Total Deaths from each Cause in	Increase or  — Decrease
					Males.	Females.	1919.	1918.	in 1919.
			-						
Erysipelas		•			7	5	12	7	5
Other Diseases of the Respiratory				• •	$\frac{7}{9}$	5 3	12 12	18 7	<b>—</b> 6 5
Other Violence					11	1	12	32	<b>—</b> 20
Encephalitis					8	3	11	32	<del> 21</del>
Diseases of the Larynx Hysteria, Neuralgia, and Neuritis			• •	• •	7 7	$\frac{4}{3}$	11 10	3 8	8 2
Congestion of Lungs and Pulmonar	y Apo	· plexy	• •	• •	7	3	10	13	<b>—</b> 3
Other Tumours (exclusive of Fema	le Gen	ital C	rgans)		3	6	9	7	2
Timber Felling, Logging, etc. (Acc Unspecified or Ill-defined Causes of	ident)	2	• •	• •	9 7	2	9 9	14 5	- 5 4
Other General Diseases					6	$\frac{2}{2}$	8	18	- 10
Other Diseases of the Female Geni	tal Org	ans				8	8	4	4
Puerperal Hæmorrhage		•	• •		• • 5	8 3	8 8	$\frac{6}{10}$	$ \frac{2}{2}$
Measles			• •	• •	$\frac{5}{2}$	5	7	10	$-\frac{2}{6}$
Addison's Disease					3	4	7	1	6
Sprue Other Diseases of the Digestive Sys			• •		6 2	1 5	7 7	$\frac{2}{10}$	5
Uterine Tumour (Non-Cancerous).				• •	Z	7	7	2	— 3 5
Exophthalmic Goître						6	6	11	<del>-</del> 5
Other Forms of Mental Alienation Pericarditis		•			3 5	3 1	6	5 7	- 1 - 1
Pericarditis				• •	4	2	6	í	— 1 5
Leprosy					5		5	7	- 2
Progressive Locomotor Ataxia .					2 3	$\frac{3}{2}$	5 5	$\frac{7}{6}$	$- \begin{array}{cc} - & 2 \\ - & 1 \end{array}$
Diseases of the Pharynx Calculi of Urinary System .				• •	5		5	7	_ 2
Other Diseases of Urethra, Urinary	y Absc				5		5	7	_ 2
Cysts and other Ovarian Tumours Carbuncle		•	• •	• •		5	5 5	$\begin{array}{c c}6\\5\end{array}$	- 1
Carbuncle					$\frac{4}{3}$	2	5	12	_ 7
Scarlet Fever					3	1	4	6	2
Filaria					$\frac{2}{2}$	2 2	4 4	4 3	1
Diseases of Mouth and Associated	Organs				2	$\frac{2}{2}$	4	8	- 4
Ankylostomiasis					2	2	4	1	3
Poison by Food (Accidents) Murders, Other					$\frac{3}{2}$	$\frac{1}{2}$	4 4	$\frac{2}{7}$	$-\frac{2}{3}$
Wounds received in Battle					4		4	4	
Diseases of the Thyroid Body .						3	3	2	1
Icterus Gravis					2	3	3	1	$\frac{3}{2}$
Croup					$\frac{2}{2}$		2	4	_ 2
Dengue						2	2	4	<b>—</b> 2
Rachitis			• •	• •	$\frac{2}{2}$		$\frac{2}{2}$	$\frac{1}{2}$	1
Diseases of the Ear					• •	2	2	7	_ 5
Hæmorrhage						2	2	3	$-\frac{1}{2}$
Disease of the Nasal Fossæ Diseases of the Œsophagus .					1	1	$\frac{2}{2}$	5	_ 3
Hydatid Tumours of the Liver .					î	1	2	1	1
Metritis						$\frac{2}{2}$	$\frac{2}{2}$	4	2 - 2
Phlegmon, Acute Abscess Noxious Gases (Accidents) .				• •	1	i	2	2	
Struck by Lightning					2		2	2	
Trichinosis				• •	1 1	• •	1 1	2	- 1
Scurvy				• •		1	1	2	- i
Other Chronic Poisonings					1		1	$\frac{1}{2}$	
Eclampsia (Non-Puerperal) . Disease of Eyes and Appendages .				• •	1	1	1 1	2	- 1 1
Gangrene of the Lungs					i		1	1	
Uterine Hæmorrhage (Non-Puerpe	eral) .					1	1		1
Puerperal Phlegmasia Alba Dolens Arthritis						1	1 1	1	1
Arthritis					1		1	6	- 5
Murder by Cuts					1	0 0	1	10	-10
Diseases occurring in 1918 but not	in 191	.9					• •	10	10
							and the same of th		
The state of the s					5,337	3,523	8,860	7,158	1,702
Total ·				• •	0,001	0,020	0,000	7,100	1,102

### TABLE No. XV.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1919.

CAUSES OF DEATHS	01 141	IAL	IES,	, au	DII	rere	nt .	Peri	oas	01	Lile,	, Re	gist	ered	1 111	&u	еец	staut	u ui	ILIII	g un	10 1	car	1010	•	
							J.S.	-																	TOTALS	
		ır.					5 years.															upwards.			1	1
CLASSES AND DISEASES.		year.					der						١,		١,							mdı	Unspecified,			
		er 1	2.	33	4.	5.	Total under	10.	to 15.	to 20.	to 25	to 30.	to 35.	to 40.	to 45.	to 50.	to 55.	to 60.	to 65.	to 70.	to 75.	and u	peci	es.	Females.	Persons.
		Under	1 to	2 to	3 to	4 to	Tota	5 to	10 t	15 t	20 t	25 t	30 t	35 t	40 t	45 t	50 t	55 t	60 t	65 1	70 t	75 a	Uns	Males.	Fen	Per
81	1						1	İ				1 :			1	1	1	1		1						1
CLASS I.—General Diseases.								-																		
1. Typhoid Fever							l	1	1	2	6	8	7	7	2	1	5	3	1					44	28	72
2. Typhus																		1								
4. Intermittent Fever																										
4a. Malarial Cachexia 5. Small-pox										1			1	1	3	3	2	2	4			1		19	10	29
6. Measles		1	1	1	1		2 2			1														2 3	5	4
8 Whooping Cough 9. Diphtheria		$\begin{bmatrix} 10 \\ 5 \end{bmatrix}$	3 13	8	7	7	17 40	8																17 48	22 48	39 96
9a. Croup		14	1 4	7	3	1 5	33	7	5	17	16	39	58	52	49	67	46	33	28	18	10	9		2 487	343	2 830
10a. Pneu conic Influenza		4	3	1	1	1	10		3	4	7	6	22	21	11	14	5	6	3	2	3	2		119	81	200
12. Asiatic Cholera																						•				
14. Dysentery		1			1		2								1		1	3	2	1	1	1		12	8	20
14a. E. idemic Dysentery																										
16. Yellow Fever															1	1	1				···	1		5		5
18. Erysipelas 19. Other Epidemic Diseases		4					4			1	1							1						7	5	12
20. Purulent Infection and Septicæmia		3		1	 1		5			1	2	1		1	1	2	1			î				18	<sub>2</sub>	 2 36
21. Glanders and Farcy 22. Malignant Pustule and "Charbon"																										
23. Rabies		2	2			1	5	4	2								2									
25. Trichinosis, etc															1	1			2			1		17		23 1
27. Beri Beri										1	5	3	1	2	1	5		1	3	2	1			25		25
28. Tuberculosis of the Lungs 29. Tuberculosis, Acute Miliary									1	4	12	23	23	41	19	36	23	27	20	8	8	5		250 3	$\begin{vmatrix} 146 \\ 2 \end{vmatrix}$	396 5
30. Tuberculosis of the Meninges 31. Tuberculosis, Abdominal, etc		2 2		1	1		2 4							4		1								9	6 4	8 13
32. Pott's Disease																										
34. Tuberculosis of Other Organs 35. General Tuberculosis								1	1						1		3	1	1					8	8	16 1
36. Rachitis		2 5	 1				2 6					<sub>1</sub>	1		1	1	3	5	1			 1		20	15	$\frac{1}{2}$ $35$
38. Gonococcic Dis 39. Cancer etc., of the Mouth					1						1	2-		2							:::	7		1	7	1
40. Cancer, etc., of the Stomach and Liver 41. Cancer, etc., Peritonæum, Intestines,	r										,			5	2	12	6 10	6 38	9	10 23	11 18	16		58 135	66	$\frac{65}{201}$
42. Cancer, etc., of the Female Genital Orga	ans			1										2	4	1		8	4	3	4	5		32	34 58	66 58
44. Cancer, etc., of the Skin																	3	2	2	4	2	4		17	29	29 24
46. Other Tumours (excl. F. Genital Organ	ns)					1	1	1		1	1	1	2	2	2	4	8	6	5	12	6	13		64	59 6	123 9
47. Acute Articular Rheumatism 48. Chronic Rheumatism and Gout				1			1	4	2	3				1	1	1	2	2	3	1		1		19	14 5	33 12
49. Scurvy 50. Diabetes								 1	 1	2				2	 1	2	 1	2	2	3	2	5		24	1 43	1 67
51. Exophthalmic Goître 52. Addison's Disease														·				1		1.1				3	6	6
53. Leucæmia 54. Anæmia, Chlorosis			1			1	2			1		1	1			3	1		1	1	2			10	8	7 18
54a. Filaria		3		1			4				1	1		1	3		4	7	3	4	4	1		30	29	59 4
56. Acute and Chronic Alcoholism												2	5	1	5	5	2	4	1 4	2	3			$\frac{6}{32}$	2 2	8 34
58. Other Chr. Poisonings due to Occupatio	ons									1							1							2	2	4
Tomas Crico I	-		•••																		1			1		1
TOTAL CLASS I		58	29	24	17	18	146	30	17	40	52	89	122	147	109	165	133	159	112	96	77	73		1,567	1,142	2,709
						-																				
CLASS II.—Diseases of																										
the Nervous System and of the	е				1 1																					
Organs of Special Sense.																										
60. Encephalitis 61. Simple Meningitis		5	1 4	1		1	3 10	2 3	1 1	3	···	 1		1 2		 1	1	1						8	3	11
61a. Epidemic Cerebro-spinal Meningitis 62. Progressive Locomotor Ataxia																				1				25	18	43
63. Other Diseases of the Spinal Cord 64. Hæmorrhage of Brain, Apopleyy				3	3	1	7	6	5	1		2	1	2	1	2	2	1	1 4	1	2	3		40	$\frac{3}{25}$	5 65
65. Softening of the Brain										1	1	1	4	7	6	6	17 2	23	29	20 4	14	42		171 18	150	321 24
68. Other Forms of Montal Alignation								1		3	1		2	1	3	1	1 5	4 2	2	5 2	1	5 2		24 19	20	44 25
69. Epilepsy								1	3	3	2	2	4	3	1		1	Ĩ		1		2		3	3	6
71. Convulsions of Children under five	j	19	5	2		1	27																	23	15	38
72. Chorea 73. Hysteria, Neuralgia, and Neuritis			1				1.	ï								2					 1			27	38	$\frac{65}{2}$
74. Other Diseases of the Nervous System 75. Diseases of the Eyes and Appendages		2		1			3	1	2	1	1	1		1		3	1 2	2	1	2	1	1		7 20	3 11	10 31
70 Discourage of the For																								1	2	1 2
TOTAL CLASS II	2	27	11	8	3	3	52	15	12	12	6	8	11	17	15	16	32	37	43	36	20	58		390	304	694
		,				8	-	1	-				-											000	004	001

### TABLE No. XV.-continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1919-continued.

						years.																1		TOTALS	
CLASSES AND DISEASES.	1 year.					10		5.	9.		9.		).				).	10		10	75 and upwards.	ified.		· ·	*
	Under	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and	Unspecified.	Males.	Females.	Persons
								1						1							1				
CLASS III.—Diseases of the Circulatory System.																									
77. Pericarditis				 1	2	2 2 2	1 6	1 6	2 1 7	2 5	5 9	9 20	3 14	$\begin{array}{c} 1\\4\\25\end{array}$	10 34	5 54	14	1	77	1	1		5 58	1 29	6 87
80. Angina Pectoris 81. Dis. of Arteries, Atheroma, Aneurism, &c.												1 2	1 1	1	4	4	56 1 11	74 3 11	2 12	75 1 6	121 2 34	1	586 11 86	355 6 23	941 17 109
82. Embolism and Thrombosis 83. Dis. of Veins (Varices, Varicose Ulcers, &c.)			1			1					1			1	1	3	4		3	1			19	24	43
84. Diseases of the Lymphatic System 85. Hæmorrhage																	1000							2	2
TOTAL CLASS III			1	1	3	5	7	7	10	7	15	32	19	32	49	66	86	89	94		162	1	765	440	1,205
																			-						
CLASS IV.—Diseases of the Respiratory System.																									
86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx			2	 1		5	2														1		1	1	2
88. Diseases of the Thyroid Body 89. Acute Bronchitis	23	5		1		30	1	 1		1					2	 1	 1	 1	 1	2	 5	•••	7	4 3 27	11 3
90. Chronic Bronchitis 91. Broncho-pneumonia	15	11	2	 1	2	31	1 1		1	1 1	1	1	1 3		2 1	3 2	4	4 1	10	7 3	23		46 59 52	27 43 51	$\frac{73}{102}$
92. Pneumonia	13	11	5	2	1	32 1	5	3	2	5 2	12	9	11	13 1	13	11 1	12 4	8	12	7	14		169 17	111	280
94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs 96. Asthma	2					2		"i			1		1								3		7	3 7	10
97. Pulmonary Emphysema													1	1 5	3 5	2 7	3  12	1 5	3 5	4	1		19		26
98. Other Diseases of the Respiratory System								ï					1			2	2		1	1	1		40	3	40 12
TOTAL CLASS IV	55	27	9	5	5	101	10	6	1	10	15	11	19	20	28	29	39	21	34	25	55		427	266	693
CLASS VDiseases of the																									
Digestive System. 99. Dis of Mouth and associated organs					1	1			1														2	2	4
100. Diseases of the Pharynx	1					1							1			1				1			3	2	5 2
102. Ulcer of the Stomach	17	2	3			22	1				2	1	1 3	2 2	2	1	2 2	2	2	2	6		13 42	3 44	16 86
104. Diarrhœa and Enteritis (under two years) 105. Diarrhœa and Enteritis (over two years) 106. Ankylostomiasis	∠29 	91	23	9	4	320 36	9	2			2	2	···			1	2	7	4	11	15		320 92	234 97	554 189
107. Intestinal Parasites												1						4	1					2	4 <sub>7</sub>
108. Appendicitis 109. Hemia, Intestinal Obstruction	 11		1 3			1 14	8	4	5	2 2	3	3	 1	1	3	1 2		1 5		2 3	2 7		6 36 47	$\begin{bmatrix} 1\\16\\23 \end{bmatrix}$	52 70
110. Other Diseases of the Intestines 111. Icterus Gravis									1		2			2		1	1	1			2		10	13	23
112. Hydatid Tumours of the Liver 113. Cirrhosis of the Liver 114. Biliary Calculi							ï				 1	1	4	2	4		4	1 3	1	2	4		$\frac{1}{35}$	1 14	2 49
115. Other Diseases of the Liver	4		···			 5	1	1			1		3	2 2	1			1 2	1		5		5 21	8 12	13 33
117. Simple Peritonitis (non-puerperal) 118. Other Diseases of the Digestive System	ĭ1					ï							1	 1	1		2		ï		2		$\begin{bmatrix} 2 \\ 7 \\ 2 \end{bmatrix}$	105	3 17 7
TOTAL CLASS V		93	31	9	5	±01	21	8	8	4	13	11	16		14	17	14	27	12	21	45		647		1,139
CLASS VI.—Diseases of																								-	
the Genito-Urinary System and																									
119. Acute Nephritis	3				1	4			1	3	5		2	2	2		2	3	3	3	1		31	34	65
121. Chyluria 122. Other Diseases of Kidneys and Adnexa									5	8	13	11	14	8	12	18	22	17		11			193	129	322
124. Diseases of the Wladder									1		1	1	2			1	1 1 3	1 5	2 5	1 9	1 3 17		11 5 45	12	23 5 56
126. Diseases of the Prostate									1		 1	1		1	1	1	1 2	2	1 5	1			5 30		5 30
128. Uterine Hamorrhage (non programs)										•••															1
130. Metritis and other Discourse of the Hamiltonian																								7 2	7 2
132. Other Dis. of Female Conital Owners																								5 8	5 8
Tom-puer. Dis. of Breast (Cancer excepted)																	-					,			
TOTAL CLASS VI	3				1	4			8	11	22	13	18	11	15	21	32	28	43	33	61	•••	320	209	529
CLASS VIIPuerperal Condition.																									
135. Puerneral Homesul																								14	14
137. Puerperal Sentiammia																								8 15 20	8 15 20
139. Puerperal Phlagmania Alla Palamesia																								21	20 21 1
140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast																									
TOTAL CLASS VII																								79	79
	J																								

### TABLE No. XV.-continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1919-continued.

CAUSES of DEATHS of MALE			1	1		1	1		1	1	L			1	1	[ .	1	1	1	1		1			
						ars.															70			TOTAL	S.
CLASSES AND DISEASES.	Under 1 year.		to	to	4 to 5.	ota	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35,	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	to	75 and upwards.	Unspecified.	Males.	Females.	Persons.
							1		1	1			1									1			1
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue. 142. Gangrene														1			1	1	2		3		8	9	12
143. Carbuncle 144. Phlegmon, Acute Abscess							1					2		1							1		4	1 2	2
145. Other Diseases of the Skin and Adnexa	i					3			1				1		1	1	1			1			10		13
TOTAL CLASS VIII	1	2				3			1			2	1	2	1	1	2	1	2	_ 1	5		22	15	37
CLASS IX.—Diseases of the Organs of Locomotion.  146. Non-tuberculous Diseases of the Bones 147. Arthritis and other Dis. of Joints 148. Amputation 149. Other Dis. of Organs of Locomotion								3	2						1		1				1		10	3 1 	13 1 
TOTAL CLASS IX		2	·	-		2	-	3	2						1		1				1		10	4	14
									-	-			-												
CLASS X Malformations.																									
150. Congenital Malfor. (excl. of Stillborn)	59	6	3			68	1	1															70	46	116
TOTAL CLASS X	59	6	3			68	1	1															70	46	116
							an interest of																		
CLASS XI.—Infancy.  151. Congenital Debility, Icterus, and Scleroma 152. Other Dis. Pec. to Infancy (un. 3 mths.)	250 64					250 64		-															250 64	178 34	428 98
Total Class VI	914					214																			
TOTAL CLASS XI	314					314																	314	212	528
(LASS XIIOld Age,																									
154 Senile Debility																1	4	11	20	55	901		900	104	400
TOTAL CLASS XII																1	4	11	$\frac{20}{20}$	55	201		292	194	486
				-																			292	194	486
CLASS XIIIViolence.																									
155. Suicide by Poison											1	3	4	3	2		3	1		1			18	10	28
157. Suicide by Hanging or Strangulation									1		2	3			2	3	2	2			3		18		19
59. Suicide by Firearms 60. Suicide by Cutting Instruments									3	3	5 3	4	2	2 1	3	2 4	3			3			5 31	3 2	8 33
61. Suicide by Precipitation from a Height											3	2	1	2	4	3	2	2	1				20		20
63. Other Suicides											1		1			1	1						4	2	
65. Ven. Creatures and other Acute Poisons		1	1			$\frac{1}{2}$	1					1			1		 1	2	1		 1		3 10	1 4	14
37. Burns	2	7	2	ï		12					1	3					1		 1	1			19	30	4
8. Noxious Gases		2	i	2		5	6	5	5	5	4	1 7	6	6	4	6	5	11	3		2		1 81	1	
0. Firearms				1		1		4	5	2		1	3	2	1	2	1		1			1	23	14	9 2
2. Falls	2	1			1	4	4		3	5	4	9	4	6	3	6	3	2	3	2	9		67	22	
. Machinery										5		3	1 5	1	1	2	1		3				17		]
6a. Railways and Tramways							2	1 1	3	2	3 2	2	3	5	3	3	3	4 4	2 2	1	1	1	39 26	6	4
. Starvation			1		1	1	1	3	10	8	2	5	3	3	4 2	6	3 4	3	3		2	3	57	3	6
B. Cold						2	2		1	1	 1	 1	1		3							3	15		1
. Lightning							1									1	1	3	2				19 2	10	2
la. Timber Felling, Logging, etc.									ï	1	2		3		1			···					9		
3. Murder by Cuts								1			1 1	1											3	2	
. Fractures, etc.						1				1													2	2	
of Wounds Received in Rattle	1					1	1		1	1	2	1	1		2		1	1	1				11	1	
TOTAL CLASS XIII		11	6	4						35	37	50	39	33	36	44	37	37	$\frac{1}{24}$	8	18		506	110	- 00
LASS XIV.—Ill-defined Diseases									7.7.					-		-	01	-		8	18	5	506	118	62
7 Organic Lesion (not Defined)																						5 1		62	
3. Sudden Death																									
							1 -	7		1					2		1					ï	7	2	
							1	1		1					2		1					1	7	2	
TOTAL DEATHS OF MALES FROM ALL CAUSES 78	788 1	181	82	39	37 1	1127 1	109	70 1	118 1	126	99 5	252	976	237	207	244	120								
		400			-			. 0 1	.10	120	.00	102	410	401	021	314 4	12 3	369	361	324	679	7	5,337	3,523	8,86

23

### TABLE No. XVI.

### CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1919.

						years.															ds.			TOTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Females.	Males.	Persons.
											,	<u>'</u>													
CLASS I.—General Diseases.																									
1. Typhoid Fever			1			1	2	4	4	3		4	3	1	2	1	2		1				28	41	72
2. Typhus																								•••	
4. Intermittent Fever 4a. Malarial Cachexia	1					ï		2				1		···		2	1		1	1			10	19	29
5. Small-pox		3	1			4		1															5	2	7
7. Scarlet Fever 8. Whooping Cough	13	5		1 2	1	1 21	ï																1 22	3 17	39
9. Diphtheria	4	15	11	5	3	38	10																48	48 2	96
10. Influenza	9 2	8	7		2 1	26 5	15	16	15	29 10	51 9	32 10	36	21 9	23 2	11 5	10	25 4	10	9	14		343 81	487	830 200
11. Miliary Fever																									
13. Cholera Nostras							1			•••					1	2			1	1	2			12	20
14a. Epidemic Dysentery																									
15. Plague																									
17. Leprosy	2				1	3							``i			1							5	5 7	5 12
19. Other Epidemic Diseases												1					1						2		2
20. Purulent Infection and Septicæmia 21. Glanders and Farcy		1	2	3		6		2		2	1	3	1		1	1		1					18	18	36
22. Malignant Pustule and "Charbon" 23. Rabies																									
24. Tetanus	2				2	4	1								1								6	17	23
26. Pellagra																								25	25
27. Beri Beri 28. Tuberculosis of the Lungs	1	1			•••	2		3	4	20	25	28	17	13	10	8	6	7	2	1			146	250	396
29. Tuberculosis, Acute Miliary 30. Tuberculosis of the Meninges	1	1	1			3		2				1	1										6	3 2	5 8
31. Tuberculosis, Abdomiñal, etc 32. Pott's Disease			1			1			1						1		1						4	9	13
33. White Swellings 34. Tuberculosis of other Organs					1	1				···					ï	3			1		1		8		16
35. General Tuberculosis																								$\frac{1}{2}$	1 2
37. Syphilis	11					11						2	1		1								15	20	35 1
39. Cancer, etc., of the Mouth												1		2	4	1 6	2 5	13	1	4	16		 7 66	58 135	65 201
40. Cancer, etc., of the Stomach and Liver 41. Cancer, etc., Peritonaum, Intestines, etc.												3	1	2	2	7	4 16	5 6	4 3	3	5		34	32	66
42. Cancer, etc., of the Female Genital Organs 43. Cancer, etc., of the Breast												2	4	3	5	9 6	7	3	3	5 2	4		58 29		58 29
44. Cancer, etc., of the Skin 45. Cancer, etc., of other Organs									1	1		1	1	6	4	9	8	7	8	5	8		7 59	17 64	$\begin{array}{c} 24 \\ 123 \end{array}$
46. Other Tumours (excl. F. Genital Organs) 47. Acute Articular Rheumatism							4	3	1			1	 1	1	1	 1			$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	1	1		6 14	3 19	33
48. Chronic Rheumatism and Gout 49. Scurvy		 1				 1														4	1		5 1	7	12
50. Diabetes							1	1		1	 1	2	1 2		3	7	2 1	7	11	5	2		43	24	67 6
52. Addison's Disease	ï	···	 1			1 2				 1		1 1		2		1	1 1	 1					4 8	3 10	7 18
54. Anæmia, Chlorosis			1	1	1	3		2	1	2	6	2	1	2	4	2	3	1					29	30	59 4
54a. Filaria 55. Other General Diseases	1	1				2								2									$\begin{bmatrix} 2\\2\\2 \end{bmatrix}$	6 32	8
56. Acute and Chronic Alcoholism 57. Lead Poisoning					1	 1	1																2	2	34 4
58. Other Chr. Poisonings due to Occupations 59. Other Chronic Poisonings																								1	1
TOTAL CLASS I	49	38	27	12	14	140	39	37	31	71	93	98	84	71	71	85	77	80	62	43	60		1,142	1,567	2,709
CI.ASS II Discourse						Allen A menore																			
CLASS II.—Diseases of the Nervous System and of the						Control of the contro																			
Organs of Special Sense.																							3	8	11
60. Encephalitis	8	3		3		2 14	$\frac{1}{2}$				1	1											18	25	11 43
62. Progressive Locomotor Ataxia												 1			ï			1					3	2	5
63. Other Diseases of the Spinal Cord 64. Hæmorrhage of Brain, Apoplexy	1	2	2		3	8	2	1	4	2	1 1	3	4	1 4	1 6	1 5	1 17	19	3 21	22	1 45		25 150	40 171	65 321
66. Paralysis without indicated cause									1					2	1		1 1	1	2	6	6		6 20	18 24	24 44
o/. General Paralysis												3		1		 1	1	2			1		6 3	19 3	25 6
68. Other Forms of Montal Allender			1			1	1		5		1	ĩ	1		1	1	1	2			1		15	23	38
69. Epilepsy																									
69. Epilepsy	23	9	2		4	38																	38	27	65
69. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 72. Chorea 73. Hysteria, Neuralgia, and Neuritis	23		2			38														 ï			38	2 7	$\frac{2}{10}$
98. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 72. Chorea 73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System 75. Diseases of the Eyes and Appendages	23	9	2 		4	38 2	2		  1	  1	 1				i 1								38 3 11	2	$\begin{array}{c} 2 \\ 10 \\ 31 \\ 1 \end{array}$
69. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 72. Chorea 73. Hysteria, Neuralgia, and Neuritis	23	9	2		4	38					 ï				1					 1 1			38	2 7 20	$\begin{array}{c} 2\\10\\31\end{array}$

### TABLE No. XVI.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1919—continued.

						years.	CENTRAL																	TOTALS	3.
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 ye	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Females.	Males.	Persons.
CLASS III.—Diseases of the Circulatory System. 77. Pericarditis									1														1	5	6
78. Acute Endocarditis					"i … … … …	1  	1	3	2 5   1	7 	1 20  3 	4 19  2 	4 11  1 	2 20	1  1 	4 28 1 1 	4 28 1 2 4 	51 5 3	3  3	 43  5 3 	68 1 9 4 		29 355 6 23 24 	58 586 11 86 19 	87 941 17 109 43 
TOTAL CLASS III					1	1	2	3	9	9	25	25	16	22	16	34	39	59	47	51	82		440	765	1,205
CLASS IV.—Diseases of the Respiratory System.  86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx 88. Diseases of the Thyroid Body 89. Acute Bronchitis 90. Chronic Bronchitis 91. Broncho-pneumonia 92. Pneumonia 93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs 96. Asthma 97. Pulmonary Emphysema 97a. Miner's Phthisis 98. Other Diseases of the Respiratory System	9 5 5 2	2 4 9 4 2 2	2 2		  1   	3 17 21 14 4 	3  1 2  	   6   	3	1 1 1 3	  2 8 1   	   14     	1 1 1 1		   3 7  	1 3 2 4 2 1 1 1 1 1 1 1 13	1 2 3 3 2	 1  7 4 3 1   1 		 1 5 3 11 1 2 23	 4 23 7 11  1 		1 4 3 27 43 51 111 13 3  7  3	1 7 7 46 59 52 169 17 7 1 19 40 9 427	2 111 3 73 102 103 280 30 10 1 26  40 12
CLASS VDiseases of the			01																		8331				
Digestive System.  99. Dis. of Mouth and associated organs 100. Diseases of the Pharynx	144 177    		1	8         		1	6		1	1 1			1 3 1 2 4 1			1 1 1 1 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 1 2 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1			4 119 3 2 228		2 2 1 1 3 444 2334 449 27 1 166 23 3 1 14 8 8 12 1 100 5 492	2 3 1 13 42 320 92 2  6 36 47 10  1 35 5 21 2 7 2	4 5 2 16 86 554 189 4  7 52 70 23 3 2 2 49 13 3 3 17 7
Adnexa.  119. Acute Nephritis		1 1	2	1 1 		6 2 1		1 1	1 8  1     1  1	4 16	5 21  3    1  1 	2 17      1 1   21	112 11 11 11 15		5 10 1 2 2 18	7 1  3   	2 6	5 1 1 1 1 1 9	3 6 1 4	1 5			34 129  12  11   1 7 2 5 8 	31 193  11 5 45 5 30     320	65 322  23 5 56 5 30  1 7 2 5 8  
CLASS VII.—Puerperal Condition.  134. Accidents of Pregnancy 135. Puerperal Hæmorrhage 136. Other Accidents of Childbirth 137. Puerperal Septicemia 138. Puerperal Albuminuria and Eclampsia 139. Puerperal Albuminuria and Eclampsia 140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast 142. Constant of the Breast 144. Puerperal Diseases of the Breast 145. Constant of the Breast 146. Other Puerperal Diseases of the Breast 147. Puerperal Diseases of the Breast 148. Constant of the Breast 149. Constant of										 2 5 2 6 		1 1 1 1 1 1 1 1		4 3 2 	1		 1						14 8 15 20 21 1		14 8 15 20 21 1
TOTAL CLASS VII	•••								6	15	13	13	18	12	1		1						79		79

### TABLE No. XVI.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1919—continued.

						years.															ls.		г	OTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5	5 to 10.	10 to 15.	15 to 20. "	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Females.	Males.	Persons.
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																,				3	4		9	8	17
142. Gangrene	 1					1					ïi	1						  1			··· 1		1 2 3	10	5 2 13
TOTAL CLASS VIII						1					1	1	1		1	1		1		3	5			22	37
CLASS IX.—Diseases of the Organs of Locomotion.  146. Non-tuberculous Diseases of the Bones 147. Arthritis and other Dis. of Joints 148. Amputation 149. Other Dis. of Organs of Locomotion TOTAL CLASS IX				2   2		2   2													1   1		 1  1		3 1 	10	13 1   14
CLASS X.—Malformations.  150. Congenital Malfor. (excl. of Still-born)  TOTAL CLASS X	37	3 3	3 3			43	3																46	70 70	116
CLASS XI.—Infancy.  151. Congenital Debility, Icterus, and Scleroma 152. Other Dis. Pec. to Infancy (un. 3 mths.) 153. Want of Care (Infants)	178 34 					178 34	···																178 34 	250 64 	428 98 
	212					212																	212	314	526
CLASS XII.—Old Age.  154. Senile Debility								•••									2	3	17		147		194	292	486
TOTAL CLASS XII																	2	3	17	25	147		194	292	486
CLASS XIII.—Violence.  155. Suicide by Poison									1		1  1 1  	2  1 1 	 1  	1	1	1  		2	2				10  1 3 2    2 1	18 5 31 20 	28  19 8 33 20   6 4
165. Ven. Creatures and other acute Poisons 166. Incendiarism	1 1  1 	3  1 	 1 	ïi ïi  	2	3  7  3  1	6		5 2	1 2	2	2 	i i i i i i i i i i i i i	1 1 1 	   1	1 	 1  1	3	2		1   10		30 1 14  22	10  19 1 81 23  67 17	14  49 2 95 23  89 17
173. Mines and Quarries 174. Machinery 175. Vehicles 176. Railways and Tramways 176. Animals 177. Starvation 178. Cold 179. Sunstroke 180. Lightning		··· ··· ··· i		1	i i	1 1 	1			i i 	1	i i i i	2			i i i	1 2	``i		 1  1	i i 		 6 4 3  10	1 39 26 57 15  19 2	$ \begin{array}{c} 1 \\ 45 \\ 30 \\ 60 \\ 15 \\ \dots \\ 29 \\ 2 \end{array} $
181, Others, Electric  181a. Timber Felling, Logging, etc.  182. Murder by Firearms.  183. Murder by Cuts  184. Murder, Other  185. Fractures, etc.  186. Other Violence	   1			i	1 	1 1 1 1	1			i i													2  2  1	 9 3 1 2  11 4	 9 5 1 4  12 4
Total Class XIII	8	6	2	4	4	24	11	5	8	7	6	8	7	4	2	3	5	8	4	4	12		118	506	624
CLASS XIV.—Ill-defined Diseases. 187. Organic Lesion (not Defined) 188. Sudden Death 189. Unspecified or Ill-defined Causes of Death																2							2	7	
TOTAL CLASS XIV  TOTAL DEATHS OF FEMALES FROM ALL CAUSES	565	149	73	36	35	858	76	59	84	146	194	210	170	153	140	169	175	218	212	206	453		3,523	5,337	8,860

### TABLE No. XVII.

CAUSES of DEATHS of PERSONS, at different Periods of Life, Registered in Queensland during the Year 1919.

							l s.	-	1			1			1		1		1						TOTALS	S.
		r.					5 years.															ırds.				
CLASSES AND DISEASES.		l year.					Total under		5.	20.	25.	30.	35.	.0.	. 92	50.	55.	.09	35.	70.	75.	and upwards.	Unspecified.	.s.		es.
		Under	j to 2.	2 to 3.	3 to 4.	4 to 5.	Potalı	5 to 10.	10 to 15	15 to 2	20 to 2	25 to 3	30 to 3	35 to 40.	40 to 45.	45 to 5	50 to 6	55 to 6	60 to 65.	65 to 7	70 to 7	75 and	Juspe	Persons.	Males.	Females
				64	673	4	- Lawrence	1	1		24	24	80	1 00	1	4	1		1	1 9						
CLASS I.—General Diseases.																						pr 13.8				
1 Typhoid Fever 2. Typhus	1			1			1	3	5	6	9	8	11	10	3	3	6	5	1	1				72	44	28
3. Recurrent Fever 4. Intermittent Fever																3										
4a. Malarial Cachexia 5. Small-pox		1					1		2	1		1	2	1	4	3	4	3	4	1	1	1		29	19	10
6. Measles		1	3	2	2		6 3		1	1														$\frac{7}{4}$	2 3	5 1
8. Whooping Cough 9. Diphtheria		23 9	8 28	2 19	$\frac{3}{12}$	10	38 78 2	18																39 96	17 48	22 48
9a. Croup		23	1 12	14 2	3	$\begin{array}{c} 1 \\ 7 \\ 2 \end{array}$	59 15	22 3	21	32	45 17	90	90	88 30	70 20	90 16	57 10	43	53	28	19	23		830	487	343
10a. Pneumonic Influenza 11. Miliary Fever		6	4										32					12	7	4	4	3		200	119	81
12. Asiatic Cholera		1			 1		2	 1							··· 1	 1		3	2	2	2			20		
14. Dysentery																						3				
15. Plague															1	 1					 1	 1		5	5	
17. Leprosy		6				1	7			1	1			1			1	1						12	7	5
19α. Dengue		3	1	3	4		 11	3	2	1	4	2	1 3	2	1	3	2	1	1	1				2 36	18	2 18
21. Glanders and Farcy 22. Malignant Pustule and "Charbon"																										
23. Rabies 24 Tetanus		4	2			3	9	 5	2						1	···	2		2			1		23	17	
25. Trichinosis, etc 26. Pellagra																1								1	1	
27. Beri Beri 28. Tuberculosis of the Lungs		1	ï				2		4	8	5 32	3 48	1 51	2 58	$\frac{1}{32}$	5 46	31	1 33	3 27	2 10	9	 5		25 396	25 250	146
29. Tuberculosis, Acute Miliary 30. Tuberculosis of the Meninges		3	ï	1			5		2				1	1		1		1						5 8	3 2	$\frac{2}{6}$
31. Tuberculosis, Abdominal, etc 32. Pott's Disease				2	1		5			1				4		2		1						13	9	4
33. White Swellings 34. Tuberculosis of other Organs						1	1	1	1		1				1	ï	6	 1	1	1		 1		16	8	8
35. General Tuberculosis 36 Rachitis		.)	1				2 17									2	1							1 2	$\frac{1}{2}$	
37. Syphilis					 1		1				1	1 2	3	1 2	1 2	4	3	5	1			7		35	20	15
39. Cancer, etc., of the Mouth 40. Cancer, etc., of the Stomach and Liver	٠			1									3	8 3	3 6	16 3	16 7	8 43 12	9 24 9	11 34	11 22	32		65 201	58 135	7 66
41. Cancer, etc., Peritonæum, Intestines, e 42. Cancer, etc., of the Female Genital Orga 43. Cancer, etc., of the Breast	ans .										•••		2	4	4 3	5 3	9 6	16 7	6 3	7 3 3	7 5 2	10		66 58 29	32	34 58 29
44. Cancer, etc., of the Skin 45. Cancer, etc., of other Organs						1	1	···		2	1	ï	3	3	8	8	5 17	2 14	2 12	4 20	3 11	1 8 21		24 123	17 64	7 59
46. Other Tumours (excl. F. Genital Organ 47. Acute Articular Rheumatism	ns) -			ï			1	8	5	1 3	1		1 1	2	1 2		1 3	2	3	2 2	1	1		9 33	3 19	6 14
48. Chronic Rheumatism and Gout 49. Scurvy			1			:::	1		1					1		1	1		1	1	4	2		12	7	5
50. Diabetes 51. Exophthalmic Goître								2	2	2	1 1	1	2	3 2	1	5 1	8	4	9	14	7	7		67	24	43
52. Addison's Disease 53. Leucæmia		1	2	1		1	1 4			···	 1	1	$\frac{1}{2}$	1	2		1 1	2	1 2	1	2			7 18	3 10	4 8
54. Anæmia, Chlorosis 54α. Filaria				1	1	1	3		2	1	2	6	2	2		7	6	10	4	4	4	1		59 4	30	29 2
55. Other General Diseases 56. Acute and Chronic Alcoholism		4	1	1			6					2	5	1	7	5	2	4	1 4	2	3			8 34	6 32	2 2
57. Lead Poisoning 58. Other Chr. Poisonings due to Occupation	ns .					1	1	1		1							1							4	2	2
59. Other Chronic Poisonings TOTAL CLASS I	10				29	32	286	69	54	71	123	182	220	231	180						1			1	1	1.140
10141 0143 1	-		- -		-		-		-	-		-							192		120	133		2,709	1,567	1,142
CLASS II.—Diseases of the Nervous System and of the	e					OCH CANADA CANADA CANADA						4														
Organs of Special Sense.						and the latest designation of the latest des	The same of the																			
60. Encephalitis 61. Simple Meningitis			1 7	1 1	3	1	5 24	3 5	1	3	 1	2	 1	$\frac{1}{2}$		 1	1							11	8	3
61a. Epidemic Cerebro-spinal Meningitis 62. Progressive Locomotor Ataxia						- 8													2					43	25 <sub>2</sub>	18 3
63. Other Diseases of the Spinal Cord		1	2	5	3		15	8	5	5 2	2 2	3 2	1 7	2 11	2 10	3 12	3 22	2 40	48	4 41	2 36	0 =		5 65 321	40	25
65. Softening of the Brain 66. Paralysis without indicated cause		.				5		7		4	1	1			3	1 1	2 1	4 5	4 3	41 4	1	7		321 24 44	171 18 24	150
67. General Paralysis		.											5	1	4	1	5 2	2 2	3	2		2		25 6	19	$\begin{array}{c} 20 \\ 6 \\ 3 \end{array}$
69. Epilepsy 70. Eclampsia (non-puerperal)							1	2	3	8	2	3	5	4	1	1		1	2	1	1	3		38	23	15 1
71. Convulsions of Children under five 72. Chorea	4		7				65																	65 2	27	38
73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System		2		1		1	5	3	2	2	2	1	2	ï	2	3	7	2	1 1	2	1			10 31	7 20	3 11
75. Diseases of the Eyes and Appendages							1	1					1			1								1 2	1	2
TOTAL CLASS II	6	1 2	6 1	13	6	11 1	17	23	13	24	10		23			28						10		694	390	304
		1	1			1		1			1			1			1				1			37		REF

### TABLE No. XVII.-continued,

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1919—continued.

						years.																		TOTALS	3.
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 year	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.
CLASS III.—Diseases of the Circulatory System.  77. Pericarditis			  1   1	 1    1	 2 2    4	2 3  1  6	2 6  1  9	1 9 10	3 3 12   1 19	 4 12    16	6 29 4 1 40	13 39 1 2 2  	7 25 1 1 1   35	1 6 45  1 1   54	15 44  5 1   65	 9 82 1 5 3   100	18 84 2 13 8   125	3	5 12 6 	1 11 4 	1 189 3 43 8   214	 1   1	6 87 941 17 109 43  2 1,205	5 58 586 11 86 19  	1 29 355 6 23 24  2 440
CLASS IV.—Diseases of the Respiratory System.  86. Diseases of the Nasal Fossæ  87. Diseases of the Larynx  88. Diseases of the Thyroid Body  89. Acute Bronchitis  90. Chronic Bronchitis  91. Broncho-pneumonia  92. Pneumonia  93. Pleurisy  94. Congestion of Lungs and Pul. Apoplexy  95. Gangrene of the Lungs  96. Asthma  97. Pulmonary Emphysema  97a. Miner's Phthiss  98. Other Diseases of the Respiratory System  Total Class IV.	32 24 18 3 2   80	20 15 2  20 48	3  3  4 7    	1 2 2 4	1 2 2	8 47 52 46 5 2 	2  4 1 2 7    	 1  9  1  1 1 12	  1  5 1    	1 2 2 1 8 2 1 17	 1 2 20 2 1   26	 1 23 1 1   1 27	1 1 4 17 2 1 1 1 28	22 22 2  2  5 1	2 2 4 20 2 3 5 38	 1 1 6 4 15 3 7 2 42	 1 1 6 4 14  3  12 2 47	 1 1 11 5 11 2  2  5 	2 12 3 20 3 1 5 5 1	 3 12 6 18 1  6 1 1 1 48	1 9 46 144 225 4 1 1 101		2 11 3 73 102 103 280 30 10 1 26  40 12	1 7  46 59 52 169 17 7 1 19  40 9	1 44 3 27 43 51 111 13 3  7  3 266
105. Diarrhoea and Enteritis (over two years) 106. Ankylostomiasis	  14 1  6  1		1	17	8	2 1	 2 15   1 1 28	         	1	1 1 1	2 1 4 4 1 3 1 1 4 1 1 222		2 1 4 1 2 5 1 1 4 1 3 1 2 1 31	2 3 2 1 1 2 2 2 2 1 1 1 23	3 3 	1 2 1 2 1 1 3 3 3 11 2 2 1 1 1 2 2 1 1 2 2 1 1 2 2 9		1 2 2 13 5 1 1 6 2 2 1 5 2 3 3 443		1	110 2 110 2 6 1 5 2 1 773		4 5 2 16 86 86 189 4  7 52 2 70 23 3 3 2 49 13 33 3 7 7	2 3 1 13 42 320 92 2  6 36 47 10  1 35 5 5 21 2 7 2	2 2 1 3 44 234 97 2 2  1 16 23 13 3 1 14 8 12 1 1 10 5 4 4 9 7
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.  119. Acute Nephritis	5	1 1 	2	1 1 		10 2 1			2 13  2  1     1   1  1	7 24	10 34  5 1  1  1  1  5 1  1  1  1	2 2 2 2 8  1    1   1  	2 26  3   1 1  33	4 11  3     2  1 1  2	7 22  1  1  2   	25 2 3 1    	4 28 1 1 3 1 2 1 .	3 22 2  6  2  1 1   37	6 33 9 1 5 1 58	4 16 1 9 1 8 1 40	37 1 3 19 12		65 322  23 5 5 5 6 5 30  1 7 2 5 8 	31 193  15 45 45 5 30     320	34 129  12  11   1 7 2 5 8  209
CLASS VII.—Puerperal Condition  134. Accidents of Pregnancy 135. Puerperal Hæmorrhage 136. Other Accidents of Childbirth 137. Puerperal Septicæmia 138. Puerperal Albuminuria and Eclampsia 139. Puerperal Phlegmasia Alba Dolens 140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast  TOTAL CLASS VII									2  1 1 2 	2 5 2 6 	2 2 1 6 2 	3 1 3 2 4 	4 2 1 6 5 	2 1 4 3 2   12	1		  1 						14 8 15 20 21 1 		14 8 15 20 21 1 

### TABLE No. XVII.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1919—continued.

CLASS VIII.—Diseases of the Skin and of the Cellulur Tissue.  Skin and of		years.	σ <sup>†</sup> ,	TOTALS.
Skin and of the Cellular Tissue	45 to 50. 50 to 55. 55 to 60.	0 4. 0 5. 0 10. 10 15. 10 20. 10 20. 10 30. 10 35.	15 to 20. 20 to 25. 25 to 30. 30 to 35. 35 to 40. 40 to 45. 45 to 50. 50 to 55. 55 to 60. 70 to 75. 70 to 75. The removited	Persons.  Males. Females.
143. Galumeres		60 C C C C C C C C C C C C C C C C C C C		
TOTAL CLASS XI.   TOTAL CLASS XI.   TOTAL CLASS XI.   TOTAL CLASS XI.   Signal Companies   Signal Companie		1   2	$  \dots   \dots   1   2   \dots   1   \dots   \dots   \dots   \dots   \dots   1   \dots$	$egin{array}{c cccc} \cdot & 5 & 4 & 1 \ \cdot & 2 & \dots & 2 \end{array}$
OFFICIAL CLASS XI   Total Class XI.   Society   Societ				
143. Ampitation and other Dis. of Joints   143. Ampitation   140. Other Dis. of Organis of Locomotion   2   2   2   4   3   2				
CLASS XI.				. 1 1
150. Congenital Malfor, (excl. of Still-born)   96   9   6   9   6   9   6   9   6   9   6   9   6   9   7   7   7   7   7   7   7   7   7		. 2 4 3 2		. 14 10 4
CLASS XI.		6 111 4 1		= 110 70
151. Congenital Debility, Icterus, and Scleroma   125				
152 Other Dis Pec. to Infancy ann.   3		420		
CLASS XII.—Old Age.    CLASS XII.—Violence.		98		. 98 64 34
155. Snicide by Poison		526		526 314 212
CLASS XIII.—Violence.    CLASS XIII.—Violence.	1 6		1 6 14 37 80 348	. 486 292 194
155. Suicide by Poison				
156. Suicide by Asphyxia  157. Suicide by Hanging or Strangulation  158. Suicide by Hanging or Strangulation  159. Suicide by Brearms  159. Suicide by Frearms  159. Suicide by Frearms  150. Suicide by Precipitation from a Height  160. Suicide by Precipitation from a Height  161. Suicide by Precipitation from a Height  162. Suicide by Precipitation from a Height  163. Other Suicides  159. Suicide by Frearms  150. Suicide by Frearms  150. Suicide by Creathing  151. Suicide by Creathing  151. Suicide by Creathing  152. Suicide by Creathing  153. Suicide by Creathing  154. Suicide by Creathing  155. Suicide by Creathing  156. Suicide by Creathing  157. Suicide by Creathing  158. Suicide by Creathing  159. Suicide by Creathing  150. Suicide by C				
159, Suicide by Cutting Instruments	2 4 2	2 3	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	19 18 1
163. Other Suicides  164. Poison by Food  165. Ven. Creatures and other acute Poisons  1 2 1 1 1 2	3 4 3		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	33 31 2 20 20
167. Burns	1 1 1 1	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
171. Cuts and Stabs	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
174 Machinery	4 6 4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 5 4 9 5 6 4 6 4 4 5 4 19	23 23 89 67 22
176. Animals	3 3 2	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 3 3 2 7 5 3 3 2 5 2	
180. Lightning 181. Others, Electric 181a. Timber-felling, Logging, etc. 182. Murder by Firearms 183. Murder by Cuts 183. Murder by Cuts 184. Murder, Other 185. Fractures, etc. 186. Other Violence 186. Other Violence 186. Use of the part of the p	2 1 4	1 1 1 1 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	60 57 3
181a, Timber-Felling, Logging, etc.	1			$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
184. Murder, Öther	1	1 1 1 1 1 1	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	9 9 2
186. Other Violence $2$ $2$ 1 $1$ 1 $1$ 1 $2$ $1$ 1 $1$ $2$ $1$ 1 $1$ $2$ $1$ 1 $1$		1 2 1 1		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
TOTAL CLASS XIII 16 17 8 8 8 6 55 35 20 41 42 43 58 46 37 38 47 42 45 28 12 30	2 1	2 1	1 1 1 1 2 1 1 1	12 11 1
CLASS XIV.—Ill-defined Diseases				624 506 118
187. Organic Lesion (not Defined)	9 9 1			 9 7 2
Total Class XIV				$-\frac{9}{9} \left  \frac{7}{7} \right  = \frac{2}{2}$
TOTAL DEATHS OF PERSONS FROM ALL 1353 330 155 75 72 1985 185 129 202 272 393 462 446 390 457 513 587 587 573 530 1132	57 513 587 58	75 72 1985 185 129 202 272 393 462 446 39	202 259 202 402 442 202 455 512 525 525	8,860 5,337 3,523

### TABLE No. XVIII.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1919.

	UARY.		BRUARY.		RCH.		1100				3			Ι.		UGUST.	0.00	E.M.	aadomoo	OBER.	and Mar		DECEMBER			TOTALS.	
CLASSES AND DISEASES.	JANUA		FEB		MAF		4	W TW	JY A V	N. W.	TIM		ALLIA	706		AOC	64.00	SEL		00	AON	24	DEC		oń.	ales.	suc.
	М.	F.	М.	F.	м.	F.	М.	F.	м.	F.	М.	F.	М.	F.	м.	F.	М.	F.	М.	F.	М.	F.	м.	F.	Males.	Females	Persons
CLASS I.—General Diseases.																											
1. Typhoid Fever	8	4	5	3	6	1	8	7	4	1	2	5	1	1		1			2		2	2	6	3	44	28	72
3. Recurrent Fever 4. Intermittent Fever		1	2	 1			2	 4	 1		1			···· 1	2	1	2		2	1	3		2		19	10	29
4a. Malarial Cachexia 5. Smallpox		1																	1				1	2	2	5	7
6. Measles	3	5	ï	3		3	3	 1	2 3	3	2	1 5	ï	1	1 2		1				1	1			3 17	$\begin{array}{c} 1 \\ 22 \end{array}$	4 39
8. Whooping Cough 9. Diphtheria		1	4	1	2	2	5	8	8	10	7 2	6	4	5	2	4	5	1	6	1	2	3	3	6	48	48	96 2
9a. Croup	2	5	3	3	3				66 20	46 12	204 67	153 46	81 14	53 11	61	35 5	33	26 4	18 2	12	12	7	4	3	487 119	343 81	830 200
11. Miliary Fever																											
13. Cholera Nostras			 1		·	1		2		 1	1	1					1		1		ï	3	2		12	8	20
14. Dysentery 14a. Epidemic Dysentery 15. Plague																											
16. Yellow Fever					1		1															:::	1		5		5
18. Erysipelas  19. Other Epidemic Diseases						1		1			1	1	1		1		2		•••				2	2		5	12
19a. Dengue 20. Purulent Infection and Septicæmia	3	2		2		3	1		ï	2	2	1		1	3	2	4	1	1	3	3	1		ï	18	$\frac{2}{18}$	36
21. Glanders and Farcy 22. Malignant Pustule and "Charbon"																											•••
23. Rabies	7		1		``i		2	2	3	1	1		2	1	1		2			1	2		1	1	17	6	23
25. Trichinosis, etc											4		2		3				2		1		 1		25		25
27. Beri Beri	22	9	14	8	23	18	13		20	19	20	17	36	12	24	13	22	13	19	11	11	7	26	10	250	146	396
29. Tuberculosis, Acute Miliary 30. Tuberculosis of the Meninges		1			1		2	1	1 2			 1	1	1		 1	1	 1		2				1 1	2 9	6	8 13
3l. Tuberculosis, Abdominal, etc 32. Pott's Disease			1												•••												
33. White Swellings		2		1	1	1		2	2		1		1		1				1	1	1		1	1	8	8	16
35. General Tuberculosis			 1	2		2	 1	 1	4	2	1	1	1		4		2	2	1	ï	1				20	15	35
37. Syphilis		4	4		5		1 8		4		2	1	4		4	2	4		7	1	5				1 58	7	1 65
39. Cancer, etc., of the Mouth 40. Cancer, etc., of the Stomach and Liver	5 12 3	6 2	13	6 2	8 2	7	8	6 2	10 2	7 5	12	5 2	11	5 3	15	6 4	8 2	4	12 2	6	15 2	6	11 4	4 2	135 32	66	201 66
41. Cancer, etc., Peritonæum, Intestines, etc. 42. Cancer, etc., of the Female Genital Organs		3 2		7		4		6		5 4		4 2		6		2		6 2		5 2		4		6 3		58 29	58 29
43. Cancer, etc., of the Breast 44. Cancer, etc., of the Skin	3 7	1 6	2 7	1 7	3	1 5	3 6	2 2	2 4	4	7	1 3	1 8	10	6	5	4	 5	5	5	1 4	1 4	1 3	3	17 64	7 59	$\frac{24}{123}$
45. Cancer, etc., of other Organs 46. Other Tumours (excl. F. Genital Organs) 47. Acute Articular Rheumatism	1			1	 1	2	1		3	 1	4	1 3	2	2	 1	5	1		1 3	1 2		1	2	1	3 19	6 14	33
48. Chronic Rheumatism and Gout	1				1			1			1	1	1	1	2 2	2		1	•••			1	1		7	5	12
50. Diabetes	1	2	3	2	1	5	2	4	1	4	3	5		4	2	2	2	6	5	2	1	4 2	3	3 2	24 3	43	67 6
52. Addison's Disease				2		1		1	1 2		1	1	1	1	1		3	1				1 2	2	1	10	8	7 18
54. Anæmia, Chlorosis 54a. Filaria	2	3	1	2	5	3	5	3	3	2	1	1	3	3	3	2	1	3	3	2	1	1	2	4	30	29	59
55. Other General Diseases 56. Acute and Chronic Alcoholism			1 4	1	2		1 2	1	2	1	3	1	4		2		1 3 1		4		2	 1	1		6 32 2	2 2 2	8 34
57. Lead Poisoning				1																	1		1		1		4 1
59. Other Chronic Poisonings									174	101	356	071	180	199	156		109	77	103	66	76	59	89	62	1,567	1,142	2,709
TOTAL CLASS I	92	62	71	57	76	67	85	70	174	151											-						2,100
CLASS II Diseases of																											
the Nervous System and of the																											
Organs of Special Sense.											,	,			1	1			1		1				8	3	11
60. Encephalitis	···	1	1 3	2	3 2	1	3	2	3	3	1	3	2	1	1	2		2	4		4		ï	2	25	18	43
61a. Epidemic Cerebro-spinal Meningitis 62. Progressive Locomotor Ataxia									1	1		···· 1	1		5	3	3	1		 1	 1	3	3	1 2	2 40	3 25	5
63. Other Diseases of the Spinal Cord 64. Hæmorrhage of Brain, Apoplexy	2	$\frac{2}{18}$	5 18	3 8	3 9	3 13	5 15	13	8 18	9	17	1 15	20	10	12 2	15	9	14	11 3	14	13	11	17	10 3	171 18	150	$\frac{65}{321}$ $\frac{24}{24}$
65. Softening of the Brain 66. Paralysis without indicated cause	4 2	 1		2	3	1	3	1	2	1	2	1	1 1 1	ï	2 5	1	2	2	2 2	3	1	2	4	4	24 19	20	24 44 25
68. Other Forms of Mental Alienation				2	2	1	3 2		1		4	1 1 2	5		2	1 1	1		3	1	1			2	3 23	3 15	6 38
69. Epilepsy 70. Eclampsia (non-puerperal)	3		1	1	2	2 7			3	2	5	3 5	2	2	2	1	2	1			2	4	2	5	27	1 38	1 65
71. Convulsions of Children under five 72. Chorea	1	2	1	3			1	5	4	2	1								1	1					2 7	3	2
73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System	2	1	5		1 3	ï	2		3	2	3	2	1		1		2	2		2		1	1	1	20	11	31
75. Diseases of the Eyes and Appendages 76. Diseases of the Ear				1					1			1														2	2
TOTAL CLASS II	37	25	34	22	30	29	34	26	45	24	42	34	35	15	33	25	20	24	27	24	23	25	30	31	390	304	694
			,		,					1	1	1	1														

### TABLE No. XVIII.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1919—continued.

CAUSES OF DEATHS OF MA	(اند سد.	o al				110	legi	ro oct	ou i	m d	Luce	11010	, Lu	uull	me.	cacı	1		. UI	9116			-		1	TOTALS.	
CLASSES AND DISEASES.		NUARY.		BRUARY.		ARCH.		APKIL.	,	Υ.		NE.		JULY.		UGUST.		TEMBER	200	OCTOBER.	0.00	OVEMBEK,	dadskaoad	CEMBER			
Chasses had bishass.	М.	F.	М.	F.	М.	F.	М.	F.		YAW F.	-	F.				F.	М.	F.	м.	F.	-	F.	м.	F.	Males.	Females.	Persons.
CLASS III.—Diseases of the			1	1	1		1		1	1.	13.	1.	111.6	1.			1			1.					M	F	- Pe
Circulatory System.	1 3	2	3		1	1			10				1		2				1		7		1		5 58	1 29	6 87
78. Acute Endocarditis 79. Organic Diseases of the Heart 80. Angina Pectoris 81. Dis of Arteries, Atheroma, Aneurism, etc. 82. Embolism and Thrombosis 83. Dis. of Veins(Varices, Varicose Ulcers, etc.) 84. Diseases of the Lymphatic System 85. Hæmorrhage	44  4 3 	34 1 1 1 	8 1 	1 20  1 	6 37 1 11 3 	1 25  2 1 	2 58 1 2 2 	15 1  3 	10 46 1 12 3 	4 39 1 2 2 	7 53  6 	1 4  1 1	4 59 3 11 	5 45 1 2 2 	49 1 7 2 	39 1 39 1	4 41 3 7 1 	1 23  3 1 	6 61 1 10 2 	29 1 1 	45 4 1	1 24  4 5 	46 46 1	23  3 4 	586 11 86 19 	355 6 23 24 	941 17 109 43 
TOTAL CLASS III,	55	40	59	22	59	30	65	19		48	66	49	78	55		51	56	28	81	34	57	34	56	30	765	440	1,205
CLASS IV.—Diseases of the Respiratory System.																											
86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx 88. Diseases of the Thyroid Body 89. Acute Bronchitis 90. Chronic Bronchitis 91. Broncho-pneumonia 92. Pneumonia 93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs 96. Asthma 97. Pulmonary Emphysema 97a. Miners' Phthisis 98. Other Diseases of the Respiratory System	 2 6 2 16 2 1  2 	1 3 2 5 9 	1 3 4 15 1 1 2 1	2 6 6 	1  3 2 4  2  2	 1 4 3 4 1 	 4 3 5 7 2  1  3	1 1 1 1 1	 4 3 5 21 1 1 1 1  2	3 6 4 12 1  2	3 8 6 5 25 1 	2 6 6 6 19 2 	 4 7 5 8 2  3	 1 2 4 1 11 3 	3 7 3 14 2  4 	1 1 4 10 7 16  2	1 1 1 1 3 18 1 1  2	 4 5 9 14 2 1 	1 6 3 6 16 2 2 1 2	3  1 5   1 	7 4 6 13 1 	2 1 4 6 1 1 	 3 3 6 12 4 2  1  8	1 2 1 4 4 1 1 1	1 7  46 59 52 169 17 7 1 19  40 9	1 4 3 27 43 51 111 13 3 7 3	2 11 3 73 102 103 280 30 10 1 26 
TOTAL CLASS IV	32	20	30	14	16	13	26	15	40	30	52	36	38	23	40	41	42	35	37	10	34	16	40	13	427	266	693
CLASS V.—Diseases of the Digestive System.																											
99. Dis. of Mouth and associated organs 100. Diseases of the Pharynx	1 5 388 15 1 2 2 3 1 1 1 1 770	1 244 7 1 3 1 1 4 4 2 1			1 6 21 5 2 3 3 3 5 5		1 1 31 15 6 3 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 2 1 2 2 1 2 2 1 2 2 2 1 2	1 1 1 	1 1 17 6 1 1 4 1 4 1 4 1 1 4	1				1 2 5 5 2 1 1 1 1	4 4 4 6 3 1 5 2 2 1		1 1 1 18 4					4 45 10 2 1 1 2 1 2			2 3 1 13 42 320 92 2  6 36 47 10  1 35 5 21 2	2 2 1 3 44 234 97 2  1 16 23 13 3 1 14 8 12 1 10 5	4 5 2 16 86 554 189 4  7 52 70 23 3 3 2 49 13 3 3 17 7
CLASS VI.—Diseases of							63	44	40	43	39	30		18	30	18	39	26	79	53	74	69	66	52	647	492	1,139
the Genito-Urinary System and Adnexa.																											
119. Acute Nephritis	1 14 2 3 2 3	5 8	2 14  2  2   	2 10  3  1  1  1  1	4 13  3 1   	4 9 2 2 1 16	5 13  2 1 1 1  5  	1 9 1 2 2 1 15	3 15 2 1 7 1 5 34	3 8  2    1  1 	3 25	1 22 2 2	3 26 1 4 4	3 14    1  1 	1 14  3  1   	1 8  2    1  1 	5 14 1 2 2 1	2 10  1  2    1 	2 12  3  4  	3 11  1     2 2 	1 18  1  4    	3 8  2     1 1 1 1 1 	1 15  1 5  2  	6 12  1   1  1  	31 193  11 5 45 5 30   	34 129  12  11  1 7 2 5 8 	65 322  23 5 56 5 5 30  1 7 2 5 8 
CLASS VII.—Puerperal Condition.																											
136. Other Accidents of Childbirth		1 2  2   5		2 1 1 1 2 		1 1 1 5 		1 1 3 		 1 2 2 2 2  		3 2 1 6		1 1 3 4 2 		2 3 5		 1   1		3 1 2  2  		 1  3 3 	 	3 1 1 2 1		14 8 15 20 21 1 	14 8 15 20 21 1 
										-		-	]	11	}			-		0		7		8	•••	79	79

### TABLE No. XVIII.-continued.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1919—continued.

CLASSES AND DISEASES.		JANUARY.		FEBRUARY.	21001.35	максн.	A DD TT	AL PAIN.		MAY.		UNE.		ULY.		AUGUST.		SEFIEMBER.		OCTOBER.		NOVEMBER.		ECEMBER.		TOTAL	
	м.	F.	м.	F.	м.	F.	М.	F.	м.	F.	м.	F.	М.	F.	м.	1		F.	м.	1		1	м.	F.	Males.	Females.	Persons.
CLASS VIII.—Diseases of the																											
Skin and of the Cellular Tissue.																											
142. Gangrene 143. Carbuncle 144. Phlegmon, Acute Abscess 145. Other Diseases of the Skin and Adnexa	2 1 	1	1 3	1		 1				··· ··· 1		1 1	1 2 2	2	2	1	2	1	1	1 1	1 2		1	1 1	8 4	9 1 2 3	1
TOTAL CLASS VIII	3	1	4	1		1			1	1		2	5	2	2	1	2	2	1	2	3		1	2	22	15	37
CLASS IX.—Diseases of the																											
Organs of Locomotion.  M. Non-tuberculous Diseases of the Bones	1				1	1			1	1	2				1		2		1		1	1			10	3	13
47. Arthritis and Other Dis. of Joints 48. Amputation																				1						1	]
49. Other Dis. of Organs of Locomotion																											
TOTAL CLASS IX	1				1	1			1	1	2				1		2		1	1	1	1				4	14
CLASS XMalformations.																											
50. Congenital Malfor. (excl. of Still-born)	7	4	4	2	9	4	10	6	2	4	6	4	4	7	7	1	3	3	6	5	6	4	6	2	70	46	116
TOTAL CLASS X	7	4	4	2	9	4	10	6	2	4	6	4	4	7	7	1	3	3	6	5	6	4	6	2	70	46	116
CLASS XI.—Infancy.																											
51. Congeniual Debility, Icterus, and Scleroma	27 7	16 4	22 10	14	23	14	18	18	9 7	49	23 2	18	20	14 3	21	10 3	21 6	17 4	25 1	17	18 5	15 1	23 8	21 1	250 64	178 34	<b>42</b> 8
ii). Want of Care (Infants)	34	20	32	15	26	14	26	24	16	13	25	 18	24	17	24	13	27	21	··· 26	19	23	16	31	22	314	212	526
TOTAL CLASS AI																											-020
CLASS XIIOld Age.																											
54. Senile Debility	33	12		18	18	12	15	18	22	20	30	13	31		28	11			17	17	25	20	23	17	292	194	486
TOTAL CLASS XII	33	12	30	18	18	12	15	18	22	20	30	13	31	19	28	11	20	17	17	17	25	20	23	17	292	194	486
CLASS XIIIViolence.																											
55. Suicide by Poison				1			5			1	1	1	3	1	1	-	1	1		1	1		3		18	10	28
58. Swieide by Hanging or Strangulation	2		2		ï		j 1		1	2	1		1		2		2				2		3	1	18	1	19
180. Suicide by Firearms 180. Suicide by Cutting Instruments	4		6		2		2				1 2		4	2	4	1	1		1		4		1 2		5 31	3 2	3;
82 Spicide by Precipitation from a Height	2				1		1						1		2		1		5		3		2		20		20
64 Poisson la P					1		1					2			1				1						4	2	
65. Ven. Creatures and Other Acute Poisons	 1	1	2 2	1	2	 1			1				 1				2	···i	 1						3 10	1 4	14
67. Burns	2	1		2	1		4	2		1	4	3	4	4	···						···· 1			2			
08. Noxious Gases			1													3		4	2	5		3		2	19 1	30	4
70. Firearms	5 5	3	8	1	5		2	1	6	1	13		6 2	2	2 2		6 5		5	1	13	2	8 2		81 23	14	98
72. Falls	5	2	8	2	10	1	6	1	3	···	1	3			7	4	5	2	7	3	5	2	2	1	67	22	8
74. Machinery	4		3		1				2				1				2		2		2				17 1		17
Toa Railways and Tramways	4	2	2 5	1	1	1	2 2	ï	6	2	4		5 2	···	5		2 5	2	1 2		3 2		4 4		39 26	6	4
77. Starvation	5		5 2		7		2 2		4 2		5 2		5	î	5 2	1	3	1	7		4		5		57	3	30
79 Supstroke																					1		1		15		18
0. Lightning 31. Others, Electric	5	3	2	1	4	3	1		1				***					1			1		5	2	19 2	10	25
Ilmber-felling Logging etc					2				1		2								···		1		2		9		
3. Murder by Firearms						1							1								1		1	1	3	2	1
5. Fractures etc	1						1	2															1		$\frac{1}{2}$	2	4
86a. Wounds received in Pottle	2						1		2			,			1	1	2				1		2		``i1		12
TOTAL CLASS VIII	52	12	50	10	40	8	38	9	33	8	40	10	47	11	36	12	38	19		10	 AB				4		4
		12									20	10						12	38		46	7	48	9	506	118	624
LASS XIV.—Ill-defined Diseases.  7. Organic Lesion (not defined)																											
88. Sudden Death Unspecified or Ill-defined Causes of Death	6		2						 1				2				2								7		
- Poornog OF III-defined Causes of Death			2														2					1		1	-	2	9
Tomas Or Will																											
TOTAL CLASS XIV TOTAL DEATHS OF MALES AND			2						1				2				2					1		1	7	2	9

### TABLE

### CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

			Metrop	oolitan.		-	Met	Total	tan.	7	Moreto	n.	W	ide Ba	у.	Por	t Curt	is.
CLASSES AND DISEASES.	10-m	nile Rac	dius.		Outside ile Ra													
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
CLASS I.—General Diseases.																10 -		
1. Typhoid Fever 2. Typhus 3. Recurrent Fever 4. Intermittent Fever 4. Malarial Cachexia 5. Smallpox 6. Measles 7. Scarlet Fever 8. Whooping Cough 9. Diphtheria 9a. Croup 10. Influenza 10a Pneumonic Influenza 11. Milory Fever 12. Astatic holera 13. Cholera Nostras 14. Dysentery 15. Plague 16. Yellow Fever 17. Leprosy 18. Erystpelas 19. Other Epidemic Diseases 19a. Dengue 20. Purul nt Infection and Septicæmia 21. Glanders and Farcy 22. Malignant Pustule and "Charbon" 23. Rabies 24. Tetanus 25. Trichinosis, etc. 26. Pellagra 27. Beri Beri 28. Tuberculosis of the Lungs 29. Tuberculosis of the Meninges 31. Tuberculosis of the Meninges 31. Tuberculosis of other Organs 32. Holeral Swellings 33. White Swellings 34. Tuberculosis of other Organs 35. General Tuberculosis 36. Rachitis 37. Syphilis 38. Gonococic Dis. 39. Cancer, etc., of the Stomach and Liver 40. Cancer, etc., of the Stomach and Liver 41. Cancer, etc., of the Female Genital Organs 42. Cancer, etc., of the Pemale Genital Organs 43. Cancer, etc., of the Pemale Genital Organs 44. Cancer, etc., of the Stomach and Liver 44. Cancer, etc., of the Stomach and Liver 44. Cancer, etc., of the Female Genital Organs 45. Cancer, etc., of the Pemale Genital Organs 46. Other Tumours (excl. F. Genital Organs 47. Acute Articular Rheumatism 48. Chronic Rheumatism and Gout 49. Scurry 50. Di betes 51. Exophthalmic Goître 52. Addison's Disease 53. Leucæmia 54. Anemia, Chlorosis 56. Acte and Chronic Alcoholism 57. Lead Poisoning 58. Other Chr. Poisonings due to Occupations 59. Other Chronic Poisonings 50. Other Chronic Poisonings	7 2 1 4 18 123 49 2 3 3 3	8	15	2	1	3	9 9 118 124 500 124 500 124 500 124 500 124 500 125 125 125 125 125 125 125 125 125 125	9 9 2 18 102 366 4 102 36 3 102 11	18	3	2	5	5		5	5	2	7
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.	5	1	6				5	1	6					1	1	1		1
61. Simple Meningitis 61a. Epidemic Cerebro-spinal Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hæmorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation 69. Epilepsy	8  1 14 60 6 6 6 3 1 4	3 15 61 4 4 1	14 4 29 .121 10 10 4 2 5	1  4 9 4 12  6	 1 1  5	1  5 10 4 5 17 	9  1 18 69 10 10 15 1	6  3 16 62 4 5 6	15  34 131 14 15 21 2	1 4 6 1 3 2	18  5 	1  4 24 1 8 	1 1 6 21 2 1 2	1 26 2 3	5  1 7 47 2 2 1 	  1 21  1  1	"1 "" "8 "" 3 "" 1	1  1 29  4  2
70. Eclampsia (non-puerperal)	5 1 2 4 1	10  2 .3 	15 1 4 7 1	1 2		1 2	6 1 2 6 1	10 2 3 1	16 1 4 9 1	4  3 	 5  3 	9 6	3 1	3	6	2   1	1 3    1	1 5 1 1
TOTAL CLASS II	121	113	234	43	9	52	164	122	286	24	34	58	38	40	78	29	19	

### No. XIX.

### Groups of Registry Districts of Queensland during the Year 1919.

Edgecu	ımbe.	Ro	cking	gham.	P	Yor		Ca	rpent	taria.		Centr Veste			Sout West			Cent	ral.	1	1 araı	10a.		Dow	ns.		TOTAL	8.
Males. Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons,
4 4 2 1 2 1 67 388 7 3 1 1 3 3 1 1 3 3 1 1 2 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 1 2 1 1 1 2 1 1 1 1 1 2 1 1 1 1 1 1 1 2 4 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 1 1 1 2 3 1 1 1 2 1 1 1 2 1 1 1 2 3 1 1 1 2 1 3 1 1 1 3 1 3 1 1 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1	8	1		5	10	1	1	3	2	5	2		2	1		1	5	4	9		1	1	2	3	5	44	28	72 29 74 39 96 2 830 200 20 21 22 36 25 396 5 8 13 25 396 5 8 13 16 1 2 35 1 65 201 66 58 29 24 123 9 33 12 1 67 6 7 18 8 34 4 1 2,709
1 1 3	2 3	3 2 2 1 3 2 2 2		3 3 5 1 4 4 2	1 1     	  1     	       	    3  1  1  		       4  	1 1 1 2	 1      	2 1 1 3 7	   5 5 2 2     2   		         	1 4	3 1 2 2 	4 1 6 2 	1 3 1 1 1 1 1 1 1 7	1 1 1 1 2	2 4 2 3 3 1 1 1	1 5 7 11 1 1 3 1 4 4 2 1 1 5 5 43	2  4 117 2 1  4  3   38	1 7 11 23 3 2 2 8 8 6 1 1 8 81	8 25 2 400 171 188 244 19 3 23 277 220 1 390	3 18 3 25 150 6 20 6 3 3 15 1 3 3 3 3 11 2 304	111 433 5 65 321 244 442 25 6 388 1 65 2 10 31 1 2 2 694

### TABLE

### CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

	Metropolitan.						Total Metropolitan.			Moreton.			Wide Bay.			Port Curtis.		
CLASSES AND DISEASES.	10-mile Radius.			Outside 10-mile Radius.														
	Males.	Females.	Persons.	Males. Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	
CLASS III—Diseases of the Circulatory System.																		
77. Pericarditis	2 27 150 6 24 7 	10 141 1 11 8 	2 37 291 7 35 15 	26  13 1 	4	30  13 1	2 27 176 6 37 8 	10 145 1 11 8 	2 37 321 7 48 16 	1 2 71 1 1 5 	1 39 2 3 7 	2 5 110 3 4 12 	1 7 48  5 1 	2 33  2 2  	1 9 81  7 3  	 3 43 1 15  	31 2 4 2 	6 74 3 19 2 
TOTAL CLASS III	216	171	387	40	4	44	256	175	431	81	55	136	62	40	102	62	42	104
CLASS IV.—Diseases of the Respiratory System.																		
86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx 88. Diseases of the Thyroid Body 89. Acute Bronchitis 90. Chronic Bronchitis 91. Broncho-pneumonia 92. Pneumonia 93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs 96. Asthma 97. Pulmonary Emphysema 97a. Miner's Phthisis 98. Other Diseases of the Respiratory System	18 16 14 58 6 3 1 4 	1 2 7 15 21 53 2 2 3 1	1 2 25 31 35 111 8 5 1 7 4 3	 1 3 1 7  1  1  1	  1 1 6 1  	 1 4 2 13 1 1  1 	 19 19 15 65 6 4 1 5  5	1 2 7 16 222 559 3 2 3 1	1  2 26 35 37 124 9 6 1 8  5 4	 3 5 3 8 3 1  	1 7 22 66 1 2 2 2	1 3 122 55 144 4 1 2 1	2 7 11 4 16 1	1 3 5 5 8 2 1 2	3  10 16 9 24 3 2  	1 2 3 8 16 1 1 3	 1 1 2 4 12 1   1 	 1 1 3 5 12 28 2  2  3 
TOTAL CLASS IV	126	107	233	16	9	25	142	116	258	24	19	43	43	27	76	35	22	57
CLASS V.—Diseases of the Digestive System.																		
99. Dis. of Mouth and associated organs 100. Diseases of the Esophagus 101. Diseases of the Esophagus 102. Ulcer of the Stomach 103. Other Dis. of Stomach (Cancer excluded) 104. Diarrhœa and Enteritis (under two years) 105. Diarrhœa and Enteritis (over two years) 106. Ankylostomiasis 107. Intestinal Parasites 108. Appendicitis 109. Hernia, Intestinal Obstruction 110. Other Diseases of the Intestines 111. Icterus Gravis 112. Hydatid Tumours of the Liver 113. Cirrhosis of the Liver 114. Biliary Calculi 115. Other Diseases of the Liver 116. Diseases of the Spleen 117. Simple Peritonitis (non-puerperal) 118. Other Diseases of the Digestive System	1 7 8 158 199 1 2 133 166 5 13 2 9 2 2 1 2	1 1 1 13 131 32 6 11 1 8 3 7 7 4	1 1 1 8 21 289 51 1  2 19 21 6  21 5 5 16 22 8 6 6		       		7 10 159 26 1 3 144 100 5 1 13 2 10 2 1 1 2	1 1 1 1 1 1 1 3 3 3 6 1 1 1 2 8 3 7 7 4	1 1 1 8 23 290 59 1  3 20 21 7  1 21 5 5 17 2 2 8	6 2½ 26 3 3 1 1 1 1		       			1 7 48 24 4 6 3 1 2 1 2 1	1 3 3 30 8 2 2 1	1	1 1 2 7 52 18 4 2 1 1 1 2 1 2
TOTAL CLASS V	253	226	479	14	2	16	267	228	495	65	47	112	59	41	100	49	45	94
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.  119. Acute Nephritis	18 57 4 3 15 5	15 53 5 4 4 1 1 4 4 90	33 110  9 33 19  5  4 1 4 4 4 	 12   2 1 1    		 12   2 1 1    	18 69  3 17 1 6   	15 53  5  4   4 1 1 4 4 4 	33 122  9 3 21 1 6  4 4 4 4 	2 15  1 4  4      	1 7 7	3 222 1 1 7 7 4	3 12	3 11        15	6 23   5 1 3      	1 8	2 11  3        	3 19 4 2 2 1 31
134. Accidents of Pregnancy 135. Puerperal Hæmorrhage		3 2	3 2					3 2	3 2		1 1	1					2	2
136. Other Accidents of Childbirth		1 6 6 	1 6 6 					1 6 6	1 6 6 		1 4 3 1 	1 1 4 3 1 		2 4 1 3 	2 4 1 3 		 1 1 	4 1 1 
TOTAL CLASS VII,		18	18					18	18		11	11		10	10		8	8

## No. XIX.—continued.

# Groups of Registry Districts of Queensland during the Year 1919

7 :::: 31: 334:

Males.

				1 1		0.3
9   : : : 22: 14	20   : : : : 1   1   1   1   1   1   1   1	26 :	10   1   1   1   1   1   1   1   1   1	37 ::::::::::::::::::::::::::::::::::::	Females.	gecumbe.
9 ::: 22 14	553 :::::::::::::::::::::::::::::::::::	66 : 212235 : 3857 : 172341	10 10 10 10 10 10 10 10 10 10 10 10 10 1	108	Persons.	ıbe.
1 11111111	E	2 :::: 2 :::: 2 :::: 2 ::::: 2 ::::::::	3   101   2   11   12   11   12   13   17   18   19   19   19   19   19   19   19	48 ::::: 71	Males.	Roo
6 ::::: 6 6 6::	в : н: : : : : : : : : : : : : : : : : :	U	σ <sub>1</sub> : : : : : : : : : : : : : : : : : : :	9	Females.	cking
6 :::::	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ω ::::::::::::::::::::::::::::::::::::	36 1 1 3 3 5 6 6	57	Persons.	Rockingham.
1 1111111	ω   i i i i i i i i i μi i i ωi	#	1 2 2 1 1 5 5 2 1 1 1	m   : : : : : : : : : : : : : : : : :	Males.	Pe
1   11111111	ω	3 :::::::::::::::::::::::::::::::::::::	4	ω   : : : : : : : : : : : : : : : : :	Females.	Yor!
1 11111111	6 ::::: 1::::::::::::::::::::::::::::::		18 : 2 : 1 : 2 2 2 4	16	Persons.	ula.
1 1111111	4 :::::::::::::::::::::::::::::::::::::	17	17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23   : : : : : : : : : : : : : : : : : :	Males.	Ca
- HIII - HIII	ω i i i i i i i i i i i i i i ω	4   : : : : : : : : : : : : : : : : : :		w : : : : : : : : : : : : : : : : : : :	Females.	rpent
	7	22 :::: 22 :::: 23 :::: 4 or or p1	17	26	Persons.	aria.
1 1111111	7 :::::::::::::::::::::::::::::::::::::	4	or   120 pt	9   : : : : : : 72:	Males.	
1   1   1   1   1   1   1   1   1   1		ω		P   I I I I I P I I	Females.	Central- Western.
: :::::::	7	7	σ 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10	Persons.	en.
1   1111111		~	ω ::::::::::::::::::::::::::::::::::::	10	Males.	4
-		ω   : : : : : : : : : : : : : : : : : :			Females.	South- Western.
	10 11 11 11 11 11 11 11 11 11 11 11 11 1	10 ::::::::::::::::::::::::::::::::::::	7 :::::::::::::::::::::::::::::::::::::	14	Persons.	h- rn.
	23 ::::::::::::::::::::::::::::::::::::		20 : 1: 1: :: 1 72662: 1:	28 :::: 1224:::	Males.	
о   : : : :	от   : : : : : : : : : : : : : : : : : :	5	ω ::::::::::::::::::::::::::::::::::::	8 :::::6::	Females.	entr
07 ::::	28 ::::::::::::::::::::::::::::::::::::	ω : 1 1 2 2 2 2 3 5 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28	& : : : : : : : : : : : : : : : : : : :	Persons.	al.
1   1111111		σ ::::::::::::::::::::::::::::::::::::	₩ H H H H H H H H H H H H H H H H H H H	14 : : : : : 1: 13: : :	Males.	_   8
æ   : : : ≥: : : ⊢	120	7	7	ω : : : : : : : : : : : : : : : : : : :	Females.	[aran
ω !!! ½!!! μ	F : : : : : : : : : : : : : : : : : : :	16	20	16 17	Persons.	102.
1 1111111	4 ::::::::::::::::::::::::::::::::::::	81 : 2: :: 3: :: 29 5 5 1107	31   1   2   1   2   3   1   1   3   1   1   3   1   1   1	75 1 1 1 1 1 1 1 93	Males.	
7   : : : : 21112	36 :: :: :: 2: 3: 225	55 : 2: :: 11: 12: 12: 13: 13: 13: 13: 13: 13: 13: 13: 13: 13	S1 ::::::::::::::::::::::::::::::::::::	55 1:: 3:: 44:	Females.	Down
	80 : 1111: 5 : 5 : 5 : 8	136	100 114 22114 662	113 122 122 148	Persons.	18.
:   : : : : : : : : : : : : : : : : : :	31 193 11 11 5 5 5 30 30	2 2 3 3 4 4 2 3 2 9 9 2 9 2 9 2 9 2 9 2 9 2 9 2 9 2	1 7 7 46 59 59 52 1169 17 7 7 17 19 19 9	586 586 111 86 19	Males.	
14 8 15 20 20 21 30 21 30 31 31 31 31 31 31 31 31 31 31 31 31 31	129 129 129 112 111 111 111 209	2 2 2 2 2 3 4 4 4 4 97 1 1 6 1 2 3 1 1 3 1 3 1 3 1 3 1 3 1 3 1 1 1 4 4 1 1 1 1	1 4 4 4 3 5 1 111 113 13 3 3 2,7 13 13 13 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 355 6 223 2440	Females.	TOTALS
14 15 15 20 20 21 	529 8 8 5 22 23 25 5 6 5 5 6 5 6 5 6 5 6 5 6 5 6 6 5 6	1,139	2 111 3 73 102 102 280 30 10 10 11 26 40 12 12	6 87 941 17 109 43  2	Persons.	

### TABLE

### CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

			Metroj	politan.			Ме	Total tropoli		2	Ioreto	n.	v	Vide Ba	y.	Por	t Curt	is.
CLASSES AND DISEASES.	10-m	nile Ra	idius.		Outside													
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
CLASS VIII.—Diseases of the																		
Skin and of the Cellular Tissue.  142. Gangrene	3	4	7	1		1	4	4			4	4	1	1	2			
143. Carbuncle	1 <sub>3</sub>	1	2					1 1	2 1		1	1	1		1			
145. Other Diseases of the Skin and Adnexa  TOTAL CLASS VIII,	7	7	14	1			8	7			6	$\frac{1}{6}$	3	1 2	$\frac{2}{5}$	1		1
TOTAL CLASS VIII		-	19			1	8		10		0		-					- 1
CLASS IX.—Diseases of the																		
Organs of Locomotion.	_		0										1		1			
146. Non-tuberculous Diseases of the Bones 147. Arthritis and Other Dis. of Joints	5	1	6				5		6	1		1				2		3
148. Amputation																		
TOTAL CLASS IX	5	1	6				5	1	6	1		1	1		I	2	1	3
CLASS XMalformations,																		
150. Congenital Malfor. (excl. of Still-born)	11	10	21	2		2	13	10	23	10	6	16	14	6	20	4	2	0
TOTAL CLASS X	11	10	_	2		2	13	10	23	10	6	16	14	6	20	4	2	6
		-																
CLASS XI.—Infancy.																		
151. Congenital Debility, Icterus, and Scleroma 152. Other Dis. Pec. to Infancy (und. 3 mths.)	73 18	58 18	131 36	2	1	3	75 18	59 18	134 36	19	20 2	39 8	33 7	23 4	56 11	22 8	• 10 2	32 10
153. Want of Care (Infants)																		
TOTAL CLASS XI	91	76	167	2	1	3	93	77	170	25	22	47	40	27	67	30	12	42
TARRELO IIV SPATO																		
CLASS XII.—Old Age.  154. Senile Debility	50	57	107	47	14	61	97	71	168	24	13	37	25	25	50	0.7	10	
TOTAL CLASS XII	50	57	107	47	14	61	97	71	168	24	13	37	25	25	50	27 27	$\frac{18}{18}$	$\frac{45}{45}$
		-																
CLASS XIIIViolence.																		
155. Suicide by Poison 156. Suicide by Asphyxia	7	4	11	1		. 1	8	4	12	1	2	3	1	2	3	2	1	3
157. Suicide by Hanging or Strangulation 158. Suicide by Drowning	2	1	3				2 2	1	3 2	1		1 1	3	3	3 4	1		1
159. Suicide by Firearms 160. Suicide by Cutting Instruments 161. Suicide by Precipitation from a height	8 2		8 2	1			8 3		8 3	1	1	2	2 1		3	2 5		2 5
162. Suicide by Crushing			2						2									
164. Poison by Food	2	1	3					1	3				2 1		2			
166. Incendiarism	7	6	13				7	6	13				1	2	3	2	1 5	7
168. Noxious Gases	19		20	3			22	1	23	10	2	12	7		8	17	5 1 2	1 19
170. Firearms          171. Cuts and Stabs          172. Falls	2  17	8	2  25				2		2	2		2	2		2	1		1
172. Fans	1 1		1 1				18 1 1	8	26 1 1	3 7	2	5 7	12	3	15	7 3		8 3
175. Vehicles	14 8	2 2	16 10	1		1	15 8	2 2	17 10	3		3	3		3	3		3
176. Animals	5	1	6				5		6	3		3	$\begin{bmatrix} 2\\9\\1 \end{bmatrix}$		2 9 1	1 4 1		1 4
173. Cold		1	1								2	2	1		1	2	2	1 4
181. Others, Electric																		
182. Murder by Firearms		1	1 1					1	 1 1				3		3	1 1		1 1
184 Murder, Other	1		1				1		1				•••					
186. Other Violence	6 3		6 3				6 3		6 3	2		2						
TOTAL CLASS XIII	108	29	137	8		8	116	29	145	41	10	51	52	12	64	54	13	67
CT. ASS VIV. III J. C																		
CLASS XIV.—Ill-defined Diseases. 187. Organic Lesion (not defined)																		
188. Sudden Death																		
TOTAL CLASS XIV		1	1							1		1				1		1
TOTAL DEATHS OF MALES, FEMALES, AND																1		1
PERSONS FROM ALL CAUSES	1,558	1,341	2,899	232	52	284	1,790	1,393	3,183	429	329	758	492	355	847	438	299	737

### No. XIX.—continued.

### Groups of Registry Districts of Queensland during the Year 1919 -continued.

Edgec	eumbe.	Ro	ocking	gham.	Pe	Yor		Ca	rpent	taria.		Cent	ral- ern.		Sou			Cent	ral.		Mara	noa.		Dov	vns.		TOTAL	s.
Males. Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males	Females.	Persons.	Males,	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females,	Persons.
1		2		  2 2													1		1				1 2 1		1 2 1 ——4	8 4  10 22	9 1 2 3 	17 5 2 13 37
1																							1	1	2	10	3 1	13 1   14
7 5		2 2	2 2	4	2 2	1 1	3	1 1	1 1	2 2				3		3	2 2	3 3	5 5	2 2		2 2	10	10	20	70 70	46	116
32 16 6 2  38 18	8	16 4 20	9	25 4  29	2 2		2 2  4	9 1 10	4	13 1 	1 1	3	4	2 2	1	3	7 3	4 1 5	11 4	6 4	7 7	13 4  17	26 5  31	23 4	49 9	250 64  314	178 34  212	428 98  526
29 27 29 27	56	17	6	23 23	9	4 4	13	11	4 4	15				3 3	1 1	4	15	4	19	11 11	3	14	24 24	18	42	292	194	486
3	2 3 7	 6 2  2 2  2 1 3 1			 1 1 1 2  1 				1					1		1 1 2 2		1	1	1	2	1	1 3 2 2 2 2 1 5 5 2 12 12		1 3 3 2	18	10 1 3 2 2 1 4 1 14 22 6 4 3 10 2 2 1 2 1 2 1 2 1 2 1 2 2 1 2	28
  555 298	853	285	107	392	 2 2 2 82	 1 1 42	3 3 124	164	42	206	58		73	 1 1 96	34	 1 1 130	 2 2 243	120	 2 2 363		64	219	   5ŏ0	425	975	5,337	 2 2 3,523	9 9 8,860

### TABLE

### Showing the AGES of MALES and

			Mor	ETON					WI	DE E	BAY.				Por	T CU	RTIS.			ED	GECU	MBE.		F	ROCKI	NGHA	M.
AGES.	Caboolture.	Fassifern.	Ipswich.	Logan.	Stanley,	Total.	Bundaberg.	Burnett.	Gympie.	Maryborough.	Nanango.	Tiaro.	Total.	Gladstone.	Mount Morgan.	Rockhampton.	St. Lawrence.	Total.	Bowen.	Kennedy.	Mackay.	Townsville.	Total.	Cairns.	Cardwell.	Herberton.	Total.

### MALES.

													•														
Under 1 year	6 4	3 1 1 ::	41 10 6 3 6	11 1 2 :i	6 1 	67 13 9 7 8	18 4 1 3 1	6 1 1	26 4 1 2 1	28 7 4 1 2	17 5 2 1		95 20 9 8 4	3 ·i ··	9 2	52 12 8 1		64 14 9 1 2	5 3 1 	18 4 2 	16 4 3 	35 4 1  2	74 15 7 3	26 3 5 	5 1	8 1 2 	39 4 7 · 1
Total under 5 years	10	6	66	15	7	104	27	8	34	42	25		136	4	13	73		90	9	25	23	42	99	34	6	11	51
5 to 10 10 to 15 15 to 20	2 1 2	·: 1 2	8 8 8	1 3 1		11 13 13	2 1 2		4 2 2 2	5 2	2 4	···	13 3 11	1 1 2	1 1 1	8 8 8		10 10 11	2	1 2 2	2 1 1	2 1 4	7 4 7	3 2 4	i	1 2	3 4 6
20 to 25 25 to 30	$\frac{1}{2}$	1 1	10 6	2	1 1	15 11	3 2	· · · · · · · · · · · · · · · · · · ·	3	2 2	2	·i	7 11	1 1	3	8 12	2	14 16	·i	2 4	2 5	6 10	10 20	3 4	1 1	$\frac{1}{2}$	5 7
30 to 35 35 to 40	1		12 11	2 3	2	17 14	$\frac{1}{2}$	1.5	5 3	5 8	1 8	::	13 26	1 1	$\frac{7}{4}$	12 21	2	22 27	· · · 2	4 11	3 7	9 12	16 32	9	2	7 4	18 11
40 to 45 45 to 50	1 2	1 1	9	2 1	1	14 15	9 9	2 6	3 4	4 7	2 4		20 30	$\frac{1}{2}$	$\frac{4}{7}$	12 19	3	20 28	5 3	8 12	10 15	18 13	41 43	8 17	2 4	3 5	13 26
50 to 55 55 to 60	3 2	i	21 24	3	1	28 30	5 7	1	3 5	4 13	3 3	1	17 28	2 1	3 4	22 21	3 2	30 28	8 5	9 16	14 13	17 18	48 52	16 10	3 6	5 7	24 23
60 to 65 65 to 70	$\frac{1}{4}$	2	24 18	6 3		33 26	7 6	3 4	13 6	11 9	3 2	i	37 28	2	3	16 12	3	22 17	4 5	11 18	14 7	18 12	47 42	18 12	2	7 9	27 22
70 to 75 75 and upwards Unspecified	9 ••	2 8 	15 32	i3 	2 2	21 64 ···	15 16	3 9	5 20	15 22	5	2	38 74	3 5	3 9	22 49	· · · · · · · · · · · · · · · · · · ·	28 65	2 2	10 17	10 12	19 15	41 46	9 12	4 5	$\begin{array}{c} 4 \\ 10 \\ 1 \end{array}$	17 27
Total Males	43	27	283	59	17	429	114	44	112	151	65	6	492	28	69	323	18	438	-	152	-			167	39	79	285

### FEMALES.

Under 1 year	i	2 1 1 	37 4 9 1 2	$\begin{bmatrix} 7 \\ \vdots \\ 1 \\ \vdots \\ 2 \end{bmatrix}$	2	54 5 12 1 4	9 1 1 2 1	3 1 1 2 1	13 7  i	23 6 3 2 1	11 3 3 1 2		59 18 8 7 6	3 1 	7 2 2 2	26 10 4 5 3	i 	$\begin{bmatrix} 36 \\ 14 \\ 6 \\ 7 \\ 3 \end{bmatrix}$	3 2	11 1 1	8 4 	$\begin{bmatrix} 21 \\ 5 \\ \vdots \\ 2 \\ 1 \end{bmatrix}$	43 12 1 2 2	10 2	5 1 	6	21 3  2
Total under 5 years	7	4	53	10	2	76	14	8	21	35	20		98	4	13	48	1	66	5	13	13	29	60	14	6	6	26
5 to 10 10 to 15 15 to 20			7 5 7	2 'i		10 5 11		i	3	3 3 2	3 1 1		9 5 6	2 2		4 4 5	1	5 6 7	1 1	2 1 3	3 2 1	2 2 6	8 6 10	3 1	 i	1	4 1 1
20 to 25 25 to 30		2	5 12	4 4	1 2	14 18	6 5	3	1 5	5 4	1 3		13 20	1 1	3	12 14	1	17 16	1 5	5 4	1 6	3 6	10 21	6 2	1		7 2
30 to 35 35 to 40		1	9 14	3	1	13 18	3 6	4	3	4 4	4	1	12 17	3	3 5	16 8		22 14		3 2	5	8 7	16 14	5 6	1	1 3	7 9
40 to 45 45 to 50	-	3	6 7	3 2	1	13 13	4	2 3	4	9 2	3 1		22 8	3	·i	14 8	1	18 10	i	5 4	3 6	5 8	13 19	3 7	1	3	7 8
50 to 55 55 to 60		1	9 6	2 3		13 10	3	3	$\frac{1}{2}$	4 4	4 2		16 12	1	3 1	13 9		17 10	1 1	4 2	3 4	3 3	11 10	2 4	·i	2 3	4 8
60 to 65 65 to 70		2 2	7 23	3 2	2 2	14 30	5 5	1	6.5	10 7	3	1	22 21	$\frac{1}{2}$	3 4	16 17		20	2	10	6 5	8 7	26 16	6	2		6 3
70 to 75 75 and upwards Unspecified	9	2 4	12 28 	8		22 49	5 10	1 1	1 17 	12 21 	2 3	`i	21 53	2 3	2 6	11 23	i	15 33	3 7	2 16	6 7	6 11	17 41	5 3	2	2 2	9 5
Total Females	36	21	210	51	11	329	71	28	73	129	51	3	355	27	45	222		299	29	79	76	114	298	68	15	24	107

## No. XX.

# FEMALES in Districts who Died during 1919.

Cook.

		-	0.10			10.		100				-
12	: - 00	2 1	12:	12:	⊢:	::	:::	:	:::::		Palmer.	YC
42	: 0000	w ca	: -	0100	1000	20 6	:	10	::::10		Somerset.	YORK PENINSULA.
82	10	00 07	733	62	44	6	ــــــــــــــــــــــــــــــــــــــ	12	::: +=		Total.	
00	:::	ω:	ю:	⊬:	լ:	: -		:	:::::	ELECTION .	Burke.	
77		00 07	10	74	6.2	·:	12:	16	12 12		Cloneurry.	C
14	: - 0	22.22	21	<u></u> :	⊣:	::	:::	-	::::		Croydon.	ARPE
14	: 41	<u>–</u> 23		_:	::	: -	:::	1	:::: -	_	Etheridge.	CARPENTARIA.
51	: 25	62	6.3	57.12	42	ಲ್ಲ	2: 1	7	:: 12: 57	_	Hughenden.	IA.
164	10 8	12 20	15 21	15	12	0 00	20 H	25	5		Total.	
67		<b>—</b> :	: :	: :	: :	: :		-		EACHE	Aramac (Part).	<b>₩</b> Ω
56	- 22	517	12-7	400	ಬ್ಲ	1000		6	: _ 3	_	Marathon.	CENTRAL- WESTERN.
500	122	6	10-71	400	ಬ –	1000		7	: -4		Total.	RN.
64	: 04	75	o 00	ೞ⊢	9.51	ಬ್ಲ	2112	9	:::⊢∞	- Contract	Charleville.	So
24	: .75:	41	6	: 1	10:	0101	:: 4	2	:::	M	Cunnamulla.	SOUTH-WESTERN
00	:::		10:	: _	_:	::	:::	12	<u> _:::</u>	MALE	Warrego.	WEST
96	410:	12	14	ಲು ಲು	125	ಲಾಲು	10 H 00	13	1:: 2	S	Total.	ERN.
106	12000	74	11 23	400	200	ಲು ಲು	∞ ⊢:	18	134	-	Aramac (Part).	
62	6	6	లు య	10	03 10	A:	2: 1	6	: : : : 6	_	Blackall.	0
44	: 00 +	6.51	511		22 1	21	: 12	4	: 1: 12		Clermont.	CENTRAL.
31	: 0010	0101	1212	$\vdash\vdash$	4 00	o:	: 12:	4	:: 121		Springsure.	AL.
243	16 22 3	15 21	322	20	13 10	12	0410	32	23 6 2		Total.	
39	: 00 07	16	4	12	ಲು ಲು	ಲು 🛏	<u>::</u>	57	∷ ⊢: д	ROBLO	Balonne.	8
116	: 120	् ज	111	10 7	97	24	10000	20	: 1: 72		Maranoa.	MARANOA.
155	: 50	11	12 17	oo 12	10 12	् ज	ಲು ಲು ಲು	25	16 7		Total.	TOA.
007	: 20 07	610	4-7	00 07	15	41	o: 1	25	16 5 1	Officeration	Dalby.	
	: 5710	~ ~	0100		: 22	::	:::	ಲ	: : : : : : : : : : : : : : : : : : : :		Darling Downs West.	
21						. 4	: : :	7	1: :: 6		Stanthorpe.	D
21 37	: 41			6	ठा ठा							0
21		1 9 1 21	1 15 18	1 8 6 14	5 7	12	10 4 9	67	. 49 111 2		Toowoomba.	Downs.
21 37	: 41							67 23	49 17 11 4 5 2 2			OWNS.

20 : 00 41 00 12 1: 10 ::: | 10 ::: | 10 |

### FEMALES.

-	19	: 22 -	2 57 20	1000	::		ு:	:::	-	::: :::
-	:	:::	::	::	::	::	::	:::	:	:::::
-	23	:: 10	22 12	1212	03 00	::	<b></b> :	: 21	OT	:::
1	42	: 100	73	4 5	0170		12:	: 22 -	6	::: 24
-	22	:::	::	::	::	::	::	:::	2	::::
1	22	:: -	2 1 2	121			23.23	: -:	6	::: 25
-	4	: ::		::	::	:::	::	:::	1	:: ::
-	6	:::	⊬:	::	::	լ:	::	⊢::	3	:::: 0
	00	: 10:	: _	::	::	::		:::	ω.	::
	42	: ∞⊢	4 00 4	2 1		221	ಲು ಲು	:	15	:: 22
	:	: : :	: :	: :	: :	: :	::		:	• • • • •
	15	: ::		: -	_:	ப:	: _	:::	00	26
	15	: ::		: -	⊢:	⊢:	: -	:::	00	::: 206
	25	:::	o ::	41	ಬ್ಲ	1212	ω÷	:	57	::: 1000
	9	:::	:01	: -	::	::	: _	:::	01	
	:	: : :	::	::	::	::	::	:::	:	:::::
	34	:::	o 12:	4 12	ಲು ⊢	22.01	ಬಾ	⊢⊢:	10	
	00	: 2	_ ::	101-	ಬ೦	ಲಾಲ		ల ⊢:	9	::: 12-7
	00	: 00 +	:	: 4	2020	12	ಲು ಲು	:::	11	: 1: 10
	24	: 12:	⊢ თ	571	::	: 12	: 12	-2:	07	: :: : 4
	25	: 12:	$\vdash$	: 10	: -	26	1010	10::	4	:: :: :: :: :: :: :: :: :: :: :: :: ::
	120	: 91	4 W C	-700	57.9	s 13	0 X	o w:	29	: 22 23
	11	:	:	⊢:	::	10:	::	• • •	or	
	550	: 61	0 4 C	0101	ಲು ಲು	eo 44	12	∞: ⊢	14	H: H07-7
	64	: ~10	w CT CO	0100	ಲು ಲು	000	12	ω: ⊢	19	1: 257
	59	: -11	၁ ၿပ	7:	⊢:	1000	ಲ್ಲ	C1 C2 44	14	1: 120
	11	:::	о : н	::	::	: 10		:::	4	::: 1000
	24	14:	o : 1	⊢:	⊢:	लल	121	⊢: ⊢	6	₽: ₽: ₽
	234	: 45	13	11 10	12	13	00 00	8 2 1	47	29 9 23 4
	97	: 1	00 4 a	9 4	1001	47	6	0000	23	17 22 17
	425	: 65	23	15 27	13	29 21	14 22	16 9 15	94	162 14 150 150

### TABLE No. XXI.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1919.

		1	1			l gi		100															,	TOTALS.	
CLASSES AND DISEASES.	year.					der 5 years															and upwards.	fled.			
	Under 1	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under	5 to 10.	10 to 15	15 to 20.	20 to 25	25 to 30	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75	75 and t	Unspecified.	Males.	Females.	Persons.
CLASS I.—General Diseases.										1	0	1	1	1		1							7	0	1.5
2. Typhus										1	2	1	1	1		1							7	8	15
4. Intermittent Fever																									
5 Share 11																								2	2
6. Measles	1		1			2			1														2 1	5	$\frac{7}{2}$
8. Whooping Cough	2	-	1 2	1	3	13	5																4 18	4 18	8 36
9a. Croup			2	1	3	12	2		4	3	13	18	15	5	18	9	7	7	6	2	2		123	101	224
10α. Pneumonic Influenza	4	1		1		6		2	1	5	2	15	3	6	4		2	1	1		1		49	36	85
12. Asiatic Cholera																									
14 Dygontomy														1				1					2	4	6
14a. Epidemic Dysentery																									
16. Yellow Fever																									
18. Erysipelas	1					1			1								1						3	2	5
19a. Dengue						1	1																	7	
21. Glanders and Farcy				1							1								1				4		11
99 Debies																									
25 Thighingsia ota		1				1	1	1															3	1	4
97 Davi Davi				1					•••																
28. Tuberculosis of the Lungs									1	4	15	7	14	7	13	8	7	7	1	3	2		89	60	149
30. Tuberculosis of the Meninges			1	1		2							2										4	2	2
32. Pott's Disease																									5
34. Tuberculosis of Other Organs							1			:::						2	1						4	3	7
26 Pachitis	2					2																	2		2
37. Syphilis	4	1				5				1	1				1	1	1	1			1		11	13	24 1
20 Cancon etc of the Mouth											1		1		1 4	3 5	3	6	5 5	5 3	2 6		26 41	3	29
41. Cancer, etc., Peritonæum, Intestines, et 42. Cancer, etc., of the Female Genital Organ	c												1	2			5		2	2			12	31	72 26
43. Cancer, etc., of the Breast															***									31 13	31 13
45. Cancer, etc., of other Organs					1	1							1	2	2	2	1	1	1 5	4	3 5		24	28	$\frac{8}{52}$
46. Other Tumours (excl. F. Genital Organ 47. Acute Articular Rheumatism	s)						1			1							···		1				$\frac{2}{2}$	1 4	3 6
40 Sanwey			*																1				1		1
50. Diabetes									1				1	1		1	1		2	1			8	16	24
52. Addison's Disease											 1	 1												2	2
54. Anæmia, Chlorosis																2	2	1	1 2		1		7	2 16	6 23
55. Other General Diseases	1					1												***							2
57. Lead Poisoning									1			3		1	2								6		6 2
58. Other Chr. Poisonings due to Occupation 59. Other Chronic Poisonings																									
TOTAL CLASS I	24	8	7	5	7	51	11	3	10	15	36	46	39	26	46	34	45	29	34	20	23		468	435	903
CLASS II.—Diseases of																									
the Nervous System and of the Organs of Special Sense.																									
41 Cina ala Manin citia		1	1			2 2	2 2						1										5	1	6
61a. Epidemic Cerebro-spinal Meningitis.								1					1	1			1						8	6	14
62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord			ï	ï		2	4				···	 1	 1			1	1	1 2			 1		1 14	3	4
64. Hæmorrhage of Brain, Apoplexy 65. Softening of the Brain									1			1		4	2	6	9	9	5	6	17		60	15 61	121
66. Paralysis without indicated cause							1		1					1		1	1		1		2		6	4 4	10 10
68. Other Forms of Mental Alienation														1		1	1						3	1 1	4 2
70. Eclampsia (non-puerperal)									2			1									1		4	î	5
71. Convulsions of Children under five		1	1			5														1			5	10	15
73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System			1			1		···	1						1				1				1 2	2	1 4
75. Diseases of the Eyes and Appendages 76. Diseases of the Ear	. 1					1																	4 1	3	7
Florer Criss II	-	3	4	1		13	9	2	5		1													1	1
TOTAL CLASS II	.		-	1		10	0	2	0		1	3	3	7	4	10	14	13	8	7	22		121	113	234

### TABLE No. XXI.-continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1919—continued.

	1	1	1			1	lear									1	1		1	1	1	1	1		
						years.															or.			TOTALS.	
CLASSES AND DISEASES.	l year.					er 5															and upwards.	fled.			
	Under 1	to 2.	to 3.	to 4.	to 5.	Total und	to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and 1	Unspecified.	Males.	Females.	Persons.
		-	67	60	4	I	50	1	1	22	22	35	8	1 94	4	00	55	9	199	7(	1	n	M	FI	- P(
CLASS III.—Diseases of the Circulatory System.																									
77. Pericarditis 78. Acute Endocarditis				•••		1	 1	1	1	2	2	 5		2		3							2 27		2
79. Organic Diseases of the Heart 80. Angina Pectoris							1	1	2	1	3	7	5	5	5	13	12	22	19	24	30		150	141	37 291 7
81. Dis. of Arteries, Atheroma, Aneurism, &c. 82. Embolism and Thrombosis											 1	2				1 2	5 2	3	5		8 2		24 7	11 8	35 15
83. Dis. of Veins (Varices, Varicose Ulcers, &c.) 84. Diseases of the Lymphatic System 85. Hæmorrhage																									
TOTAL CLASS III					1	<u></u>	2	2	3	3	6	14	9	7	6	19	26	27	26	24	41		216	171	387
CLASS IV.—Diseases of the Respiratory System.		0																							
86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx																								1	1
88. Diseases of the Thyroid Body 89. Acute Bronchitis 90. Chronic Bronchitis	8	2		1		11	1	``i		1					 1			1			2		18	2 7	$\frac{2}{25}$
91. Broncho-pneumonia	4	5	1	1	2	13	1		1	1			1		1		1	2	3	3	6		16 14	15 21	31 35
93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy	5	4	5	1	1	16	2		1		8	4	3	7	1	1	3	1	2	3	3		58 6	53	111
95. Gangrene of the Lungs								1			1					 1		 1			2		3	2	5 1
97. Pulmonary Emphysema 97a. Miner's Phthisis														1	1 2		 1						4 4	3	7
98. Other Diseases of the Respiratory System													ï				1						2	1	3
TOTAL CLASS IV	18	11	6	3	3	41	4	2	2	2	9	4	5	10	10	3	7	6	5	3	13		126	107	233
CLASS V.—Diseases of the Digestive System.												9													
99. Dis of Mouth and associated organs 100. Diseases of the Pharynx	1																							1	1
101. Diseases of the Esophagus 102. Ulcer of the Stomach														2	 1		 1	2							1 1
103. Other Dis. of Stomach (Cancer excluded) 104. Diarrhæa and Enteritis (under two years)	4	46	1			5 158								1		1					2		8 158	13	8 21
105. Diarrhœa and Enteritis (over two years) 106. Ankylostomiasis			6	2	1	8	2	1				 1					1		1	1	4		19	131 32	289 51
107. Intestinal Parasites																 1		1					2		1 <sub>2</sub>
108. Appendicitis 109. He nia, Intestinal Obstruction 110. Other Diseases of the Intestines	4		1			 5	3	2	1		1	2			2	1		 1			2		13 10	6	19 21
11!. Icterus Gravis											2					1					2	•	5	1	6
113. Cirrhosis of the Liver							ï					1	1	1	2	``i	i	2			3		13		21
115. Other Diseases of the Liver 116. Diseases of the Spleen	2					2	1						1 1	1	 1			1			4		9 2	3 7	5 16
117. Simple Peritonitis (non-puerperal) 118. Other Diseases of the Digestive System																	1				 1		1 2	7 4	2 8 6
TOTAL CLASS V	123	46	8	2	1	180	7	3	3		3	5	3	7	6	5	4	7	1	1	18		253	226	479
OLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																									
119. Acute Nephritis					1	1			1	3	5		2		1		1	1	1	1	1		18	15	33
120. Bright's Disease 121. Chyluria 122. Other Diseases of Kidneys and Adnexa									3	4	9	6	3	2	5	5	7	4	4	2	3		57	53	110
123. Calculi of Urinary System											1	1					1		1		3		4 3	5	9 3
125. Other Dis. of Urethra, Urin. Abscess, &c. 126. Diseases of the Prostate													2				1	2	2	3 1	5		15	4	19
127. Non-venereal Dis. of Male Genital Organs 128. Uterine Hæmorrhage (non-puerperal)										•••											3				5
130. Metritis and other Diseases of the Uterus																								4	 4 1
131. Cysts and other Ovarian Tumours 132. Other Dis. of Female Genital Organs																								4 4	4 4
133. Non-puer, Dis, of Breast (Cancer excepted)																									
TOTAL CLASS VI					1	1			4	7	15	7	7	2	6	-5	10	7	9	7	15		102	90	192
CLASS VIIPuerperal Condition																									
134. Accidents of Pregnancy																								3 2	3 2
136. Other Accidents of Childbirth 137. Puerperal Septicæmia																								1 6	1 6
138. Puerperal Albuminuria and Eclampsia 139. Puerperal Phlegmasia Alba Dolens																						(2)	8088	6	6
140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast																									•••
TOTAL CLASS VII																							•••	18	18

### TABLE No. XXI.-continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1919—continued.

	-		1							-con							1	1							
						years.															ds.			TOTAL	s.
CLASSES AND DISEASES.	Under 1 year.	to 2.	to	to 4.	to 5.	Total under 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Males.	Females.	Persons.
	1	-	2	60	4	L	10	1		01	61	1 00	1 00	4	4	1 10	10								
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.							A STATE OF THE STA											1	1		1		3	4	
42. Gangrene 43. Carbuncle 44. Phlegmon, Acute Abscess 45. Other Diseases of the Skin and Adnexe						 1			1					1	 1								1 <sub>3</sub>	1 1 1	
TOTAL CLASS VIII	-		-			1			1					1	1			1	1		1		7	7	1
CLASS IX.—Diseases of the																									
Organs of Locomotion.  46. Non-tuberculous Diseases of the Bones  47. Arthritis and other Dis. of Joints		2	1			2		1	1								1						5		
48. Amputation 49. Other Dis. of Organs of Locomotion											•••														
TOTAL CLASS IX		2	ļ			2		1	1								1						5	1	
CLASS XMalformations.																									
60. Congenital Malfor. (excl. of Stillborn)	9	2				11																	11	10	
TOTAL CLASS X	9	2	-			11																		10	- 2
CLASS XIInfancy.																									
1. Congenital Debility, Icterus, and Scleroma 2. Other Dis. Pec. to Infancy (un. 3 mths.) 3. Want of Care (Infants)	73 18 					73 18																•••	73 18	58 18	1:
TOTAL CLASS XI	91					91																	91	76	1
CLASS XII.—Old Age.																							6450		
4. Senile Debility																1		2	3	4	40		50	57	10
TOTAL CLASS XII																1		2	3	4	40		50	57	10
CLASS XIIIViolence.																							1011		
5. Suicide by Poison 3. Suicide by Asphyxia 7. Suicide by Hanging or Strangulation											 	1	3	1				1		1			7	4	1
8. Suicide by Drowning 9. Suicide by Firearms									1	 1	 1	1		1 1		 1				 1			$\begin{bmatrix} 2\\1\\8 \end{bmatrix}$		
). Suicide by Cutting Instruments Suicide by Precipitation from a Height																	1		1				2		
2. Suicide by Crushing											1														
Poison by Food			·			ï	1																2		
Incendiarism	2	3	1	 1		7																	7		
8. Noxious Gases				1		1	2		2			3	2	1	1	ï	·	4	ï						
Cuts and Stabs								1				1											2		
. Falls					1	1				3		3	2		1	2				1	5		17	8	
. Machinery							2	1	···	2	···	1	 1	3			1	2					1 14	2	
a. Railways and Tramways			 1			1	1		 1	1	2	1	1			1	1			1	1		8	2	1
Starvation																							5		
Sunstroke																							0	1	
. Others, Electric																									
a. Timber Felling, Logging, etc Murder by Firearms																									
. Murder by Cuts										1	1												1 1		
Fractures, etc									1	 1		1			 1		1	1					6		
a. Wounds Received in Battle TOTAL CLASS XIII	2	3	3	 2	1	11	6	2	6	9	8	14	1 10	7	4	5	5	8	1 3	4	6		108	29	1
ASS XIV.—Ill-defined Diseases					W. Carlotte and Ca															-1		Luc:	100		1
Organic Lesion (not Defined)																									
3. Sudden Death																									
TOTAL CLASS XIV																								1	
							-												•••					1	
TOTAL DEATHS OF MALES FROM ALL					1																				

### TABLE No. XXII.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1919.

				r.					5 years.															rds.			TOTALS	
CLASSES AND DISP	CASES.			Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Females.	Males.	Persons.
CLASS I.—General	Dise	ases.																										
1. Typhoid Fever 2. Typhus						1			1	2	3					1			1		7					8	7	15
3. Recurrent Fever																											•••	
4. Intermittent Fever 4a. Malarial Cachexia											1									1						2		2
5. Small-pox 6. Measles					3	1			4		1													•		5	2	7
7. Scarlet Fever		• • •		4			1		1 4																	1	1	2
9. Diphtheria				1	8	4	1	1	15	3																18	18	8 36
$9\alpha$ . Croup 10. Influenza				3	4	3			10	6	5	1	10	17	13	13	7	5	3	 1	4	2	2	2		101	123	224
10a. Pneumonic Influenza				1	1	1			3	1	1	2	5	5	4	5	1	1	2	3	1	1	1			36	49	85
11. Miliary Fever 12. Asiatic Cholera																												
13. Cholera Nostras 14. Dysentery										1												···	1	···			2	
14a. Epidemic Dysentery																												
16. Yellow Fever																												
17. Leprosy 18. Erysipelas				2					2																	2	3	5
19. Other Epidemic Diseases																												
19a. Dengue 20. Furulent Infection and Se	pticæ	mia				2			2		2			ì	1	1										7	4	11
21. Glanders and Farcy 22. Malignant Pustule and "G																			.,									
23. Rabies																												•••
24. Tetanus 25. Trichinosis, etc								1	1																	1	3	4
26. Pellagra																												
27. Beri Beri 28. Tuberculosis of the Lung.	s											1	10	11	10	5	4	6	4	2	5	1	1			60	89	149
29. Tuberculosis, Acute Milia 30. Tuberculosis of the Meni	ry				1	1			2																		2	2
31. Tuberculosis, Abdominal,	etc.																			1						$\frac{2}{1}$	4	2 5
32. Pott's Disease 33. White Swellings																												
34. Tuberculosis of other Org	ans												1						1			1				3	4	7
35. General Tuberculosis 36. Rachitis																										***	2	2
37. Syphilis				10					10						1	1		1								13	11	24
38. Gonococcic Dis. 39. Cancer, etc., of the Mouth	a														1				ï	1							1 26	$\frac{1}{29}$
40. Cancer, etc., of the Stoma 41. Cancer, etc., Peritonæum,	ch an	d Liver													2	2	1	3 2	1 2	1 2	5 2	6	2	8		31	41	72
42. Cancer, etc., of the Female	e Geni	tal Orga	ans												2	1	1	1	5	11	8	1	3	3		14 31	12	26 31
43. Cancer, etc., of the Breas 44. Cancer, etc., of the Skin	t																2		3	4	1	2	 1	1 2		13	4	13
45. Cancer, etc., of other Org	ans											ï			1	1	3	2	5	4	2	4	3	3		28	24	52
46. Other Tumours (excl. F. 47. Acute Articular Rheumat	ism	ıı Orga	ns)							1						1		1				1				1 4	2 2	3 6
48. Chronic Rheumatism and 49. Scurvy	Gout																										1	1
50. Diabetes				•••						1					1				3	1	4	4	1	1		16	8	24
51. Exophthalmic Goître 52. Addison's Disease																		1		1						2		2
53. Leucæmia 54. Anæmia, Chlorosis							1		-:: 1	 1	1				1		1 1	2	2	3						2	4 7	6
54a. Filaria																										16		23
55. Other General Diseases 56. Acute and Chronic Alcoho	olism				1				1																	1	1 6	2 6
57. Lead Poisoning 58. Other Chr. Poisonings due								1	1																	1	1	2
59. Other Chronic Poisonings		cupatio	ons																									
TOTAL CLASS I			***	21	18	13	3	3	58	16	14	5	27	37	38	31	22	25	34	36	27	25	16	24		435	468	903
CLASS II.—Dise																												
the Nervous System	and	of th	е																									
O STOCKS BY SUCH		ise.																										
Organs of Specia				1 3	 1		1		1 5						1											1 6	5 8	6
Organs of Specia 60. Eucephalitis 61. Simple Meningitis																												
Organs of Specia 60. Eucephalitis	Manin					2		2	5			2	···	ï	1		···	1	1	1	1	2		 1		3 15	$\frac{1}{14}$	4 29
Organs of Specia 60. Encephalitis 61. Simple Meningitis 61a. Epidemic Cerebro-spinal 62. Progressive Locomotor At 63. Other Diseases of the Spi	Menin	 ba		1								1			1	1	2	2		8	13	7	9	17		61	60	121
Organs of Specia 60. Encephalitis	Menin axia nal Co oplex	rd y															1							3		4	10	10
Organs of Specia  60. Encephalitis	Meningaxia nal Co coplexy	rd y se														1.01	1					1		2		4	6	10
Organs of Specia  60. Eucephalitis	Menin axia nal Co oplexy	rd y se													1							1				1	6 3	10 4
Organs of Specia 60. Encephalitis 61. Simple Menigitis 61a. Epidemic Cerebro-spinal 62. Progressive Locomotor At 63. Other Diseases of the Spi 64. Hæmorrhage of Brain, Ap 65. Softening of the Brain 66. Paralysis without indicate 67. General Paralysis 68. Other Forms of Mental A 69. Epilepsy	Menin axia nal Co coplexy ded cau	rd y se																				1		2			6	10
Organs of Specia  60. Eucephalitis  61. Simple Meningitis  61a. Epidemic Cerebro-spinal  62. Progressive Locomotor At  63. Other Diseases of the Spin  64. Hemorrhage of Brain, Ap  65. Softening of the Brain  66. Paralysis without indicate  67. General Paralysis  68. Other Forms of Mental A  69. Epidepsy  70. Eclampsia (non-puerperal  71. Convulsions of Children  71. Convulsions of Children  71. Convulsions of Children	Menin nal Co coplexy ed cau	rd y se  ion										i		•••	1				 1 			1				1 1 1	6 3 1 4 	10 4 2 5
Organs of Specia 60. Encephalitis 61. Simple Meningitis 61a. Epidemic Cerebro-spinal 62. Progressive Locomotor At 63. Other Diseases of the Spi 64. Hæmorrhage of Brain, Ap 65. Softening of the Brain 66. Paralysis without indicate 67. General Paralysis 68. Other Forms of Mental A 69. Epilepsy 70. Eclampsia (non-puerperal 71. Convulsions of Children 72. Chorea	Meninaxia nal Copplexy ed cau lienat	rd y se ion  five		   4								1		•••	1				 1			1				1 1 1  10	6 3 1 4  5	10 4 2 5  15 1
Organs of Specia 60. Encephalitis 61. Simple Meningitis 61a. Epidemic Cerc bro-spinal 62a. Progressive Locomotor At 63. Other Diseases of the Spin 64. Hemorrhage of Brain, Ap 65. Softening of the Brain 66. Paralysis without indicate 67. General Paralysis 68. Other Forms of Mental A 69. Epidepsy. 70. Eclampsia (non-puerperal 71. Convulsions of Childreu 72. Chorea 73. Hysteria, Neuralgia, and 74. Other Diseases of the Ne	Meninaxia nal Cooplexy ded cau lienat under Neuritryous	rd y se ion five cis System						3	10			i ::-			1			···· ··· ··· 1	1			1	··· ··· ··· 1			1 1 1 	6 3 1 4  5	10 4 2 5 
Organs of Specia 60. Encephalitis 61. Simple Meningitis 61a. Epidemic Cerebro-spinal 62. Progressive Locomotor At 63. Other Diseases of the Spi 64. Hæmorrhage of Brain, Ap 65. Softening of the Brain 66. Paralysis without indicate 67. General Paralysis 68. Other Forms of Mental A 69. Epilepsy 70. Eclampsia (non-puerperal 71. Convulsions of Children 72. Chorea 73. Hysteria, Neuralgia, and 74. Other Diseases of the Ne 75. Diseases of the Eyes and	Meninaxia nal Copplexy ded cau lienat under Neuritryous	rd y se ion five iss System		  4	3			3	10			i i 			1			  1	 1 			1				1 1 1  10  2	6 3 1 4  5 1 2 4	10 4 2 5  15 1 4 7
Organs of Specia 60. Encephalitis 61. Simple Meningitis 61a. Epidemic Cerc bro-spinal 62a. Progressive Locomotor At 63. Other Diseases of the Spin 64. Hemorrhage of Brain, Ap 65. Softening of the Brain 66. Paralysis without indicate 67. General Paralysis 68. Other Forms of Mental A 69. Epidepsy. 70. Eclampsia (non-puerperal 71. Convulsions of Childreu 72. Chorea 73. Hysteria, Neuralgia, and 74. Other Diseases of the Ne	Meninaxia nal Co coplexy ed cau lienat under Neurit rvous Apper	rd y se ion five iss System		  4	3			3	10			ī i			1			···· ··· ··· 1	1			1	··· ··· ··· ··· ···		ion	1 1 1  10  2	6 3 1 4  5 1 2 4	10 4 2 5  15 1 4 7

### TABLE No. XXII.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1919—continued.

CLASS III.—Discoarse of the Circuminary System.  72. Action Professional Control of the Circuminary System.  73. Action Professional Control of the Control		1	1	1	uui	1116	1 .		Cui	10.		001					1	1					1			
CLASS III.—Diseases of the Care of the Car		:																				urds.			TOTALS	
Creatistory System.  7. Postacables  8. Brane Arthura, Assemble of the Rest of	CLASSES AND DISEASES.	-	to	to	to	to		to	10 to 15.	to	to	to	to	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.		to	to	and	Unspecified.	Females.	Males.	Persons.
22. Pentandillis								ORGANISTANIA															-			
720. Organic Discusses of the Intert  Amenine Months Alberton  Amenine Months Alberton  Amenine Months Alberton  Amenine Months  Amenine  Am	77. Pericarditis																									2 37
## 15. Bod A Access, Athericals, Atherical	79. Organic Diseases of the Heart											9	9	4	6	62	11	12	18	18	19	30		141	150	291
SS. Discost of the hypothesis (System)  **Total Class III.**  **CLASS IV.—Discosses of the Respiratory System.**  **S. Discosses of the largest several control of the property of the propert	81. Dis. of Arteries, Atheroma, Aneurism, etc.																1		2		3	5				35 15
## TOTAL CLASS III.	83. Dis. of Veins (Varices, Varicose Ulcers, etc.)																									
CLASS IV.—Diseases of the Respiratory System.  St. Diseases of the Turnord Body  St. Diseases of the Lunes  St. D	85. Hæmorrhage	-	-	-		-		. —			-				-					-		-				397
Respiratory System.  5. Disease of the Naval Posse  5. Disease of the Laryax  6. Carlotte Berednins  6. Carlotte Berednins  6. Carlotte Berednins  7. Disease of the Laryax  8. Disease of the Laryax  9. Disease of the Laryax  9. Disease of the Laryax  9. Disease of the Disease of Disease	TOTAL CLASS III						-							-	-						20					507
\$5. Bissare of the Laryan, \$5. Accesses of the Laryan, \$5. Access of t							BOX DO COMMENT OF THE PROPERTY																			
SA Acute Brouchitis  3			1 000				9																			1
96. Broncho-premiuman.	89. Acute Bronchitis	3		2			5	1			1															25
St.   Peterles	91. Broncho-pneumonia						9	1				1				2	1	1	3	1	1	1		21	14	31 35
93. Gangree of the langes	93 Pleurisy																1			1				2	6	8 5
95. Palmoury Employeems 96. Other Discoses of the Palmytian and associated organs 1	95. Gangrene of the Lungs																								1	1 7
CLASS V.—Diseases of the Digestive System.  93. Bis. of Municipal and Associated organs  1	97. Pulmonary Emphysema 97a. Miner's Phthisis																								4	4
CLASS V.—Disenses of the   Digestive System   1								3																		233
Digestive System.  9. bis of Month and associated organs  1	CLASS V.—Diseases of the																									
100, Diseases of the Pharynx	Digestive System.			1			1																			,
102. Here of the Stomach	100. Diseases of the Pharynx																								1	1
104. Diarrhosa and Exteritis conder two years   96   55	102. Ulcer of the Stomach																							1		8 21
106. Ankylostomiasis	104. Diarrhœa and Enteritis (under two years)	96		7																				131	158	289
108. Appendicitis	107. Intestinal Parasites																									1
110. Other Diseases of the Intestines	108. Appendicitis	-									2														13	19
112, Hydatid Tumours of the Liver	110. Other Diseases of the Intestines																						3000107	1	5	6
114. Biliary Calculi	112. Hydatid Tumours of the Liver																									21
117. Simple Peritonitis (non-puerperal)	114. Biliary Calculi				 1		2										1		1	1				3	2	5 16
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.  119. Acute Nephritis	117. Simple Peritonitis (non-puerperal)									1		4		1										7	1	2 8
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.  119, Acute Nephritis		-					-	-		-																479
Adnexa.  19. Acute Nephritis																										
120. Bright's Disease	Adnexa.																									
122. Other Dis. of Kidneys and Adnexa   1	120. Bright's Disease						1 1										3		2	2 2	 1					33 110
124. Diseases of the Bladder   125. Other Dis. of Urethra, Urin. Abseess, etc.   126. Diseases of the Prostate   127. Non-venereal Dis. of Male Genital Organs   128. Uterine Hemorrhage (non-puerperal)   128. Uterine Hemorrhage (non-puerperal)   129. Uterine Humorrhage   129. Uterine	122. Other Dis. of Kidneys and Adnexa			1															i					5	4	9
126. Diseases of the Prostate	124. Diseases of the Bladder																		1	1				4		3 19
128. Uterine Hiemorrhage (non-puerperal)   129. Uterine Tumour (non-cancerous)   130. Metritis and other Diseases of the Uterus   131. Cysts and other Ovarian Tumours   132. Other Diseases of the Uterus   132. Other Puerperal Gendition   133. Non-puer, Dis. of Breast (Cancer excepted)   134. Non-puer, Dis. of Breast (Cancer excepted)   135. Puerperal Hemorrhage   136. Other Accidents of Pregnancy   137. Puerperal Hemorrhage   14. Non-puer, Dis. of Breast (Cancer excepted)   138. Puerperal Hemorrhage   14. Non-puer, Dis. of Breast (Cancer excepted)   14. Non-puer, Dis. of Breast (Cancer excepted)   15. Puerperal Hemorrhage   15. Puerperal Hemorrhage   15. Puerperal Hemorrhage   15. Puerperal Septicæmia   15. Puerperal Septicæmia   15. Puerperal Albuminuria and Eclampsia   15. Puerperal Albuminuria and Eclampsia   15. Puerperal Albuminuria and Eclampsia   15. Puerperal Albuminuria (Base)   15. Puerperal Albuminuria (Base)   15. Puerperal Diseases of the Breast   15. Puerperal Di	126. Diseases of the Prostate 127. Non-venereal Dis. of Male Genital Organs																								5	5
130. Metrits and other Diseases of the Oterus   1	129. Uterine Tumour (non-cancerous)																									4
133. Non-puer, Dis. of Breast (Cancer excepted)	131. Cysts and other Ovarian Tumours													1												1 4
CLIASS VII.—Puerperal Condition:    34. Accidents of Pregnancy							1 2																			4
34. Accidents of Pregnancy	TOTAL CLASS VI	1		2			3			4	13	13	11	6	7	7	5	5	6	6	1	3		90		192
134. Accidents of Pregnancy	CLASS VII.—Puerperal Condition																									
136 Other Accidents of Childbirth	134. Accidents of Pregnancy																									3
1 2 1 1 1   1   1   1   1   1   1   1	136. Other Accidents of Childbirth																							1		2
140. Other Puerperal Accidents, Sudden Death	138. Puerperal Albuminuria and Eclampsia									1	2	1	1	1												6
TOTAL CLASS VII 1 3 5 5 2 2	140. Other Puerperal Accidents, Sudden Death																									
	m O VIII																							18		18

### TABLE No. XXII.—continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1919—continued.

						5 years.	000000000000000000000000000000000000000														ds.			TOTAL	is.
CLASSES AND DISEASES,	Under 1 year.	to 2.	0 3.	to 4.	to 5.	Total under	to 10.	10 to 15.	to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	to 75.	75 and upwards.	Unspecified.	Females.	Males.	Persons,
	Ur	1 t	2 to	3 5	4	To	5 t	10	15	20	25	30	35	40	45	09	55	60 1	65 1	70 to	75 8	Un	Fer	Ma	Per
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																									
142. Gangrene 143. Carbuncle											1					1					3 1		1 1 1	3 1 3	2
TOTAL CLASS VIII											1	1				1					4		7	7	14
CLASS IX.—Diseases of the Organs of Locomotion.  146. Non-tuberculous Diseases of the Bones 147. Arthritis and other Dis. of Joints 148. Amputation 149. Other Dis. of Organs of Locomotion  TOTAL CLASS IX																			1				  	5	6
CLASS XMalformations.		. —				CONTROL TABLE TABLE TO SERVICE STATES												•••						-	
150. Congenital Malfor. (excl. of Still-born)  TOTAL CLASS X	8		1			9	1																10	11	21
CLASS XI.—Infancy.  151. Congenital Debility, Icterus, and Scleroma 152. Other Dis. Pec. to Infancy (un. 3 mths.) 153. Want of Care (Infants)	58 18 					58 18																•••	58 18	73 18 	131 36 
TOTAL CLASS XI	76	***				76																	76	91	167
CLASS XII.—Old Age.						-		-										1	1	8	47		57	50	107
TOTAL CLASS XII																		1	1	8	47		57	50	107
CLASS XIII.—Violence.  155. Suicide by Poison 156. Suicide by Asphyxia									1			1						1	1				4	7	11
157. Suicide by Hanging or Strangulation																1							1	2	3
158. Suicide by Drowning 159. Suicide by Firearms																								1 8	1 8
160. Suicide by Cutting Instruments 161. Suicide by Precipitation from a Height																								2	2
162. Suicide by Crushing										1															
164. Poison by Food																								1	2
165. Ven. Creatures and other acute Poisons 166. Incendiarism														1									1	2	3
167. Burns					1	1	1		1								1	2					6	7	13
169. Drowning													1										1	19	20
171. Cuts and Stabs															1		1	1		···	4		8	17	25
173. Mines and Quarries																								1 1	1 1
175. Railways and Tramways					1	1							1										2 2	14 8	16 10
176. Animals						1														1			1	5	6
177. Starvation																									
179. Sunstroke	1					1																	1		1
181. Others, Electric 181a. Timber Felling Logging etc.																									
183. Murder by Firearms					1	1																	1		1 1
184. Murder, Other																								1	1
185. Fractures, etc. 186. Other Violence																								6	6
186a. Wounds Received in Battle TOTAL CLASS XIII.	1			 1	3	- 5	1		2	1		1	2	1	1	1	2	4	1	2			29	108	$\frac{3}{137}$
						ALL PROPERTY AND A PROPERTY OF THE PERSON NAMED IN COLUMN NAME							-			-									
CLASS XIV.—Ill-defined Diseases.  187. Organic Lesion (not Defined)  188. Sudden Death  189. Unspecified or Ill-defined Causes of Death						CONTRACTOR STATE OF THE STATE O										 1							 ï	e	
TOTAL CLASS XIV													[			1						.0. 8	1		1
TOTAL DEATHS OF FEMALES FROM ALL						100					-											1111111	HO96		
CAUSES	228	67	32	9	13 3	349	23	20	19	55	70	88	57	45	50	70	75	93	75	81	171		1,341	1,558	2,899

### TABLE No. XXIII.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1919.

CLASS 1. General Diseases.    Traject Fore								years.				COL														TOTALS.	
CLASS 1.—Genoral Diseases.  I Typkold Peter	CLASSES AND DISEASES.		-	2.			ŏ.	under 5	10.	. 15.	. 20.	25.	30.	35.	. 40.	. 45.	. 50.	55.	. 60.	. 65.	0 70.	0.75.	nd upwards	pecified.	sons.	68.	ales.
1			Und		2 to	3 to	4 to	Tota	5 to	10 to	15 to	20 to	25 to	30 to	35 to	40 to	45 to	50 to	55 to	60 to	65 to	70 to	75.8	Uns	Pers	Mal	Fen
54. Anemia, Chlorosis	1 Typhoid Fever		3	\$\frac{1}{\cdots} \cdots \cd	1		3	TetoL 1	2	01 3	\$\frac{1}{2}\$ \\ \frac{1}{2}\$	1	2	\$\frac{1}{\cdots}\$	2	1 1	\$\frac{9}{4}\$	2				02	12		15	7	8
57. Lead Poisonings 68. Other Chr. Poisonings due to Occupations 59. Other Chr. Poisonings 69. Other Chr. Poisonings 60. Encephalitis 60. Encephalitis 61. Simple Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 61. Simple Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Haemorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Orms of Mental Alienation 68. Other Orms of Mental Alienation 68. Other Orms of Mental Alienation 69. Conversion of Mental Alienation 60. Encephalitis 60. Encephalitis 61. The Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Haemorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. Convulsions of Children under five 67. Epilepsy 67. Convulsions of Children under five 67. A dother Diseases of the Nervous System 67. Diseases of the Ear 68. Diseases of the Nervous System 69. Diseases of the Nervous System 60. Diseases of the Nervous System 61. Diseases of the Nervous System 62. Diseases of the Nervous System 63. Diseases of the Ear 64. Diseases of the Nervous System 64. Diseases of the Ear 65. Diseases of the Ear 66. Diseases of the Ear 67. Diseases of the Ear 68. Diseases of the Ear 68. Diseases of the Ear 69. Diseases of the Ear 69. Diseases of the Ear 60. Diseases of the Ear	54. Anæmia, Chlorosis 54a. Filaria		 1	 1		1		2	1	1		1		1		1	2	4			2				23	7,	16
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.  60. Encephalitis	58. Other Chr. Poisonings due to Occupation																									1	1
the Nervous System and of the Organs of Special Sense.  60. Encephalitis		-			2)								-														
61. Simple Meningitis	the Nervous System and of th	ıe						A STATE OF THE STA																	neric neric		
TOTAL CLASS II 14 7 6 2 5 34 11 2 9 2 2 7 4 11 9 12 24 27 18 17 45 234 121 113	61. Simple Meningitis 61a. Epidemic Cerebro-spinal Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hæmorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation 69. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 72. Chorea 73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System 75. Diseases of the Eyes and Appendages 76. Diseases of the Ear		4  1   7  1 	2	3       	1	2	7	2 4 1	1	2 2 1 3 1 1	···· i i ··· ·· ·· ·· ·· · · · · · · ·	··· 2 ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	1 1 2 1 1	1	1 6  1 1 1 	1 4	2 6 1 1 1 1 	1 2 17 2 1 1	2 2 2 22 1 	2 12 1 2 	15     	2 34 5 3  1 		14 4 29 121 10 10 4 2 5 15 1 4 7 1 1	8 1 14 60 6 6 6 3 1 4 5 1 2 4 1	3 15 61 4 4 1 1 1 1 10 2 3 1

### TABLE No. XXIII.-continued,

causes of Deaths of Persons, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1919—continued.

						. 0		rea		020	00	711 01.	iiuci	u.											
CLASSES AND DISEASES.	year.					under 5 years.	A de la constante de la consta														and upwards.	led.		TOTAL	s.
	Under 1	to 2.	10 3.	50 4.	to 5.	Total ur	to 10.	10 to 15.	to 20.	to 25.	to 30.	30 to 35.	to 40.	to 45.	to 50.	to 55.	to 60.	to 65.	to 70.	to 75.	and u	Unspecified.	Persons.	Males.	Females.
	<u> </u>	1-1	2 to	3 to	1 4	To	5 1	10	15	20	25	30	35	40	45	20	55	- 60	9	102	75	Un	Pel	Ma	Fer
CLASS III.—Diseases of the Circulatory System.																									
77. Pericarditis					1		1			2	3	7	6	3	2	4						,	2	2	0
79. Organic Diseases of the Heart 80. Angina Pectoris							1		3	3		16		11	7	24		40	2	43	60		37 291 7	27 150 6	10 141 1
81. Dis. of Arteries, Atheroma, Aneurism, etc. 82. Embolism and Thrombosis 83. Dis. of Veins (Varices, Varicose Ulcers, etc.)											1	2				2 2	5 3	5 2	1	3	13		35 15	24 7	11 8
84. Diseases of the Lymphatic System 85. Hæmorrhage						1						•													
TOTAL CLASS III					1	-	2	-	4	5	16	25	16	-	9	32	41	49	45	49	77		387	216	171
CLASS IV.—Diseases of the Respiratory System.							NAME OF TAXABLE PARTY.																		
86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx										1													1		1
88. Diseases of the Thyroid Body 89. Acute Bronchitis 90. Chronic Bronchitis		2	2	1		16	2 1		 1	2 2			 1		1 1	1 2	1	1	3		2		25	18	2 7
91. Broncho-pneumonia 92. Pneumonia	0	10 7	1 7	1 2	2 2	22 26	1	3	2		1 14	15	6	9	2 7	1 2	1 2 3	3 3 2	1 3	1 8	14 1 8		31 35 111	16 14 58	15 21 53
93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy	1					1					···	1		1	1	2	1	1	1 1		2	•••	8 5	6 3	2 2
95. Gangrene of the Lungs						1		1						1	1	 1		2	"i	1			1 7	1 4	
97a. Miner's Phthisis										1			··· 1	1	2		1 1						 4 3	4 2	
TOTAL CLASS IV	28	19	10	4	4	65	7	5	3	6	16	16	8	12		9	10	12	10	12	27		233	126	107
														-											
CLASS VDiseases of the Digestive System.																									
99. Dis. of Mouth and associated organs 100. Diseases of the Pharynx			1			1																	1		1
101. Diseases of the Œsophagus 102. Ulcer of the Stomach														2		2	 1	1 2					1 8	7	1
103. Other Dis. of Stomach (Cancer excluded) 104. Diarrhœa and Enteritis (under two years)	9 208	1 81	3			13 289	2							1			1	1		2	3		21 289	8 158	13 131
105. Diarrhea and Enteritis (over two years) 106. Ankylostomiasis 107. Intestinal Parasites		•••	13	4	2	19		1				1	1		1		2		4	5	15		51	19	32
107a. Sprue 108. Appendicitis							3	··· 5	2	2	2	2			2	1		1					 2 19	 2 13	
109. Hernia, Intestinal Obstruction 110. Other Diseases of the Intestines	5		1			6			1		2	2	2			1 1		1	3	1	4 2		21 6	10 5	11
111. Ieterus Gravis 112. Hydatid Tumours of the Liver											•••	2	 1												
114. Biliary Calculi 115. Other Diseases of the Liver	2	 1		 1		 4	1 1						1	1 1 1	4	1	1 2	2 2	ï	1 2	4		21 5 16	13 2 9	8 3 7
116. Diseases of the Spleen 117. Simple Peritonitis (non-puerperal)									 1	i	4		1		1		1						2 8	2	7
118. Other Diseases of the Digestive System  TOTAL CLASS V	995	83	18	 5	2	333	 7	6	4	3	9	10	1 8	_1	•••	1					1		6	2	4
TOTAL CLASS V	225		18			333					9	10			10	12	8	10	8	11	33		479	253	226
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																									
119. Acute Nephritis	1		1		1	3			1 7	5 13	7 20	$\begin{array}{c} 2 \\ 14 \end{array}$	2 7	2 2	2 9	8	2 10	1 6	3 6	1 3			33 110	18 57	15 53
121. Chyluria 122. Other Dis of Kidneys and Adneys			1			1					ï	···		2	 1		1	1	1					4	
123. Calculi of Urinary System													2			2		3	3	3	5		3 19	3 15	4
127. Non-venereal Discof Male Genital Organs																		•••	1	1	3		5	5	•••
129. Uterine Hæmorrhage (non-puerperal)														2				···					4		4
130. Metritis and other Diseases of the Uterus 131. Cysts and other Ovarian Tumours 132. Other Dis. of Female Genital Organs												1	1					1	···				1 4		1 4
155. Non-puer. Dis. of Breast (Cancer excepted)										2			1	1									4		4
TOTAL CLASS VI	1		2		1	4			8	20	28	18	13	9	13	10	15	13	15	8	18		192	102	90
CLASS VII.—Puerperal Condition.					CPC CANCELLE	and the same of th																		10	
134. Accidents of Pregnancy												2											3	In In	3
136. Other Accidents of Childbirth 137. Puerperal Senticaemia										1	1 3	2	1	 1									2   1   6		$\begin{array}{c} 2 \\ 1 \\ 6 \end{array}$
138. Puerperal Albuminuria and Eclampsia 139. Puerperal Phlegmasia Alba Dolens									1	2	1	1	1										88A6	Lion	6
140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast												•••													
TOTAL CLASS VII									1	3	5	5	2		-						-		18		18
					1	9												1		- (					

### TABLE No. XXIII.-continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1919—continued.

						LTS.																		TOTAL	s.
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.
			1 64	63	4	NATURALITY OF THE PROPERTY OF	43			24	04	1	1	1 4	1 6	1									
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.						Constitution of the Consti																			
142. Gangrene						4					1			1				1	1		4		7 2	3 1	4
144. Phlegmon, Acute Abscess 145. Other Diseases of the Skin and Adnexa		1				1			1			1			1						1		1 4	3	
TOTAL CLASS VIII		1				1			1		1	1		1	1	1		1	1	/	5	•	14	7	7
CLASS IX.—Diseases of the																									
Organs of Locomotion.  146. Non-tuberculous Diseases of the Bones		2				2		1	1								1		1				6	õ	1
147. Arthritis and other Dis. of Joints 148. Amputation 149. Other Dis. of Organs of Locomotion																									
		2		•••		2		1	1								1		1				6	5	1
TOTAL CLASS IX		_				4000																			
CLASS XMalformations.	17	9	1			20	,																21	. 11	10
150. Congenital Malfor. (excl. of Still-born)  Total Class X	$\frac{17}{17}$	3 3	1			20	1								-			-					21	11	10
TOTAL CLASS A					-		_																		
CLASS XI.—Infancy.																					,				
151. Congenital Debility, Icterus, and Scleroma 152. Other Dis. Pec. to Infancy (un. 3 mths.) 153. Want of Care (Infants)	36					131 36																	131 36	73 18	58 18
TOTAL CLASS XI	167					167																	167	91	76
																			-						
CLASS XII.—Old Age.																									
Total Class XII						-							-			$\frac{1}{1}$		3	4				107	50	57
TOTAL OLASS ATT																			4	12	87		107		57
CLASS XIIIViolence.																									
155. Suicide by Poison									1			2	3	1				2	1	1			11	7	4
157. Suicide by Hanging or Strangulation 158. Suicide by Drowning										 1	1	1		1 1		1							3	2	1
159. Suicide by Firearms 160. Suicide by Cutting Instruments 161. Suicide by Precipitation from a Height									1		1				1	1	1		1	1			8 2	8 2	
162. Suicide by Crushing										 1	 1												2		
164. Poison by Food 165. Ven. Creatures and other acute Poisons			1			1	``i	•••						1									3	2	
166. Incendiarism	2	3	1	1	1	8	1		1								1	2					 13	7	
168. Noxious Gases             169. Drowning              170. Firearms				1		1	2	 1	2			3	3	1	1	1	1	4	 1				20	19	1
170. Filearms					 1	···				3			2		 1	2	 1	 1					2	2	
173. Mines and Quarries												 1			1					2	9		25	17	8
175. Vehicles				1	1	1 1	2	1	1	2	$\frac{1}{2}$	 1	2	3		 1	1	2					16	1 14	2
176. Animals			1			1	1		1	1		1								1	2		10	8 5	1
178. Cold	1					1																			
180. Lightning																							1		1
181. Others, Electric					1	···																			
182. Murder by Firearms											1												1 1		1
184. Murder, Other										1													1	1	
186. Other Violence 186a. Wounds received in Battle									1	1	 1	1	1		1		1	1	 1				6 3	6 3	
TOTAL CLASS XIII	3	3	3	3	4	16	7	2	8	10	8	15	12	8	5	6	7	12	4	6	11	•••	137	108	29
CLASS XIV.—Ill-defined Diseases.																									
187. Organic Lesion (not Defined) 188. Sudden Death 189. Unspecified or Ill-defined Causes of Death							•••																		
																$\frac{1}{1}$							1		1
TOTAL DEATHS OF PERSONS FROM ALL																-							1		1
CAUSES	500	140	60	22	27	752	62	35	54	aT	148	191	133	112	133	152	187	193	165	151	350		2,899	1,558	1,341

### TABLE No. XXIV.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1919.

								OI U		_ 000		010.															
CLASSES AND DISEASES.	,	NUARY,		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		ULY.		UGUST.		EPTEMBER.		OCTOBER.		VEMBER.		DECEMBER.		TOTALS	S.
		JA		F	-	M		AP		MA		J.		JO		AL		S. E.		00		NOV		DE		les.	ns.
	M.	F.	M.	F.	М.	F.	м.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	Males.	Females.	Persons.
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1	1	1			1 1	1 4
CLASS I.—General Diseases.																											
1. Typhoid Fever	1	1	2	1			1	4		1	1	1							1		1				7	8	15
2. Typhus																											
4. Intermittent Fever 4a. Malarial Cachexia								1						1												2	2
5. Smallpox		1						1											1	1			1	2	2	5	7
7. Scarlet Fever 8. Whooping Cough	1	2		1					2			1			1						1	1			1 4	1 4	8
9. Diphtheria 9a. Croup		1	2	1			1	3	7	5	3	3		1	1		2	1	2			2		1	18	18	36
10. Influenza	1	1	2	2	2			•••	49 17	37 11	54 30	47 25	3 2	4	2	2	6	6	3	2	1				123 49	101 36	224 85
11. Miliary Fever																											
12. Asiatic Cholera												1							1			3			2	4	
14. Dysentery																											
15. Plague																											
17. Leprosy								1				ï					1						2		3	2	.;;
19. Other Epidemic Diseases																											
20. Purulent Infection and Septicæmia 21. Glanders and Farcy	2	1		1		1				1				1	1	1	1			1					4	7	11
22. Malignant Pustule and "Charbon"																											
24. Tetanus							1			1											1		1		3	1	4
25. Trichinosis, etc																											
27. Beri Beri 28. Tuberculosis of the Lungs	6	3	4	5	11	8	6	3	9	9	9	7	13	2	7	9	4	4	7	4	5	2	8	4	89	60	149
29. Tuberculosis, Acute Miliary 30. Tuberculosis of the Meninges					1			1	2											1	1				2	2	2 2
31. Tuberculosis, Abdominal, etc 32. Pott's Disease			1		1							1													4		5
33. White Swellings		ï						1	1				 1		1				1					1	4	3	7
35. General Tuberculosis													···						1						2		2
37. Syphilis		4	1	1	2	2	1 1	1	2	2	1	1			1		1	2			1		1		11 1	13	24 1
38. Gonococcic Dis	3 2	2	1 2	3	3 5	1	4	2	2 6	1 3	3	1 4	2 2	4	1 6	1 2	3 2	1	2 3	1	1 7	4	4 3	4	26 41	3 31	29 72
40. Cancer, etc., of the Stomach and Liver 41. Cancer, etc., Peritonæum, Intestines, etc.	1	2			2	2 2	2	1 5	1	2	2	i		1 4	1	2	1		1	3 3		1 3	1	2 5	12	14 31	26 31
42. Cancer, etc., of the Female Genital Organs 43. Cancer, etc., of the Breast		1		4			2	2 2		2						1		2		1		2		2	, <sub>4</sub>	13	13
44. Cancer, etc., of the Skin 45. Cancer, etc., of other Organs	3	4	2	3	2	3.	3		2	2	3	2	3	4	2	3	2	1	1	3	1	3	1	***	24	28	8 52
46. Other Tumours (excl. F. Genital Organs) 47. Acute Articular Rheumatism	1								1			2		1		1									2	4	6
48. Chronic Rheumatism and Gout 49. Scurvy															1										1		1
50. Diabetes		1	1	1		2	1	2		4	1				1		1	3	3	1		$\frac{1}{2}$		1	8	16 2	24 2
52. Addison's Disease	1			 1								1			1		ï						1		4	2	
53. Leucæmia 54. Anæmia, Chlorosis	1	2		1	1		2	2		1		1	1	1	1	1		2		1	1	1		3	7	16	23
54a. Filaria			1 2					1	 1		 1				1				1						1 6	1	2 6
56. Acute and Chronic Alcoholism 57. Lead Poisoning				ï																			1		1	1	2
58. Other Chr. Poisonings due to Occupations 59. Other Chronic Poisonings																											
TOTAL CLASS I	23	27	21	28	30	21	25	33	102	83	108	100	28	24	30	24	27	22	29	22	21	26	24	25	468	435	903
CLASS II.—Diseases of																											
the Nervous System and of the																											
Organs of Special Sense.																	,										
60. Encephalitis	 1	 1	 1		3			 1	1		1	1	2	1		1		1			1		ĩ		5 8	1 6	6
ola. Epidemic Cerebro-spinal Meningitis										1								 1						ï		3	4
62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord		1	7	2	1 4	1 6	1 5	3 4	5 7	2 2	1 6	1 9	1 6	6	2 4	2 5	1 3	1 6	5	4	5	3 6	2 5	1 5	14 60	15 61	29 121
65. Softening of the Brain	3	6			1			1			3		1		1 1							1 1	1	2 2	6	4 4	10 10
66. Paralysis without indicated cause 67. General Paralysis	1						2	1	1			ï			2		1								3	1	4
68. Other Forms of Mental Alienation 69. Epilepsy			1								 1	···	1		1		1			1					4	1	5
70. Eclampsia (non-puerperal) 71. Convulsions of Children under five	1	1		2		1			1	1		1		 1			 1				2	···		2	5	10	15
73 Hystoria N									1 1	 1									 1	 1					1 2	2	1 4
14. Other Diseases of the Nervous System			1				1			1		1	1				1					1			4	3	7
75. Diseases of the Eyes and Appendages 76. Diseases of the Ear				1					1									•••								1	1
TOTAL CLASS II	6	9	10	5	10	8	10	10	19	9	13	15	12	8	11	8	7	9	6	6	8	13	9	13	121	113	234
D	1																		l						l		

### TABLE No. XXIV.-continued.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1919—continued.

						of	the	Yea	ar 1	919	—с	onti	nue	d.													
CLASSES AND DISEASES,		NUARY.		BKUAKY.	1	AKCH.		PKIL.		Ι.	p	a a	P			UGUST.	andaram	EMDE	gago	OCTOBER.	dat de Secreta	NOVEMBER.	RCEWBER.			TOTALS.	
CLASSES AND DISPLASES,	М.	F.	М.	F.	м.	F.	м.	F.	М.	F.	М.	F.	M.	F.		F.	М.	F.	м.	F.	м.	F.	M.	F.	Males.	Females.	Persons.
CLASS III.—Diseases of the Circulatory System.									-																		
77. Pericarditis  78. Acute Endocarditis  79. Organic Diseases of the Heart  80. Angina Pectoris  81. Dis. of Arteries, Atheroma, Aneurism, etc  82. Embolism and Thrombosis  83. Dis. of Veins (Varices, Varicose Ulcers, etc.)  84. Diseases of the Lymphatic System  85. Hæmorrhage	 11 1 1 	1 8 	3 9  2 	 1 8  	1 5 8 1 4	1 8  1 	9 1 1 1 	2  1 	7 19 3 1 	19  1  	3 8	1 16  2 	12 1 2 	1 19 1 1 	1 15 1 2 1 	2 21  1 	2 8 2 4 	1 12  2 	2 24  4 2 	15 15 	1 10  1 1	 6  2 3 	1 2 17  	7  1 2 	2 27 150 6 24 7 	10 141 1 11 8 	2 37 291 7 35 15 
TOTAL CLASS III	13	10	14	9	19	10	13	3	30	22	11	19	15	22	20	24	16	15	32	16	13	11	20	10	216	171	387
CLASS IV.—Diseases of the Respiratory System.																											
85. Diseases of the Nasal Fossæ 87. Diseases of the Larynx 88. Diseases of the Thyroid Body 89. Acute Bronchitis 90. Chronic Bronchitis 91. Broncho-pneumonia 92. Pneumonia 93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs 96. Asthma 97. Pulmonary Emphysema 97a. Miners' Phthisis 98. Other Diseases of the Respiratory System	1 2 4 2 1 1 1	3 5 	1 6 1 	   3   	 1  2  1 	  3 1 2 1 	2    	1 4	3 3 1 11  1 	1 3 2 7	1  2 9  	2 2 10 	1 2 1 1 1 1 	 1 1  3 1  	1 2 2 2 1 1	5 1 8  2	3 3 3  9 	1 1 4 4 	8 	3  1  3 	 5 4 1 2 	3 2  1 	1 1 4 2 	 2 1 3 2   	18 16 14 58 6 3 1 4 	1 2 7 15 21 53 2 2 3 1	1 2 25 31 35 111 8 5 1 7 4 3
TOTAL CLASS IV	11	9	10	4	5	7	4	7	20	13	13	14	8	8	9	16	16	10	10	5	12	6	8	8	126	107	233
CLASS V.—Diseases of the Digestive System.																											
99. Dis. of Mouth and associated organs 100. Diseases of the Pharynx 101. Diseases of the Gsophagus 102. Uleer of the Stomach 103. Other Dis. of Stomach (Cancer excluded) 104. Diarrhœa and Enteritis (under two years) 105. Diarrhœa and Enteritis (over two years) 106. Ankylostomiasis 107. Intestinal Parasites 108. Appendicitis 109. Hernia, Intestinal Obstruction 110. Other Diseases of the Intestines 111. Icterus Gravis 112. Hydatid Tumours of the Liver 113. Cirrhosis of the Liver 114. Biliary Calculi 115. Other Diseases of the Spleen 117. Simple Peritonitis (non-puerperal) 118. Other Diseases of the Digestive System	1 18 4	   1     17   4     2     2   1   1 	13 13 1 1 2	1 7 2 1 1 1	1 1 2 5 2 2 1 5	  1 9 4   1 2	8 3 2 1 1 1	1	 111 22 11 11 11 11			  2 5 2    3   1  2				   3 2   1 1 	  12    1 1 1   	         	 1 34 5  1  1 1 1 1 1	1 21 7	330 1   3 1 	 1 32 5   1  1	2 16 1 3 1 1		1 1 8 158 19 1 2 13 10 5 13 2 9 2 1 1 2	1 1 13 131 32 66 111 1 88 3 7 7 4	1 1 1 2 289 51 1  2 19 21 6  21 5 16 28 28 6
TOTAL CLASS V	25	28	20	11	17	18	16	13	16	21	15	16	11	7	7	10	19	9	45	30	38	41	24	22	253	226	479
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																											
119. Acute Nephritis 120. Bright's Disease		4  1  2 	5	1 7	2 6  1  	2 5  2  	3 3 1 1 1	1 4  1    	3  1 4  2 	2 5 1	3 10  1 1  		1 3	2 5	1 5 	3  2   	4 4 1 2	1 4 	2 2	 2       2 2	1 7 1 2	2 3 1 1 1 1	6  1 1   	4 4	18 57  4 3 15  5 	15 53  5  4   4 1 4 4	33 110  9 3 19  5  4 1 4 4
TOTAL CLASS VI	8	7	5	10	9	9	8	7	10	8	15	7	6	8	6	5	11	5	5	6	11	9	8	9	102	90	192
CT AGG WII Dramoral Can divi																											
CLASS VII.—Puerperal Condition.  134. Accidents of Pregnancy 135. Puerperal Hæmorrhage 136. Other Accidents of Childbirth 137. Puerperal Septicæmia 138. Puerperal Albuminuria and Eclampsia 139. Puerperal Plegmasia Alba Dolens 140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast  TOTAL CLASS VII		1  1   2		1 1 1 		1 1 2   5				 1 1    2		1 1		 2 1   3						1  1   2		    				3 2 1 6 6 6 	3 2 1 6 6   18
	)												1	)		3		1			1	-	1				]

### TABLE No. XXIV.-continued.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1919—continued.

				KY.								JOHU						SB.				В.		.ж.		TOTAL	S.
CLASSES AND DISEASES.		JANUARY.	1	FEBRUAR	TO GO TAN	a more	Appri	r wite.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER		OCTOBER.		NOVEMBER		DECEMBER			
	м.	F.	м.	F.	м.	у.	М.		м.		М.	1	-	1	м.				М,	1	м.	1	м.	1	Males.	Females.	Persons.
CLASS VIII.—Diseases of the kin and of the Cellular Tissue.					4																						
142. Gengrene			1  1									1 1 	1  1	2			•••	1	1	1				 1	3 1 <sub>3</sub>	4 1 1 1	7 2 1 4
TOTAL CLASS VIII	1		2									2	2	2				1	1	1	1			1	7	7	14
CLASS IX.—Diseases of the Organs of Lecomotion.																											
146. Non-tuberculous Diseases of the Bones 147. Arthritis and Other Dis. of Joints 148. Amputation						1					1						2				1				5	1  	6
TOTAL CLASS IX	1					1					1					•••	2				1				5		6
CLASS XMalformations.																											
150. Congenital Malfor. (excl. of Still-born)		1	2	1	1		3	1			1	2			1	1	1	1	2	3					11	10	21
TOTAL CLASS X		1	2	1			3	1			1	2			1	1	_1	1	2	3					11	10	
CLASS XI.—Infancy.  151. Congenital Debility, Icterus, and Scleroma	10	5	2	5	8	5	8	5	3		5	7	4		9	2	4	9	10	8	5	6	5	6	73	58	131
152. Other Dis. Pec. to Infancy (un. 3 mths.) 153. Want of Care (Infants)	1	3	3	1	1	 5	1	2	2 5	5			1		2	1	3	4  13	10	8	3 8	7	1 6	1  7	18  91	18  76	36
TOTAL CLASS XI		8	5	6	9		9	7.		.——		7	5		11	3	7	15	10		0	-				70.	107
CLASS XII.—Old Age.	4	7	7	8	5	3	3	6	3	7	3	5	4	4	3		2	3	3	2	9	6	4	6	50	57	107
TOTAL CLASS XII	4	7	7	8	5	3	3	6	3	7	3	5	4	4	3		2	3	3	2	9	6	4	6	50	57	107
CLASS XIII.—Violence.				1	1		3	2					1			1							2		7	4	11
157. Suicide by Hanging or Strangulation 158. Suicide by Drowning																			···· 1		2			 1	<sub>2</sub>		 3 1
159. Suicide by Firearms 160. Suicide by Cutting Instruments 161. Suicide by Precipitation from a Height 162. Suicide by Crushing	1		1		1		1						1	•					1		1			•••	8 2 		8 2 
163. Other Suicides 164. Poison by Food 165. Ven. Creatures and Other Acute Poisons 166. Incendiarism					1	1			 1			1													2	1 1	3
167. Burns 168. Noxious Gases	"i				1		2	1			2	1					2	2	1	2					7	6	13
169. Drowning 170. Firearms 171. Cuts and Stabs	1	1			2		2		1		3 1		3		1				2		1		1		19 2		20 2 
172. Falls 173. Mines and Quarries 174. Machinery	2	2	2	2	1		1		1				3		3			1	3	1	1	1			17 1 1		25 1 1
175. Vehicles 175a Railways and Tramways 176. Animals	1		2 2				2	1	2		1		1	1			$\frac{1}{2}$	2	1		1		3		14 8	2 2	16 10
177. Starvation					1								1				1		2						5		6
179. Sunstroke						1																				1	1
180. Lightning 181. Others, Electric																											
182. Murder by Firearms																								1		1	
184. Murder Other	1																						1		1		1
186. Other Violence	1								2							•••	1						2				6
186a. Wounds received in Battle									1				2									***			3		3
TOTAL CLASS XIII	8	3	7	3	9	2	11	4	9		7	3	13	1	5	1	7	6	12	3	10	1	10	2	108	29	137
CLASS XIV.—Ill-defined Diseases.																										d to	
187. Organic Lesion (not defined) 188. Sudden Death 189. Unspecified or Ill-defined Causes of Death																						 1					
TOTAL CLASS XIV																						1				1	1
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES		111	103	87	114	89	102	91	214	170	192	191	104	87	103	92	115	94	155	104	132	122	113	103	1,558	1,341	2,899
																											-

### APPENDIX B.

RETURN showing the Registry Districts of Queensland, with the Names of the Persons holding the Office of District Registrar, on 31st December, 1919.

### METROPOLITAN DISTRICT-BRISBANE.

NORMAN JAMES MACLEOD, REGISTRAR-GENERAL. GEORGE PORTER, DEPUTY REGISTRAR-GENERAL.

### COUNTRY DISTRICTS.

Aramac .. .. MARCUS DAVID GREALY. Hughenden . . Balonne .. .. WARWICK EDWARDS MCKENNA. Ipswich . . Blackall .. .. JOHN DEMPSEY SULLIVAN. Kennedy . . . . Logan ... Mackay .. Bowen .. ROBERT HARTLEY ALLEN. . . Bundaberg .. James Ambrose Murray. . . Burke ... Burnett ... .. Arthur James Scanlan. .. Michael Joseph Burke. Maranoa.. . . Marathon . . .. STEWART LYLE STORMONTH. Caboolture Maryborough .. ٠. .. ARTHUR HENRY SCOTT. Cairns ... Mount Morgan . . .. WILLIAM PETTIGREW WILSON. . . Nanango .. HENRY SMITH. Charleville Oxley ... Palmer ... . . . . Clermont .. JAMES WILLIAM LAWRENCE. . . . . Ctoncurry .. TIMOTHY ROGER KENNEDY. . . Rockhampton .. Cook ... Croydon .. .. RODERICK CHARLES FRANCIS BYRNE. ٠. Somerset . . .. Alfred Herman Berg.
.. James Burchill. Springsure . . Cunnamulla Stanley .. . . . . Dalby .. .. Joseph William Lee.
Darling Downs West .. Alfred Peter Wellington Stanthorpe . . St. Lawrence . . TREGEAR. Tiaro .. .. John Nicholson. Toowong . . Etheridge .. John Francis Donovan. Toowoomba . . . . .. Alan Muir Taylor. Fassifern Townsville . . . . Gladstone .. Walter Rillie. . . Warrego . . Gympie .. .. FRANK GLIDDON ILLIDGE. Warwick . . Herberton .. STANLEY WILSON.

.. CHARLES INNES. .. EDWARD JOHN GILMORE. .. CONRID JAMES BOTT. .. HENRY CLEGG. .. WILFRED GOTER ASHTON. .. Alfred Bernard Hansen. .. Johnston Smith. .. FREDERICK CHARLES HUNTER. .. RICHARD POWER. .. Hugh Robertson Aird.
.. John Moffatt .. John Thomas Guilfoyle. .. ARTHUR HENRY O'KELLY. .. CECIL JOHN HANDLEY. .. Waldron Clifford Burrowes .. Percy Edwin Thorpe Allen. .. OSCAR MESTON. .. Francis Bennett. .. WILLIAM TASKER. .. John Nicholson. .. JOHN JOSEPH LEAHY. .. HENRY EDWARD COONEY. .. JAMES PROUD. .. ARTHUR EDGAR AITKIN.

### APPENDIX C.

### Table No. I.

### LOCAL GOVERNMENT AREAS.

		Males.	Females.	Persons.	2				Males.	Females.	Persons.
CITIES—					Shires-						
Brisbane		19,612	20,305	39,917	Adavale				1,055	303	1,358
Charters Towers		2,071	2,191	4,262	Antigua				375	334	709
Gympie		4,273	4,650	8,923	Aramac			•••	1.154	514	1,668
Ipswich		4,569	4,959	9,528	Ayr			• • • •	2,080	1,199	
Maryborough		4,630	5,043	9,673	Balmoral		• • • •	•••	1,974	1,199	3,279
Rockhampton		7,376	8,080	15,456	Balonne	•••	•••				3,847
South Brisbane		14,326	15,725	30,051	Banana				2,273	1,032	3,305
Toowoomba		6,189	6,930	13,119	Barcaldine	• • • •			703	356	2,059
Townsville		5,565	5,071	10,636	Barcoo				1,284	972	1,256
TOWNSTITE		0,000	0,071	10,030	Barolin				458	166	624
Total Cities		68,611	72,954	141,565					1,044	835	1,879
Total Offices		00,011	12,954	141,505	Barron				1,135	810	1,945
Towns-					Bauhinia				1,173	668	1,841
4.11		628	010	1 040	Beaudesert				2,276	1,989	4,265
TO1 1 11			612	1,240	Beenleigh				1,108	1,075	2,183
D		474	461	935	Belmont			***	385	319	704
Bowen		801	712	1,513	Belyando				1,164	526	1,690
Bundaberg		2,763	2,753	5,516	Booringa				1,496	1,006	2,502
Cairns		2,854	2,310	5,164	Boulia				320	118	438
Charleville		861	801	1,662	Brassall				1,594	1,574	3,168
Clermont and Copperfield	S	702	659	1,361	Broadsound				292	187	479
Cooktown		598	651	1,249	Bulloo				1,166	479	1.645
Daiby		1,071	1,155	2,226	Bundamba				2,329	2,003	4,332
Gayndah		511	481	992	Bungil				1,785	1,302	3,087
Gladstone		671	693	1,364	Burke				557	231	788
Goondiwindi		734	564	1,298	Caboolture				3,219	2,540	
Hamilton		2,334	2,571	4,905	Cairns				1,828	857	5,759
Hughenden		824	590	1,414	Calliope				2,134		2,685
Ithaca		7,546	8,210	15,756	Calliungal		• • •		1,826	1,535	3,669
Laidley		605	622	1,227	Cardwell				288	1,347	3,173
Mackay		2,664	2,477	5,141	Carpentaria			***		152	440
Mount Morgan		4,504	4,000	8,504	Chillagoe				456	310	766
North Rockhampton		1,395	1,438	2,833	Cleveland	•••			1,420	1,004	2,424
T)		1,354	1,309	2,663	Cleveland	• • •			490	467	957
0 1 1	0 7 0	1,323	1,728	3,051	Cloncurry				4,004	3,095	7,099
/D		2,949	3,337					***	1,954	871	2,825
Wannish	•••			6,286	Coomera				463	382	845
Warwick	•••	2,494	2,754	5,248	Coorparoo				1,385	1,419	804
Windsor	• • •	4,219	4,751	8,970	Croydon	***			885	764	2,649
m . 1 m	-	44.050	47.000	00 810	Daintree				433	190	1,623
Total Towns		44,879	45,639	90,518	Dalrymple				2,277	1,088	3,365

### Table No. I.—continued.

### LOCAL GOVERNMENT AREAS—continued.

Showing the Poputation of the Cities, Towns, and Shires, at the Census of 1911—continued.

				Mates.	Females.	Persons.		Males.	Females.	Persons.
			*							
Saires-	-cont	inued.					Shires—continued.			
Degilbo				1,042	808	1,850	D:	5,992	3,760	9,752
Diamantina				230	47	277	D	1,118	718	1,836
Douglas				931	492	1,423	D	2,391	2,164	4,555
Drayton				640	620	1,260	Omegantan	7,105	7,172	14,277
Duaringa				587	432	1,019	D 1	1,389	1.258	2,647
Eidsvold				623	451	1,074	D	1,360	946	2,306
Einasleigh	***			2,042	1,010	3,052	D - 1-1:00	536	593	1,129
Emerald				1,046	724	1,770	D 1! -	4,446	3,536	7,982
Enoggera				661	597	1.258	D	1,169	926	2,095
Esk				3,117	2,458	5,575	Dagamand	1,749	1,446	3,195
Fitzrov				2,443	1,834	4,277	C1	1,729	1,596	3,325
Flinders				1,535	480	2,015	Southernt	909	1,010	1,919
Glengallan				3,339	2,643	5,982	64 41	1,511	1,397	2,908
Jooburrum				2,665	1,680	4,345	Stanlan	2,642	2,773	5,415
Goolman				2,726	2,563	5,289	Tour	808	516	1,324
Jowrie				1,901	2,163	4,064	/D	674	514	1,188
Franville				396	341	737	/T	3,584	3,115	6,699
Hann				553	179	732	Towings	1,355	1,603	2,963
Herberton				1,692	1,032	2,724	T	749	512	1,261
Highfields				2,987	2,669	5,656	/T)]in	2,897	2,198	5,095
Hinchinbrook				2,565	1,330	3,895	Tions	1,805	1,462	3,267
Howard				822	680	1,502	/Timere	419	403	822
10 1				628	278	906	Timone	2,092	1,152	3,244
ndooroopilly				466	431	897	Time and lead	CCE	597	1,262
nglewood				2,275	1,504	3,779	/D 11	9 9 4 9	3,548	6,791
sis				2,641	1,743	4,384	Towns	1 996	638	2,024
sisford				573	263	836	TIT	1,194	588	1,782
Tohnstone				2,563	1,021	3,584	Walless	2,211	2,084	4,295
Jondaryan		•••		4,247	3,222	7,469	Walsh	2,639	1,514	4,153
Kargoolnah				988	339	1,327	Wamba	3,915	2,834	6,749
Kedron				1,999	1,664	3,663	Wanganatha	700	431	1,154
Kilkivan	•••			932	621	1,553	Warran	1,054	585	1,639
Kolan	• • • •		•••	1,384	1,032	2,416	Waterford	491	477	968
Laidley				1,796	1,552	3,348	Wainhalt	9 900	1,493	3,698
ivingstone	• • • •			3,075	2,581	5,656	Widass	0.000	2,033	4,398
ongreach				2,129	1,344	3,473	Winton	1 011	743	2,554
Iackinlav		•••		859	327	1,186	Wassesses	1,379	1,209	2,588
Maroocl. y				2,983	2,305	5,288	Wasthalate	1,139	634	1,773
Aiddle kidge			•••	605	635	1,240	W	1,506	1,715	3,221
Miriam Vale	3			871	752	1,623	77	680	633	1,313
Murilla		•••		1,980	1,256	3,236	Tottongping			1,016
Aurweh	• • • •		• • • •	1,621	713	2,334	Total Shires .	211,453	156,840	368,293
Janango				3,743	2.690	6,433	Total Silites .	211,100	100,010	
Tebo				292	152	444				/
Verang.				995	814	1,809	OUTSIDE LOCAL GOVERN	V		
loosa	***			1,189	819	2,008	MENT AREAS—	,		
Jormanby				1,329	1,153	2,482	N-4 T	1,267	302	1,569
Paroo				1,528	829	2,427	01.	1,267	572	3,868
Peak Downs		•••		559	276	835		0,200		0,000
erry				1,084	931	2,015	GRAND TOTAL .	329,506	276,307	605,813
Pialba	• • • •			823	720	1,543	GHAND TOTAL .	020,000		000,010
Pine				1,414	1,217	2,631				ANNUAL PROPERTY OF THE PARTY OF
1110				1,414	1,411	2,001				

Table No. II.

Showing the Ages of the Population of Queensland as returned at the Census of 1911.

	BRIS	BANE AND S	USURBS.	REI	MAINDER OF ST	ATE.	T	HE WHOLE STA	TE.
AGES.		1			1			1	Dongono
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons
Under 1 year	1,697	1,653	3,350	6,632	6,314	12,946	8,329	7,967	16,296
1 year to 4 years	5,899	5,556	11,455	23,496	22,457	45,953	29,395	28,013	57,408
5, 9,	6,911	6,605	13,516	25.157	24,813	49,970	32,068	31,418	63,486
0 ,, 14 ,,	7,025	7,132	14,157	24,429	23,863	48,292	31,454	30,995	62,449
5 ,, 19 ,,	7,240	8,035	15,275	25.408	22,853	48,261.	32,648	30,888	63,536
0 years	1,423	1,682	3,105	5,461	4.590	10,051	6,884	6,272	13,156
Under 21 years	30,195	30,663	60,858	110,583	104,890	215,473	140,778	135,553	276,331
21 years to 24 years	5,659	6,734	12,393	21,057	16,401	37,458	26,716	23,135	49,851
5 ,, 29 ,,	5,863	6,619	12,482	23,190	16,889	40,079	29,053	23,508	52,56
0 ,, 34 ,,	4,910	5,441	10,351	19,535	13,848	33,383	24,445	19,289	43,73
5 ,, 39 ,,	4,110	4,620	8,730	17,301	12,118	29,419	21,411	16,738	38,149
0 ,, 44 ,,	3,735	4,277	8,012	16,351	10,330	26,681	20,086	14,607	34,693
5 ,, 49 ,,	3,761	3,769	7,530	15,008	8,477	23,485	18,769	12,246	31,01
3 ,, 54 ,,	3,015	2,899	5,914	12,187	6,620	18,807	15,202	9,519	24,72
5 ,, 59 ,,	2,013	2,024	4,037	8,258	4,332	12,590	10,271	6,356	16,62
60 ,, 64 ,,	1,438	1,540	2,978	6,036	3,378	9,414	7,474	4,918	12,392
65 ,, 69 ,,	1,138	1,361	2,499	4,751	2,799	7,550	5,889	4,160	10,049
0 ,, 71 ,,	871	919	1,790	3,389	1,873	5,262	4,260	2,792	7,052
5 ,, 79 ,,	465	450	915	1,638	961	2,599	2,103	1,411	3,514
30 ,, 84 ,,	184	214	398	584	382	966	768	596	1,36
5 ,, 89 ,,	46	66	112	190	166	356	236	232	468
0 ,, 94 ,,	13	13	26	39	37	76	52	50	103
5 ,, 99 ,,				9	10	19	9	10	19
00 and upwards	1 .	1	2	1	2	3	2	3	
Inspecified	211	242	453	1,771	942	2,713	1,982	1,184	3,166
Total	67,628	71,852	139,480	261,878	204,455	466,333	329,506	276,307	605,813

Table No. III.

Showing the Birthplaces of the Population of Queensland, as Returned at the Census of 1911.

BIRTHPLACE.	POPULATION	N BRISBANE .	AND SUBURBS.	REMA	INDER OF THE	STATE.	T	HE WHOLE STA	TE.
BIRTHPLACE.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males,	Females	[ Fersons.
Queensland New South Wales Victoria South Australia Western Australia I asmania Northern Territory Australia Undefined	41,207 3,435 1,522 253 63 189 5 294	45,787 3,611 1,380 247 77 184 2 \$85	86,994 7,046 2,902 500 140 373 7 679	151,475 20,444 8,957 1,901 192 1,034 6 1,780	143,747 11,431 4,084 947 150 391 15 1,500	295,222 31,875 13,041 2,848 342 1,425 21 3,280	192,682 23,879 10,479 2,154 255 1,223 11 2,074	189,534 15,042 5,464 1,194 227 575 17 1,885	382,216 38,921 15,943 3,348 482 1,798 28
Total Commonwealth	46,968	51,673	98,641	185,789	162,265	348,054	232,757	213,938	3,959
New Zealand	359	315	674	1,273	629	1,902	1,632	944	2,576
Total Australasia	47,327	51,988	99,315	187,062	162,894	349,956	234,389	214,882	449,271
England and Wales Scotland Ireland All other Brit. Possess. Germany All other Countries At Sea	10,388 3,317 3,440 352 908 1,823 73	9,899 3,178 4,784 270 796 839 98	20,287 6,495 8,224 622 1,704 2,662 171	29,788 8,829 12,746 2,296 6,075 14,813 269	17,968 5,206 10,629 463 4,200 2,906 189	47,756 14,035 23 375 2,759 10,275 17,719 458	40,176 12,146 16,186 2,648 6,983 16,636 342	27,867 8,384 15,413 733 4,996 3,745 287	68,043 20,530 31,599 3,381 11,979 20,381 629
Total	67,628	71,852	139,480	261,878	204,455	466,333	329,506	276,307	605,813

Table No. IV.

Showing the Religions of the Population of Queensland as Returned at the Census of 1911.

D	BRISBANE AND SUBURBS.			REMAINDER OF STATE.			THE WHOLE STATE.		
RELIGION.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Christian—							1		
Church of England	24,315	25,671	49,986	90,643	72,073	162,716	114,958	97,744	212,702
Roman Catholic	13,822	16,257	30,079	57,801	49,206	107,007	71,623	65,463	137,086
Presbyterian	8,722	9,213	17,935	32,172	25,453	57,625	40,894	34,666	75,560
Methodist	7,049	7,934	14,983	23,260	21,677	44,937	30,309	29,611	59,920
Lutheran	1,439	1,387	2,826	11,599	9,810	21,409	13,038	11.197	24,235
Baptist	2,524	3,032	5,556	4,141	4,018	8,159	6,665	7,050	13,715
Congregational	1,575	1,870	3,445	3,562	3,438	7,000	5,137	5,308	10,445
Salvation Army	367	517	884	1,682	1,743	3,425	2,049	2,260	4,309
Catholic undefined	658	568	1,226	3,691	3,075	6,766	4,349	3,643	7,992
Other Christian	3,902	3,713	7,615	13,005	9,240	22,245	16,907	12,953	29,860
Total Christian	64,373	70,162	134,535	241,556	199,733	441,289	305,929	269,895	575,824
Non-Christian—									
Hebrew	216	167	383	199	90	289	415	257	672
Other	315	79	394	4,897	227	5,124	5,212	306	5,518
Total Non-Christian	531	246	777	5,096	317	5,413	5,627	563	6,190
Indefinite	350	150	500	1,312	285	1,597	1,662	435	2,097
No Religion	299	82	381	1,296	229	1,525	1,595	311	1,906
Object to state	1,653	995	2,648	7,328	2,616	9,944	8,981	3,611	12,592
Unspecified	422	217	639	5,290	1,275	6,565	5,712	1,492	7,204
Grand Total	67,628	71,852	139,480	261,878	204,455	466,333	329,506	276,307	605,813

### Table No. V.

Showing the Occupations of the Population of Queensland as Returned at the Census of 1911.

Classi	ification.	Occupation.	Molog	Females.	Persons
Order.	Sub. Order.	Description	Males.	remates.	Tersons
1 2	••	Class I.—Professional. Government, Defence, and Law	3,823 7,580	251 5,999	4,074 13,579
		Total Class I	11,403	6,250	17,653
3	$\frac{1}{2}$	Class II.—Domestic.  Board and Lodging  Domestic Service and Attendance	3,599 2,755	6,314 13,902	9,913 16,657
		Total Class II	6,354	20,216	26,570
4 5 6 7 8 9 10 11 12 13		Clas III.—Commercial.  Dealing in Property and Finance Dealing in Art and Mechanic Productions Dealing in Textile Fabrics Dealing in Foods, Drinks, Narcotics, Stimulants Dealing in Animals, Animal and Vegetable Substances Dealing in Fuel and Light Dealing in Metals and Other Minerals General and Undefined Merchants and Dealers Speculators on Chance Events Engaged in Storage	4,078 1,928 2,957 8,640 2,093 752 1,067 7,244 104 42	636 547 1,814 962 110 13 61 1,505 9	4,714 2,475 4,771 9,602 2,203 765 1,128 8,749 113
		Total Class III	28,905	5,659	34,564
14	1 2 3 4 and 5	Class IV.—Transport and Communication.  Engaged in Railway Traffic  Engaged in Traffic on Roads  Engaged in Traffic on Seas and Rivers  Engaged in Postal, Telegraph, and Telephone Service  Messengers, &c.	8,215 5,955 5,963 2,311 77	307 25 51 237 1	8,522 5,980 6,014 2,548 78
		Total Class IV	22,521	621	23,142
15 16 17 18 19 20 21 22 23		Class V.—Industrial.  Working in Art and Mechanic Productions  Working in Textile Fabrics  Working in Foods, Drinks, Narcotics, and Stimulants  Working in Animal and Vegetable Substances  Working in Metals and Other Minerals  Working in Fuel, Light, and Other Forms of Energy  Engaged in Construction of Buildings, Roads, Railways  Engaged in Disposal of the Dead or Refuse  Engaged in Undefined Industrial Pursuits	11,889 3,287 9,953 1,760 5,290 637 14,088 797 9,248	687 9,939 507 9 34 12 22 6 97	12,576 13,226 10,460 1,769 5,324 649 14,110 803 9,345
		Total Class V	56,949	11,313	68,262
24	1 2 3 4 5 6 7	Class VI.—Primary Producers. Engaged in Agricultural Pursuits Engaged in Pastoral Pursuits Engaged in Capture, &c., of Wild Animals and Produce. Engaged in Fisheries Engaged in Forestry Engaged in Water Conservation and Supply Engaged in Mining and Quarrying	38,695 33,634 819 1,631 4,708 1,287 17,947	1,091 2,065 6 3 1 4	39,786 35,699 825 1,634 4,709 1,291 17,960
		Total Class VI	98,721	3,183	101,904
25		Class VII.—Independent	2,027	731	2,758
		Total Proodssinners	226,880		
26 27	1 2	Class VIII.—Dependents. Dependents on Natural Guardians Supported by Voluntary on State Contributions Criminal Class (under Legal Detention)	98,010 302 47	227,193 509 9	274,853 325,203 811 56
		Total Class VIII	98,359	227,711	326,070
		Unspecified	4,267	623	4,890
		Grand Total	329,506	276,307	605,813

By Authority: Anthony James Cumming, Government Printer, Brisbane.